

TIER 1 FABRIC BOOK

Directional Fabric Proudly Woven In The USA

Beige - 90




Blue - 93



Merlot - 92



Gray - 91



Black - 95



Guilford of Maine

Our first tier is a high quality Guilford of Maine polyester. This line includes five neutral colors: Gray, Merlot, Blue, Black, and Beige. Guilford of Maine woven textiles date back to 1865 with the capabilities of designing and producing 100% of their yarns and fabrics every step of the way.

Specifications:	Performance:
Contents: 100% polyester	Breaking Strength (ASTM D5034) <ul style="list-style-type: none"> • 250 lbf min. warp and fill
Weight: 16.7 ± 1.0 oz./lin. yd.	Tear (ASTM D2261) <ul style="list-style-type: none"> • 20 lbf min. warp and fill
Width: 54" minimum usable	Seam Slippage (ASTM D4034) <ul style="list-style-type: none"> • 50 lbf min. warp and fill
Treatment: BLOCKaide™	Pilling resistance (ASTM D3511) <ul style="list-style-type: none"> • Class 4 min.
Backing: Acrylic	Colorfastness to light (AATCC 16 Option 3) <ul style="list-style-type: none"> • Grade 4 min. at 40 hours
Finish	Colorfastness to crocking (AATCC 8) <ul style="list-style-type: none"> • Grade 4 min. dry & Grade 3 min. wet
Width	Colorfastness to water (AATCC 107) <ul style="list-style-type: none"> • Class 3 min. for staining • Class 4 min. for color change
Flammability	Wyzenbeek Abrasion resistance (ASTM D4157) <ul style="list-style-type: none"> • 1,000,000 double rubs min. cotton duck
Maintenance	Flammability <ul style="list-style-type: none"> • CA Tech Bulletin 117 Sec. E • NFPA 260/UFAC Fabric Classification - Class I

Cleaning Code:

Standard Care Label W-S.

Clean with water based cleaning agents, foam or pure, water free solvents.
Vacuuming or light brushing is recommended to prevent dust and soil buildup.

