

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

## 1 Identification

- **Product identifier**
- **Trade name:** Xtreme Set XS-99 A
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Legacy Industrial Products LLC  
570 Lake Cook Rd. Ste 300  
Deerfield, IL 60015  
1 (888) 652- 0333  
[www.legacyindustrial.co](http://www.legacyindustrial.co)
- **Information department:** Product Safety Department
- **Emergency telephone number:**  
INFOTRAC 1-800-535-5053  
INTERNATIONAL 1-352-323-3500 Use only for hazardous materials or dangerous goods incident, spills, leaks, or exposure.

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
4,4'-methylenediphenyl diisocyanate  
methylenediphenyl diisocyanate
- **Hazard statements**  
Harmful if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 1)

*May cause allergy or asthma symptoms or breathing difficulties if inhaled.**May cause an allergic skin reaction.**Suspected of causing cancer.**May cause respiratory irritation.**May cause damage to organs through prolonged or repeated exposure.***· Precautionary statements***Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**Do not breathe dust/fume/gas/mist/vapors/spray.**Wash thoroughly after handling.**Use only outdoors or in a well-ventilated area.**Contaminated work clothing must not be allowed out of the workplace.**Wear protective gloves/protective clothing/eye protection/face protection.**[In case of inadequate ventilation] wear respiratory protection.**If on skin: Wash with plenty of water.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF exposed or concerned: Get medical advice/attention.**Call a poison center/doctor if you feel unwell.**Specific treatment (see on this label).**Get medical advice/attention if you feel unwell.**Take off contaminated clothing and wash it before reuse.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**If experiencing respiratory symptoms: Call a poison center/doctor.**Wash contaminated clothing before reuse.**Store in a well-ventilated place. Keep container tightly closed.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Classification system:****· NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**

Health = \*2

Fire = 1

Reactivity = 0

**· Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

### 3 Composition/information on ingredients

**· Chemical characterization: Mixtures****· Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 2)

## Dangerous components:

|            |                                     |        |
|------------|-------------------------------------|--------|
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate | 25–50% |
| 26447-40-5 | methylenediphenyl diisocyanate      | 0.1–1% |

## 4 First-aid measures

### Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

If symptoms persist consult doctor.

#### Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

### Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

### Advice for firefighters

Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### Protective Action Criteria for Chemicals

#### PAC-1:

|            |                                     |                        |
|------------|-------------------------------------|------------------------|
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate | 0.45 mg/m <sup>3</sup> |
| 26447-40-5 | methylenediphenyl diisocyanate      | 29 mg/m <sup>3</sup>   |

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 3)

|                 |                                     |                       |
|-----------------|-------------------------------------|-----------------------|
| · <b>PAC-2:</b> |                                     |                       |
| 101-68-8        | 4,4'-methylenediphenyl diisocyanate | 5 mg/m <sup>3</sup>   |
| 26447-40-5      | methylenediphenyl diisocyanate      | 40 mg/m <sup>3</sup>  |
| · <b>PAC-3:</b> |                                     |                       |
| 101-68-8        | 4,4'-methylenediphenyl diisocyanate | 55 mg/m <sup>3</sup>  |
| 26447-40-5      | methylenediphenyl diisocyanate      | 240 mg/m <sup>3</sup> |

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

|                                                                                 |                                                                                                                           |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| · <b>Components with limit values that require monitoring at the workplace:</b> |                                                                                                                           |
| <b>101-68-8 4,4'-methylenediphenyl diisocyanate</b>                             |                                                                                                                           |
| PEL                                                                             | Ceiling limit value: 0.2 mg/m <sup>3</sup> , 0.02 ppm                                                                     |
| REL                                                                             | Long-term value: 0.05 mg/m <sup>3</sup> , 0.005 ppm<br>Ceiling limit value: 0.2* mg/m <sup>3</sup> , 0.02* ppm<br>*10-min |
| TLV                                                                             | Long-term value: 0.051 mg/m <sup>3</sup> , 0.005 ppm                                                                      |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 4)

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

|                 |                 |
|-----------------|-----------------|
| Form:           | Liquid          |
| Color:          | Light yellow    |
| Odor:           | Mild            |
| Odor threshold: | Not determined. |

· pH-value: Not determined.

#### · Change in condition

|                              |                 |
|------------------------------|-----------------|
| Melting point/Melting range: | Undetermined.   |
| Boiling point/Boiling range: | 200 °C (392 °F) |

· Flash point: 200 °C (392 °F)

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits:

|        |                 |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

· Vapor pressure at 20 °C (68 °F): 0 hPa

· Density: Not determined.

· Relative density: Not determined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 5)

- |                                            |                                            |
|--------------------------------------------|--------------------------------------------|
| · Vapor density                            | Not determined.                            |
| · Evaporation rate                         | Not determined.                            |
| · Solubility in / Miscibility with Water:  | Not miscible or difficult to mix.          |
| · Partition coefficient (n-octanol/water): | Not determined.                            |
| · Viscosity:                               |                                            |
| Dynamic:                                   | Not determined.                            |
| Kinematic:                                 | Not determined.                            |
| · Solvent content:                         |                                            |
| VOC content:                               | 0.00 %<br>0.0 g/l / 0.00 lb/gal            |
| · Other information                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

|            |          |                           |
|------------|----------|---------------------------|
| Oral       | LD50     | 4,400–8,800 mg/kg (mouse) |
| Inhalative | LC50/4 h | 2.94–5.98 mg/l            |

**101-68-8 4,4'-methylenediphenyl diisocyanate**

|      |      |                     |
|------|------|---------------------|
| Oral | LD50 | 2,200 mg/kg (mouse) |
|------|------|---------------------|

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

|          |                                     |   |
|----------|-------------------------------------|---|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | 3 |
|----------|-------------------------------------|---|

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 6)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, IMDG, IATA** not regulated· **UN proper shipping name**· **DOT, IMDG, IATA** not regulated· **Transport hazard class(es)**· **DOT, ADN, IMDG, IATA**· **Class** not regulated· **Packing group**· **DOT, IMDG, IATA** not regulated· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Not applicable.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

Trade name: Xtreme Set XS-99 A

(Contd. of page 7)

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

· **UN "Model Regulation":** not regulated

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 · **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

101-68-8 | 4,4'-methylenediphenyl diisocyanate

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

101-68-8 | 4,4'-methylenediphenyl diisocyanate

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

101-68-8 | 4,4'-methylenediphenyl diisocyanate

D, CBD

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07    GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

4,4'-methylenediphenyl diisocyanate

methylenediphenyl diisocyanate

(Contd. on page 9)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 12/13/2019

Reviewed on 12/13/2019

**Trade name: Xtreme Set XS-99 A**

(Contd. of page 8)

**· Hazard statements**

Harmful if inhaled.  
 Causes skin irritation.  
 Causes serious eye irritation.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 May cause an allergic skin reaction.  
 Suspected of causing cancer.  
 May cause respiratory irritation.  
 May cause damage to organs through prolonged or repeated exposure.

**· Precautionary statements**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Wash thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 [In case of inadequate ventilation] wear respiratory protection.  
 If on skin: Wash with plenty of water.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 IF exposed or concerned: Get medical advice/attention.  
 Call a poison center/doctor if you feel unwell.  
 Specific treatment (see on this label).  
 Get medical advice/attention if you feel unwell.  
 Take off contaminated clothing and wash it before reuse.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 If experiencing respiratory symptoms: Call a poison center/doctor.  
 Wash contaminated clothing before reuse.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Date of preparation / last revision** 12/13/2019 / -

**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 12/13/2019

Reviewed on 12/13/2019

**Trade name: Xtreme Set XS-99 A**

(Contd. of page 9)

*NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Acute Tox. 4: Acute toxicity – Category 4**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A**Resp. Sens. 1: Respiratory sensitisation – Category 1**Skin Sens. 1: Skin sensitisation – Category 1**Carc. 2: Carcinogenicity – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2***. \* Data compared to the previous version altered.**

US