



ReliaSource[®] Industrial Pump Packages



The Pump People[®]

APPLICATIONS:

- Storm Water Runoff
- Wastewater Treatment
- Building Trades
- Fly Ash
- Coal Pile Runoff
- Machining Coolants & Rinse Water
- Chemical Processing
- Water Supply
- Food Processing
- Hospital Waste
- Washroom Facilities
- Wash Down



ENGINEERED TO DELIVER DECADES OF PERFORMANCE AND VALUE

Gorman-Rupp has an experienced staff of engineers dedicated to the design, development, construction and testing of the most efficient and serviceable packages in the industry. Our distributors are trained to help you design and build your system including pumps, motors, controls, valves and piping – the entire industrial package.

The Complete Package

Our entire line of pumps can be packaged for industrial applications to provide a complete pumping solution. A quality pumping system relies on precise matching of all components. Gorman-Rupp ReliaSource® pump packages are designed, constructed and tested for maximum compatibility and performance while offering superior serviceability.

At Gorman-Rupp, we refer to this concept as Total System Responsibility. What this means to you is faster, trouble-free installation and overall project savings.

Parts And Service

When you need a replacement part for your pump package, you'll have it fast. With tens of thousands of genuine Gorman-Rupp parts and pumps in stock, we fill and ship 99% of parts orders within 24 hours. Should your package ever require service, our worldwide network of factory-trained distributors is ready to quickly respond to your needs. With just one number to call for parts and service, it's easy and convenient to keep your equipment operating at peak performance.



Gorman-Rupp offers an industry-leading 60-month warranty when the entire system is engineered, assembled and tested at our state-of-the-art manufacturing facility.

For applications dealing with feathers, stringy solids, sludge or any other clog-prone materials, the Eradicator® Solids Management System is available for all sizes of Gorman-Rupp Super T Series®, Ultra V Series® and select Prime Aire®* pumps. For the most aggressive applications and more effective solids management, 3", 4" and 6" Super T Series models are available with Eradicator Plus™ technology for cutting and tearing organic solids before they are passed through the pump.

**Includes Eradicator® wearplate only.*



01 | Pumps

Gorman-Rupp offers a variety of pump types and sizes to choose from, including self-priming, submersible, priming assisted, standard centrifugal or positive displacement.

02 | Motors & Couplings

Electric motors need to be connected to any pump for it to operate. When your need is for ODP, TEFC, Explosion-Proof, or Mil-Chem duty, we can size the proper motor to your pump selection. In addition, a variety of coupling arrangements can be provided.

03 | Controls

The performance of any pumping system is dependent on the reliability and accuracy of the pump controls. Gorman-Rupp offers everything from simple motor starters with circuit breakers to complex motor control centers with variable frequency drives and programmable logic controllers. All controls are available UL and CSA listed.

04 | Base & Guards


Depending on the package, structural bases can be supplied for single or multiple pump arrangements. In addition, proper guarding can be provided to meet OSHA safety standards while still allowing operator maintenance for pumps or coupling devices.

05 | Piping & Valves

Gorman-Rupp can provide discharge check valves, isolation valves, air release valves and header piping for your package, all sized to meet pump selection capacities and solids-handling capability.

Optional Equipment

Gorman-Rupp offers a variety of enclosures, providing security, easy maintenance and longer life for your pump package. To ensure uninterrupted pumping, an Auto-Start pump package is available. A 12V DC level control system uses a standby engine to drive the pump. When power is restored, electric motor operation resumes.



INDUSTRIAL PUMP PACKAGES

Total System Responsibility

Pumps Available In Industrial Pump Packages



Self-Priming

Size: 2" (50 mm) to 12" (300 mm)
Max Capacity: 6700 GPM
(422.8 lps)
Max Head: 325' (99.1 m)
Max Solids: 3" (76.2 mm)



Priming-Assisted

Size: 3" (75 mm) to 16" (400 mm)
Max Capacity: 15000 GPM
(946.4 lps)
Max Head: 575' (175.3 m)
Max Solids: 4" (101.6 mm)



Standard Centrifugal

Size: 1 1/4" (32 mm) to 16" (400 mm)
Max Capacity: 15000 GPM
(946.4 lps)
Max Head: 575' (175.3 m)
Max Solids: 4" (101.6 mm)



Rotary Gear

Size: 1" (25 mm) to 6" (150 mm)
Max Capacity: 600 GPM
(2270.6 lpm)
Max Pressure: 300 PSI (20.7 bar)
Max Viscosity: 2000000 SSU
(440000 cSt)
Temp Range: -60° F (-51° C) to
675° F (357° C)



Submersible

Size: 3" (75 mm) to 8" (300 mm)
Max Capacity: 3400 GPM
(214.5 lps)
Max Head: 170' (51.8 m)
Max Solids: 3" (76.2 mm)
Horsepower: 3 HP - 75 HP

FLUID-HANDLING EQUIPMENT DESIGNED WITH YOUR NEEDS IN MIND



★ Manufacturing Facilities
● Distribution Centers

Gorman-Rupp USA
Mansfield, Ohio, USA
Gorman-Rupp Canada
St. Thomas, Ontario, Canada

Gorman-Rupp Europe
Waardenburg, Netherlands
Namur, Belgium
Gorman-Rupp Africa
Cape Town, South Africa
Durban, South Africa
Johannesburg, South Africa (Headquarters)

Distribution Centers
Dubai, United Arab Emirates
Grand Prairie, Texas, USA

Engineering and manufacturing superiority has been the hallmark of Gorman-Rupp since our inception in 1933. Today we bring our products to life in some of the most efficient, modern and state-of-the-art manufacturing facilities in the world. Gorman-Rupp has a selection of nearly 3,000 pump models, and our world-class team of distributors has worked closely with thousands of end users around the world. We have the proven expertise and the resources to specify, manufacture, test and service your pump, and to ensure reliable performance for the long haul.



GORMAN-RUPP PUMPS
P.O. BOX 1217
MANSFIELD, OHIO 44901-1217 | USA
TEL: 419.755.1011 | FAX: 419.755.1251

GRPUMPS.COM



The Pump People®