



DESIGN-PRO™ SMOOTH-PRO™
DIRECT GLAZED
FIBERGLASS DOORS

Architectural Design Manual
December 2025











TABLE OF CONTENTS

PRODUCT INFORMATION

TYPICAL FIBERGLASS DOOR CONSTRUCTION	3
SDL BAR PROFILE DETAILS	4
FACTORY DOOR HEIGHT ALLOWANCES	5


SECTION DETAILS

							
Page: 6	12	16	21	26	29	32	37
Model: Full View	Full View Sidelite	3/4 View 1 Panel	3/4 View 1 Panel Sidelite	1/2 View 2 Panel	1/2 View 2 Panel Sidelite	Craftsman	Craftsman Sidelite






	
Page: 42	47
Model: Beadboard	Beadboard Sidelite

TYPICAL FIBERGLASS DOOR CONSTRUCTION

6/8 & 7/0 Sections






8/0 Sections




* All dimensions are symmetrical on horizontal views. Multiple factors determine if a door will be have a wrapped-edge or trimmed-edge. If specifications are needed on a particular door, contact JELD-WEN Customer Service.

SDL BAR PROFILE DETAILS




FACTORY DOOR HEIGHT ALLOWANCES

6/8 & 8/0 Height Reduction Schedules



7/0 Height Reduction Schedules



Notes:


Door to be trimmed in 1/4" increments.

Height range for Flush Fiberglass doors/sidelites is 72" to 95 1/4".

Height range for 6/8 and 7/0 Panel Fiberglass doors/sidelites is 73 1/2" to 83 1/4".


Height range for 8/0 Panel Fiberglass doors/sidelites is 89 1/2" to 95 1/4".

FULL VIEW DIRECT GLAZED - RETRO, 6/8 & 7/0



DIMENSION TABLE										
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir		
3/0	35 3/4"	5 3/4"	24 1/4"	5 15/16"	23 7/8"	10.42 ft ²	SP-686DG SP7-686DG	DF-686DG DF7-686DG		
2/11 (Retro)	34 9/16"	5 5/32"	24 1/4"	5 11/32"	23 7/8"					
2/10	33 3/4"	4 3/4"	24 1/4"	4 15/16"	23 7/8"					
2/10 (Retro)	33 9/16"	4 21/32"	24 1/4"	4 27/32"	23 7/8"					
2/8	31 3/4"	5 1/4"	21 1/4"	5 7/16"	20 7/8"	9.11 ft ²				
2/7 (Retro)	30 9/16"	4 21/32"	21 1/4"	4 27/32"	20 7/8"					
2/6	29 3/4"	5 1/4"	19 1/4"	4 7/16"	18 7/8"	8.24 ft ²				
2/4	27 3/4"	4 1/4"	19 1/4"	4 7/16"	18 7/8"					
2/0	23 3/4"	5 1/4"	13 1/4"	5 7/16"	12 7/8"				5.62 ft ²	


FULL VIEW DIRECT GLAZED - NARROW SDL BARS - 6/8 & 7/0



SDL's available on 3/0, 2/10, 2/8 door widths.
Limited 2/6, 2/4 & 2/0 widths available.
Vertical dimensions do not change with door width.
*Available in 2/6, 2/4 or 2/0 door widths.

SDL DIMENSION TABLE					
Door Width	A	B	C	D	E
3/0, 2/10	23 7/8"	11 3/8"	15 27/32"	8 11/32"	7 7/32"
2/8	20 7/8"	9 7/8"	12 27/32"	7 11/32"	6 7/32"
2/6, 2/4*	18 7/8"	8 7/8"	-	6 21/32"	5 17/32"
2/0*	12 7/8"	5 7/8"	-	4 21/32"	3 17/32"




FULL VIEW DIRECT GLAZED - WIDE SDL BARS - 6/8 & 7/0



SDL's available on 3/0, 2/10 and 2/8 door widths.
Vertical dimensions do not change with door width.


SDL DIMENSION TABLE	
Door Width	A
3/0	23 7/8"
2/10	23 7/8"
2/8	20 7/8"

FULL VIEW DIRECT GLAZED - 8/0




DIMENSION TABLE								
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	5 3/4"	24 1/4"	5 15/16"	23 7/8"	13.08 ft²	SP8-686DG	DF8-686DG
2/10	33 3/4"	4 3/4"	24 1/4"	4 15/16"	23 7/8"			
2/8	31 3/4"	5 1/4"	21 1/4"	5 7/16"	20 7/8"	11.43 ft²		
2/6	29 3/4"	5 1/4"	19 1/4"	5 7/16"	20 7/8"			
2/4	27 3/4"	4 1/4"	19 1/4"	4 7/16"	13 7/8"	7.60 ft²		
2/0	23 3/4"	5 1/4"	13 1/4"	5 7/16"	13 7/8"			


FULL VIEW DIRECT GLAZED - NARROW SDL BARS - 8/0




VS3 - 3 Lite




VS3 - 4 Lite




VS3 - 5 Lite




VS2 & VS3
6 Lite



VS2
9 Lite Prairie



VS2 - 12 Lite




VS2 - 18 Lite

SDL DIMENSION TABLE

Door Width	A	B	C	D	E
3/0	23 7/8"	11 3/8"	15 27/32"	8 11/32"	7 7/32"
2/10	23 7/8"	11 3/8"	15 27/32"	8 11/32"	7 7/32"
2/8, 2/6	20 7/8"	9 7/8"	12 27/32"	7 11/32"	6 7/32"

SDL's available on 3/0, 2/10, 2/8 and 2/6 door widths.
Vertical dimensions do not change with door width.



FULL VIEW DIRECT GLAZED - WIDE SDL BARS - 8/0



SDL's available on 3/0, 2/10, 2/8 and 2/6 door widths.
Vertical dimensions do not change with door width.

SDL DIMENSION TABLE	
Door Width	A
3/0	23 7/8"
2/10	23 7/8"
2/8, 2/6	20 7/8"


FULL VIEW DIRECT GLAZED SIDELITE - 6/8 & 7/0




Section A-A

DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	3.50 ft²	SP-690DG	DF-690DG
1/0	12"	1 13/16"	2"		SP7-690DG	DF7-690DG


FULL VIEW DIRECT GLAZED SIDELITE - SDL BARS - 6/8 & 7/0




VS3
3 Lite




VS3
4 Lite




VS2 & VS3
5 Lite




VS2
6 Lite Prairie



VS4
3 Lite





VS4
4 Lite





VS4
5 Lite

FULL VIEW DIRECT GLAZED SIDELITE - 8/0






DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	4.38 ft²	SP8-690DG	DF8-690DG
1/0	12"	1 13/16"	2"			

FULL VIEW DIRECT GLAZED SIDELITE - SDL BARS - 8/0





3/4 VIEW DIRECT GLAZED - 6/8 & 7/0



DIMENSION TABLE								
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	23 3/8"	6 3/16"	6 3/8"	23"	7.83 ft²	SP-607DG-1P SP7-607DG-1P	DF-607DG-1P DF7-607DG-1P
2/10	33 3/4"	23 3/8"	5 3/16"	5 3/8"	23"			
2/8	31 3/4"	21 3/8"	5 3/16"	5 3/8"	21"	7.15 ft²		
2/6	29 3/4"	21 3/8"	4 3/16"	4 3/8"	21"			


ADA 3/4 VIEW DIRECT GLAZED - 6/8




Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE								
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	23 3/8"	6 3/16"	6 3/8"	23"	7.83 ft²	ADA SP-607DG-1P	ADA DF-607DG-1P
2/10	33 3/4"	23 3/8"	5 3/16"	5 3/8"	23"			
2/8	31 3/4"	21 3/8"	5 3/16"	5 3/8"	21"	7.15 ft²		
2/6	29 3/4"	21 3/8"	4 3/16"	4 3/8"	21"			


3/4 VIEW DIRECT GLAZED - SDL BARS - 6/8 & 7/0




VS3 - 3 Lite




VS3 - 4 Lite




VS3 - 4 Lite




VS3 - 6 Lite



VS3 - 10 Lite



VS2 - 12 Lite





VS2 & VS3
9 Lite Prairie

SDL DIMENSION TABLE

Door Width	A	B	C	D	E
3/0	23"	10 15/16"	8 1/32"	6 29/32"	14 31/32"
2/10	23"	10 15/16"	8 1/32"	6 29/32"	14 31/32"
2/8, 2/6	21"	9 15/16"	7 3/8"	6 1/4"	12 31/32"


SDL's available on 3/0, 2/10, 2/8 and 2/6 door widths.
Vertical dimensions do not change with door width.

3/4 VIEW DIRECT GLAZED - 8/0




DIMENSION TABLE								
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	23 3/8"	6 3/16"	6 3/8"	23"	10.44 ft²	SP8-607DG-1P	DF8-607DG-1P
2/10	33 3/4"	23 3/8"	5 3/16"	5 3/8"	23"			
2/8	31 3/4"	21 3/8"	5 3/16"	5 3/8"	21"	9.53 ft²		
2/6	29 3/4"	21 3/8"	4 3/16"	4 3/8"	21"			


3/4 VIEW DIRECT GLAZED - SDL BARS - 8/0




VS3 - 3 Lite




VS3 - 4 Lite




VS3 - 4 Lite




VS3 - 6 Lite



VS3 - 10 Lite



VS2 - 15 Lite





VS2 & VS3
9 Lite Prairie

SDL DIMENSION TABLE

Door Width	A	B	C	D	E
3/0	23"	10 15/16"	8 1/32"	6 29/32"	14 31/32"
2/10	23"	10 15/16"	8 1/32"	6 29/32"	14 31/32"
2/8, 2/6	21"	9 15/16"	7 3/8"	6 1/4"	12 31/32"



SDL's available on 3/0, 2/10, 2/8 and 2/6 door widths.
Vertical dimensions do not change with door width.

3/4 VIEW DIRECT GLAZED SIDELITE - 6/8 & 7/0




DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	2.70 ft ²	SP-422DG	DF-422DG
1/0	12"	1 13/16"	2"		SP7-422DG	DF7-422DG

ADA 3/4 VIEW DIRECT GLAZED SIDELITE - 6/8




DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	2.70 ft²	ADA SP-422DG	ADA DF-422DG
1/0	12"	1 13/16"	2"			


3/4 VIEW DIRECT GLAZED SIDELITE - SDL BARS - 6/8 & 7/0




VS3
2 Lite




VS3
3 Lite



VS2 & VS3
4 Lite





VS3
5 Lite



VS2 & VS3
6 Lite Prairie


3/4 VIEW DIRECT GLAZED SIDELITE - 8/0




Section A-A

DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	3.60 ft²	SP8-422DG	DF8-422DG
1/0	12"	1 13/16"	2"			


3/4 VIEW DIRECT GLAZED SIDELITE - SDL BARS - 8/0




VS3
2 Lite




VS3
3 Lite



VS3
4 Lite





VS2 & VS3
5 Lite






VS2 & VS3
6 Lite Prairie

1/2 VIEW DIRECT GLAZED - 6/8 & 7/0



Dimension Table						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Flr
3/0	35 3/4"	6 3/16"	6 3/8"	5.91 ft²	SP-684DG SP7-684DG	DF-684DG DF7-684DG
2/10	33 3/4"	5 3/16"	5 3/8"			
2/8	31 3/4"	4 3/16"	4 3/8"			



ADA 1/2 VIEW DIRECT GLAZED - 6/8



Note: A minimum door clear width opening of 32" is required for ADA compliance.



DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 3/16"	6 3/8"	5.91 ft²	ADA SP-684DG	ADA DF-684DG
2/10	33 3/4"	5 3/16"	5 3/8"			
2/8	31 3/4"	4 3/16"	4 3/8"			

1/2 VIEW DIRECT GLAZED DOOR - SDL BARS - 6/8 & 7/0





SDL's available on 3/0, 2/10 and 2/8 door widths.
Vertical dimensions do not change with door width.

1/2 VIEW DIRECT GLAZED SIDELITE - 6/8 & 7/0




DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	2.06 ft²	SP-692DG	DF-692DG
1/0	12"	1 13/16"	2"		SP7-692DG	DF7-692DG

ADA 1/2 VIEW DIRECT GLAZED SIDELITE - 6/8




DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 11/16"	2 7/8"	2.06 ft²	ADA SP-692DG	ADA DF-692DG
1/0	12"	1 13/16"	2"			

1/2 VIEW DIRECT GLAZED SIDELITE - SDL BARS - 6/8 & 7/0



VS2
3 Lite



VS2
6 Lite Prairie



The image contains two technical drawings of a window lock assembly.

Stile/Lock Block Detail: This side view shows a vertical block with a diagonal hatching pattern. It has a total height of $11 \frac{7}{8}"$. The top edge has a width of $1 \frac{7}{16}"$. A horizontal slot is located $2 \frac{7}{16}"$ from the top edge.

Section A-A: This cross-sectional view shows the internal components of the lock assembly. It includes a top plate with a width of $1 \frac{3}{4}"$ and a central bolt mechanism with a diameter of $1"$. The assembly is shown in a vertical orientation with various internal components and fasteners.

DIMENSION TABLE									
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 1/4"	6 3/8"	2.60 ft²	SPC-866DG SPC7-866DG	DFC-866DG DFC7-866DG	DOC-866DG-2P	TWC-866DG-2P	DMC-866DG DMC7-866DG
2/10	33 3/4"	5 1/4"	5 3/8"						
2/8	31 3/4"	4 1/4"	4 3/8"						


ADA CRAFTSMAN DIRECT GLAZED - 6/8




Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE							
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
3/0	35 3/4"	6 1/4"	6 3/8"	2.60 ft ²	ADA SPC-866DG	ADA DFC-866DG	ADA DMC-866DG
2/10	33 3/4"	5 1/4"	5 3/8"				
2/8	31 3/4"	4 1/4"	4 3/8"				


CRAFTSMAN DIRECT GLAZED - SDL BARS - 6/8 & 7/0



VS2 & VS3
3 Lite



VS2 & VS3
4 Lite




VS2 & VS3
6 Lite


SDL's available on 3/0, 2/10 and 2/8 door widths.

Architectural Design Manual 35


CRAFTSMAN DIRECT GLAZED - SDL BARS - 8/0



VS2 & VS3
3 Lite





VS2 & VS3
4 Lite



VS2 & VS3
6 Lite

SDL's available on 3/0, 2/10 and 2/8 door widths.



CRAFTSMAN DIRECT GLAZED SIDELITE - 6/8 & 7/0



Section A-A

DIMENSION TABLE									
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
1/2	13 3/4"	2 3/4"	2 7/8"	0.90 ft²	SPC-820DG	DFC-820DG	DOC-820DG	TWC-820DG	DFC-820DG
1/0	12"	1 7/8"	2"		SP7C-820DG	DF7C-820DG			DF7C-820DG


ADA CRAFTSMAN DIRECT GLAZED SIDELITE - 6/8




Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE							
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
1/2	13 3/4"	2 3/4"	2 7/8"	0.90 ft ²	ADA	ADA	ADA
1/0	12"	1 7/8"	2"		SPC-820DG	DFC-820DG	DFC-820DG

CRAFTSMAN DIRECT GLAZED SIDELITE - SDL BARS - 6/8 & 7/0





VS2 & VS3
2 Lite



VS2 & VS3
2 Lite


CRAFTSMAN DIRECT GLAZED SIDELITE - 8/0




Section A-A

DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 3/4"	2 7/8"	1.13 ft²	SPC8-820DG	DFC8-820DG
1/0	12"	1 7/8"	2"			

CRAFTSMAN DIRECT GLAZED SIDELITE - SDL BARS - 8/0





VS2 & VS3
2 Lite





VS2 & VS3
2 Lite

CRAFTSMAN BEAD DIRECT GLAZED - 6/8 & 7/0



DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 1/4"	6 3/8"	2.60 ft ²	SPB-866DG	DFB-866DG
2/10	33 3/4"	5 1/4"	5 3/8"		SPB7-866DG	DFB7-866DG
2/8	31 3/4"	4 1/4"	4 3/8"			



ADA CRAFTSMAN BEAD DIRECT GLAZED - 6/8



Note: A minimum door clear width opening of 32" is required for ADA compliance.



DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 1/4"	6 3/8"	2.60 ft ²	ADA SPB-866DG	ADA DFB-866DG
2/10	33 3/4"	5 1/4"	5 3/8"			
2/8	31 3/4"	4 1/4"	4 3/8"			

CRAFTSMAN BEAD DIRECT GLAZED DOOR - SDL BARS - 6/8 & 7/0




SDL's available on 3/0, 2/10 and 2/8 door widths.

CRAFTSMAN BEAD DIRECT GLAZED - 8/0




DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 1/4"	6 3/8"	3.23 ft²	SPB8-866DG	DFB8-866DG
2/10	33 3/4"	5 1/4"	5 3/8"			
2/8	31 3/4"	4 1/4"	4 3/8"			

CRAFTSMAN BEAD DIRECT GLAZED DOOR - SDL BARS - 8/0





VS2 & VS3
3 Lite



VS2 & VS3
6 Lite

SDL's available on 3/0, 2/10 and 2/8 door widths.



CRAFTSMAN BEAD DIRECT GLAZED SIDELITE - 6/8 & 7/0



Section A-A

DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 3/4"	2 7/8"	0.90 ft²	SPB-820DG	DFB-820DG
1/0	12"	1 7/8"	2"		SP7B-820DG	DF7B-820DG


ADA CRAFTSMAN BEAD DIRECT GLAZED SIDELITE - 6/8




Section A-A

DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 3/4"	2 7/8"	0.90 ft²	ADA SPB-820DG	ADA DFB-820DG
1/0	12"	1 7/8"	2"			

CRAFTSMAN BEAD DIRECT GLAZED SIDELITE - SDL BARS - 6/8 & 7/0





VS2 & VS3
2 Lite




VS2 & VS3
2 Lite

CRAFTSMAN BEAD DIRECT GLAZED SIDELITE - 8/0




DIMENSION TABLE						
Sidelite Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
1/2	13 3/4"	2 3/4"	2 7/8"	1.13 ft²	SPB8-820DG	DFB8-820DG
1/0	12"	1 7/8"	2"			

CRAFTSMAN BEAD DIRECT GLAZED SIDELITE - SDL BARS - 8/0



VS2 & VS3
2 Lite



VS2 & VS3
2 Lite