



DESIGN-PRO™ SMOOTH-PRO™
OPAQUE & LIP LITE
FIBERGLASS DOORS

Architectural Design Manual
November 2025



TABLE OF CONTENTS

PRODUCT INFORMATION

TYPICAL FIBERGLASS DOOR CONSTRUCTION	4
20 MINUTE FIRE DOOR TYPICAL CONSTRUCTION	5
STICKING PROFILE DETAILS	6
FACTORY DOOR HEIGHT ALLOWANCES	7

SECTION DETAILS



























							
Page: 8	9	10	12	13	14	15	16
Model: 2 Panel Arch Top	2 Panel Square Top	2 Panel Plank Arch Top	2 Panel 3/4 Arch Top	2 Panel Euro	3 Panel 3/4 Top	4 Panel	4 Panel Blank Top
							
Page: 17	18	19	20	21	22	23	24
Model: 6 Panel	3/4 View 1 Panel	3/4 View 2 Panel	Camber Top	Sunburst	4 Lite	1/2 View 1 Panel Camber Top	1/2 View 1 Panel Plank Camber Top
							
Page: 25	26	27	28	29	30	33	34
Model: 1/2 View 2 Panel Camber Top	Twin Top Lite	1/2 View 1 Panel	1/2 View 1 Panel Plank	1/2 View 2 Panel	Full View	Twin 1/2 View	1/2 View 2 Panel Vented

TABLE OF CONTENTS




Page:	35	36	37	38	40	42	43	44
Model:	Flat 1 Panel	Flush	Square	Classroom	Craftsman	Craftsman Opaque	Full Oval	3/4 Oval








Page:	45	47	48	49	50
Model:	Full View Sidelite	3/4 View Sidelite	1/2 View Sidelite	Craftsman Full View Sidelite	Craftsman Sidelite

TYPICAL FIBERGLASS DOOR CONSTRUCTION

6/8 & 7/0 Sections




8/0 Sections






Note: All Opaque Design-Pro™ & Smooth-Pro™ Exterior Doors available in 20 Minute Fire Rated configuration. * Multiple factors determine whether a door will be have a wrapped-edge or trimmed-edge. If specifications are needed on a particular door, contact JELD-WEN Customer Service.

20 MINUTE FIRE DOOR TYPICAL CONSTRUCTION

6/8 & 7/0 Sections




8/0 Sections




Note: All Opaque Design-Pro™ & Smooth-Pro™ Exterior Doors available in 20 Minute Fire Rated configuration.

STICKING PROFILE DETAILS


Fiberglass Panel



Beadboard Panel




Craftsman Panel




FACTORY DOOR HEIGHT ALLOWANCES

6/8 & 8/0 Height Reduction Schedules



7/0 Height Reduction Schedules



Notes:


Door to be trimmed in 1/4" increments.

Height range for 6/8 and 7/0 Flush Fiberglass doors/sidelites is 72" to 95 1/4".


Height range for 6/8 and 7/0 Panel Fiberglass doors/sidelites is 73 1/2" to 83 1/4".

Height range for 8/0 Paneled Fiberglass doors/sidelites is 89" to 95 1/4".


2 PANEL ARCH TOP - ADA 6/8, 6/8, 7/0 & 8/0






2 PANEL SQUARE TOP - ADA 6/8, 6/8, 7/0, ADA 8/0 & 8/0



2 PANEL PLANK ARCH TOP - ADA 6/8, 6/8, 7/0, ADA 8/0 & 8/0





2 PANEL PLANK ARCH TOP - 6/8



6/8 Stile & Lock Block Detail Section A-A



DIMENSION TABLE			
Door Width	A	B	Design-Pro Mahogany
3/0	35 3/4"	5 5/16"	DM-24
2/10	33 3/4"	4 5/16"	

2 PANEL 3/4 ARCH TOP - 8/0




DIMENSION TABLE						
Door Width	A	B	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	SP8-26	DF8-26	DO8-26	TW8-26
2/10	33 3/4"	5 5/16"				
2/8	31 3/4"	4 5/16"				

2 PANEL EURO - 6/8





6/8 Stile &
Lock Block Detail Section A-A




DIMENSION TABLE						
Door Width	A	B	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 1/8"	SP-27	DF-27	DO-27	TW-27
2/10	33 3/4"	5 1/8"				
2/8	31 3/4"	4 1/8"				

3 PANEL 3/4 TOP - 6/8





6/8 Stile &
Lock Block Detail Section A-A





DIMENSION TABLE						
Door Width	A	B	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	SP-30	DF-30	DO-30	TW-30
2/10	33 3/4"	5 5/16"				
2/8	31 3/4"	4 5/16"				

4 PANEL - 6/8




DIMENSION TABLE			
Door Width	A	B	Smooth-Pro
3/0	35 3/4"	6 5/16"	SP-40
2/10	33 3/4"	5 5/16"	
2/8	31 3/4"	4 5/16"	

4 PANEL BLANK TOP - 6/8




6/8 Stile &
Lock Block Detail Section A-A



DIMENSION TABLE				
Door Width	A	B	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 5/16"	SP-40BT	DF-40BT
2/10	33 3/4"	5 5/16"		
2/8	31 3/4"	4 5/16"		




6 PANEL - ADA 6/8, 6/8, 7/0, ADA 8/0 & 8/0



DIMENSION TABLE




Door Width	A	B	C	D	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	9 1/8"	4 7/8"	ADA SP-60	ADA DF-60	DO-60	TW-60	ADA DM-60
2/10	33 3/4"	5 5/16"	9 1/8"	4 7/8"	SP-60	DF-60	DO-60	TW-60	DM-60
2/8	31 3/4"	4 5/16"	9 1/8"	4 7/8"	ADA SP8-60	DF7-60	DO8-60	TW8-60	DM7-60
2/6*	29 3/4"	4 7/16"	8 5/16"	4 5/16"	SP8-60	DF8-60			

3/4 VIEW 1 PANEL - 6/8 & 8/0






DIMENSION TABLE										
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	6.89 ft² (6/8)	SP-607-1P SP8-607-1P	DF-607-1P DF8-607-1P	DO-607-1P DO8-607-1P	TW-607-1P TW8-607-1P	DM-607-1P
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"	9.22 ft² (8/0)					
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"						

3/4 VIEW 2 PANEL - 6/8



DIMENSION TABLE										
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	6.91 ft²	SP-607	DF-607	DO-607	TW-607	DM-607
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"						
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"						




CAMBER TOP - 6/8



6/8 Stile &
Lock Block Detail Section A-A

DIMENSION TABLE							
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	1.17 ft ²	SP-648	DF-648
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"			
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"			




SUNBURST - 6/8



6/8 Stile &
Lock Block Detail Section A-A

DIMENSION TABLE							
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 5/16"	5 15/16"	6 1/2"	0.96 ft ²	SP-659	DF-659
2/10	33 3/4"	5 5/16"	4 15/16"	5 1/2"			
2/8	31 3/4"	4 5/16"	3 15/16"	4 1/2"			

4 LITE - ADA 6/8, 6/8 & 7/0




Note: A minimum door clear width opening of 32\" is required for ADA compliance.

6/8 & 7/0 Stile & Lock Block Detail Section A-A




DIMENSION TABLE									
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	0.66 ft ²	ADA SP-662	ADA DF-662	DO-662	TW-662
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP-662	DF-662		
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"		SP7-662	DF7-662		

1/2 VIEW 1 PANEL CAMBER TOP - 6/8 & 7/0



DIMENSION TABLE								
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	5.28 ft²	SP-673-1P	DF-673-1P	DM-673-1P
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP7/673-1P	DF7-673-1P	DM7-673-1P
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"				




1/2 VIEW 1 PANEL PLANK CAMBER TOP - 6/8 & 7/0



6/8 & 7/0 Stile &
Lock Block Detail Section A-A




DIMENSION TABLE							
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	5.28 ft²	SP-673-1PL SP7-673-1PL	DF-673-1PL DF7-673-1PL
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"			
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"			

1/2 VIEW 2 PANEL CAMBER TOP - 6/8



DIMENSION TABLE									
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	5.28 ft²	SP-673	DF-673	DO-673	TW-673
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"					
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"					

TWIN TOP LITE - ADA 6/8, 6/8 & 7/0




6/8 & 7/0 Stile &
Lock Block Detail Section A-A

Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE									
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	0.51 ft ²	ADA SP-680	ADA DF-680	DO-680	TW-680
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP-680	DF-680		
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"		SP7-680	DF7-680		

1/2 VIEW 1 PANEL - ADA 6/8, 6/8, 7/0 & 8/0




Note: A minimum door clear width opening of 32" is required for ADA compliance.


8/0 Stile & 6/8 & 7/0 Stile & Lock Block Detail Lock Block Detail Section A-A

DIMENSION TABLE								
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	5.13 ft ² (ADA 6/8, 6/8, 7/0) 6.91 ft ² (8/0)	ADA SP-684-1P	ADA DF-684-1P	ADA DM-684-1P
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP-684-1P	DF-684-1P	DM-684-1P
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"		SP7-684-1P SP8-684-1P	DF7-684-1P DF8-684-1P	DM7-684-1P

1/2 VIEW 1 PANEL PLANK - ADA 6/8, 6/8, 7/0 & 8/0




Note: A minimum door clear width opening of 32" is required for ADA compliance.



8/0 Stile & Lock Block Detail 6/8 & 7/0 Stile & Lock Block Detail Section A-A

DIMENSION TABLE							
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	5.13 ft ² (ADA 6/8, 6/8, 7/0) 6.91 ft ² (8/0)	ADA SP-684-1PL	ADA DF-684-1PL
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP-684-1PL	DF-684-1PL
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"		SP7-684-1PL SP8-684-1PL	DF7-684-1PL DF8-684-1PL

1/2 VIEW 2 PANEL - ADA 6/8, 6/8, 7/0 & 8/0




Note: A minimum door clear width opening of 32" is required for ADA compliance.

*2/6 door width is only available in 6/8 door height.

8/0 Stile & 6/8 & 7/0 Stile & Lock Block Detail Lock Block Detail Section A-A

DIMENSION TABLE													
Door Width	A	B	C	D	E	F	G	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 5/16"	23 1/8"	5 15/16"	23 7/8"	6 3/8"	23"	5.13 ft ²	ADA SP-684	ADA DF-684			ADA DM-684
2/10	33 3/4"	5 5/16"	23 1/8"	4 15/16"	23 7/8"	5 3/8"	23"	6.91 ft ²	SP-684	DF-684	DO-684	TW-684	DM-684
2/8	31 3/4"	4 5/16"	23 1/8"	3 15/16"	23 7/8"	4 3/8"	23"	(8/0)	SP7-684	DF7-684	DO8-684	TW8-684	DM7-684
2/6*	29 3/4"	4 5/16"	21 1/8"	3 15/16"	21 7/8"	4 3/8"	21"	4.64 ft ²	SP8-684	DF8-684			Unavailable


FULL VIEW - ADA 6/8, 6/8, 7/0 & 8/0



Note: A minimum door clear width opening of 32" is required for ADA compliance.

* Door Widths 2/4 & 2/0 are only available with vertical grain.




**Door Widths 2/6, 2/4 & 2/0 are only available with vertical grain.



8/0 Stile & Lock Block Detail 6/8 & 7/0 Stile & Lock Block Detail Section A-A

DIMENSION TABLE											
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	5 15/16"	23 7/8"	23"	6 3/8"	9.26 ft ²	ADA SP-686 SP-686* SP7-686* SP8-686	ADA DF-686 DF-686* DF7-686* DF8-686	ADA DO-686 DO-686** DO7-686** DO8-686	ADA TW-686 TW-686** TW7-686** TW8-686	ADA DM-686 DM-686 DM7-686
2/10	33 3/4"	4 15/16"	23 7/8"	23"	5 3/8"						
2/8	31 3/4"	3 15/16"	23 7/8"	23"	4 3/8"						
2/8	31 3/4"	4 15/16"	21 7/8"	21"	5 3/8"	8.38 ft ²					
2/6	29 3/4"	3 15/16"	21 7/8"	21"	4 3/8"						
2/4	27 3/4"	5 15/16"	15 7/8"	15"	6 3/8"						
2/0	23 3/4"	3 15/16"	15 7/8"	15"	4 3/8"	5.75 ft ²					Not Available

FULL VIEW - RETRO




DIMENSION TABLE											
Door Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
2/11	34 9/16"	5 11/32"	23 7/8"	23"	5 3/4"	9.26 ft ²	SP-686 Vertical Grain Only	DF-686 Vertical Grain Only	DO-686 Vertical Grain Only	TW-686 Vertical Grain Only	DM-686
2/10	33 9/16"	4 27/32"	23 7/8"	23"	5 1/4"						
2/7	30 9/16"	4 11/32"	21 7/8"	21"	4 3/4"	8.38 ft ²	SP-686 Vertical Grain Only	DF-686 Vertical Grain Only	DO-686 Vertical Grain Only	TW-686 Vertical Grain Only	Not Available
2/5	28 9/16"	3 27/32"	21 7/8"	21"	3 3/4"						


ADA FULL VIEW - CUTOUT ONLY - 6/8 & 8/0

Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE								
Door Width	A	B	C	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	23"	6 3/8"					
2/10	33 3/4"	23"	5 3/8"	ADA SP-638	ADA DF-638	ADA DO-638	ADA TW-638	ADA DM-638
2/8	31 3/4"	23"	4 3/8"					
2/8	31 3/4"	21"	5 3/8"	ADA SP-639	ADA DF-639	ADA DO-639*	ADA TW-639*	Not Available
2/6	29 3/4"	21"	4 3/8"					



Available as cutout panel only.






Available as cutout panel only.

Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE							
Door Width	A	B	C	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	23"	6 3/8"				
2/10	33 3/4"	23"	5 3/8"	ADA SP8-618	ADA DF8-618	ADA DO8-618	ADA TW8-618
2/8	31 3/4"	23"	4 3/8"				
2/8	31 3/4"	21"	5 3/8"	ADA SP8-619	ADA DF8-619	ADA DO8-619	ADA TW8-619
2/6	29 3/4"	21"	4 3/8"				




TWIN 1/2 VIEW - 6/8



6/8 Stile &
Lock Block Detail Section A-A

DIMENSION TABLE								
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	5 15/16"	6 3/8"	3.48 ft²	SP-692	DO-692	TW-692
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"				
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"				

1/2 VIEW 2 PANEL VENTED - ADA 6/8, 6/8 & 7/0




Note: A minimum door clear width opening of 32" is required for ADA compliance.



6/8 & 7/0 Stile & Lock Block Detail Section A-A

DIMENSION TABLE							
Door Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	5 5/16"	6 3/8"	4.34 ft ²	ADA SP-799	ADA TW-799
2/10	33 3/4"	5 5/16"	4 15/16"	5 3/8"		SP-799	TW-799
2/8	31 3/4"	4 5/16"	3 15/16"	4 3/8"		SP7-799	TW7-799


FLAT 1 PANEL - 6/8 & 8/0



FLUSH - 6/8, 7/0 & 8/0






Section A-A



DIMENSION TABLE					
Door Width	A	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	SP-100 SP7-100 SP8-100	DF-100 DF7-100 DF8-100	DO-100 DO7-100 DO8-100	TW-100 TW7-100 TW8-100
2/10	33 3/4"				
2/8	31 3/4"				
2/6	29 3/4"				
2/4	27 3/4"				
2/0	23 3/4"				




SQUARE - 6/8 & 7/0



6/8 & 7/0 Stile & Lock Block Detail Section A-A

DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro White Oak
3/0	35 3/4"	9 7/16"	9 7/8"	1.40 ft²	SP-696 SP7-696	TW-696 TW7-696
2/10	33 3/4"	8 7/16"	8 7/8"			
2/8	31 3/4"	7 7/16"	7 7/8"			
2/6	29 3/4"	6 7/16"	6 7/8"			
2/4	27 3/4"	5 7/16"	5 7/8"			
2/0	23 3/4"	3 7/16"	3 7/8"			

CLASSROOM 1/2 VIEW FLUSH - 6/8, 7/0 & 8/0




Section A-A

Note: A minimum door clear width opening of 32\" is required for ADA compliance.




* Door Widths 2/4 & 2/0 are only available with vertical grain.

**Door Widths 2/6, 2/4 & 2/0 are only available with vertical grain.



DIMENSION TABLE								
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	21 5/16"	21 3/4"	1.72 ft ²	SP-767* SP7-767* SP8-767	DF-767* DF7-767* DF8-767	DO-767** DO7-767** DO8-767	TW-767** TW7-767** TW8-767
2/10	33 3/4"	19 5/16"	19 3/4"					
2/8	31 3/4"	17 5/16"	17 3/4"					
2/6	29 3/4"	15 5/16"	15 3/4"					
2/4	27 3/4"	13 5/16"	13 3/4"					
2/0	23 3/4"	9 5/16"	9 3/4"					

CLASSROOM 3/4 VIEW FLUSH - 6/8 & 7/0




Section A-A

Note: A minimum door clear width opening of 32" is required for ADA compliance.




* Door Widths 2/4 & 2/0 are only available with vertical grain.

**Door Widths 2/6, 2/4 & 2/0 are only available with vertical grain.




Door Width	DIMENSION TABLE							
	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	21 5/16"	21 3/4"	1.72 ft ²	SP-867* SP7-867*	DF-867* DF7-867*	DO-867** DO7-867**	TW-867** TW7-867**
2/10	33 3/4"	19 5/16"	19 3/4"					
2/8	31 3/4"	17 5/16"	17 3/4"					
2/6	29 3/4"	15 5/16"	15 3/4"					
2/4	27 3/4"	13 5/16"	13 3/4"					
2/0	23 3/4"	9 5/16"	9 3/4"					

CRAFTSMAN (4 1/2") - 6/8 & 8/0





Available as cutout only





DIMENSION TABLE						
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 3/8"	5 15/16"	2.09 ft²	SPC-866	DFC-866
2/10	33 3/4"	5 3/8"	4 15/16"		SPC8-866	DFC8-866
2/8	31 3/4"	4 3/8"	3 15/16"			

CRAFTSMAN (4 3/4") - ADA 6/8, 6/8 & 7/0



6/8 & 7/0 Stile &
Lock Block Detail Section A-A





Available as cutout only


Note: A minimum door clear width opening of 32" is required for ADA compliance.

DIMENSION TABLE									
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
3/0	35 3/4"	6 1/4"	5 15/16"	2.09 ft ²	ADA SPC-866	ADA DFC-866	ADA DOC-866	ADA TWC-866	ADA DMC-866
2/10	33 3/4"	5 1/4"	4 15/16"		SPC-866	DFC-866	DOC-866	TWC-866	DMC-866
2/8	31 3/4"	4 1/4"	3 15/16"		SPC7-866	DFC7-866	DOC-866	TWC-866	DMC7-866

CRAFTSMAN OPAQUE - 6/8 & 8/0






Section A-A





DIMENSION TABLE				
Door Width	A	B	Smooth-Pro	Design-Pro Fir
3/0	35 3/4"	6 3/8"	SPC-30 SPC8-30	DFC-30 DFC8-30
2/10	33 3/4"	5 3/8"		
2/8	31 3/4"	4 3/8"		

FULL OVAL - 6/8, 7/0 & 8/0






8/0 Stile & 6/8 & 7/0 Stile & Lock Block Detail



Section A-A

DIMENSION TABLE								
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	5 7/8"	6 13/16"	5.80 ft²	SP-919	DF-919	DO-919	TW-919
2/10	33 3/4"	4 7/8"	5 13/16"		SP7-919	DF7-919	DO7-919	TW7-919
2/8	31 3/4"	3 7/8"	4 13/16"		SP8-919	DF8-919	DO8-919	TW8-919


3/4 OVAL - 6/8



6/8 Stile & Lock Block Detail Section A-A

DIMENSION TABLE								
Door Width	A	B	C	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak
3/0	35 3/4"	6 5/16"	9 5/16"	3.03 ft²	SP-949	DF-949	DO-949	TW-949
2/10	33 3/4"	5 5/16"	8 5/16"					
2/8	31 3/4"	4 5/16"	7 5/16"					

FULL VIEW SIDELITE - ADA 6/8, 6/8 & 7/0




Section A-A

*Available with vertical grain only.

DIMENSION TABLE										
Sidelite Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
1/2	13 3/4"	2 15/16"	2 7/16"	2 7/8"	2.70 ft ²	ADA SP-690	ADA DF-690	ADA DO-690	ADA TW-690	DM-690
1/0	12"	2"	1 9/16"	2"		SP-690	DF-690	DO-690	TW-690	
10"	10"	1"	9/16"	1"		SP7-690	DF7-690	DO7-690*	TW7-690*	


WIDE FULL VIEW SIDELITE - ADA 6/8, 6/8, 7/0 & 8/0



Section A-A


DIMENSION TABLE										
Sidelite Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
1/2	13 3/4"	2 7/16"	1 15/16"	2 3/8"	3.10 ft²	ADA SP-690 SP-690	ADA DF-690 DF-690	ADA DO-690 DO-690	ADA TW-690 TW-690	DM-690
1/0	12"	1 1/2"	1 1/16"	1 1/2"	3.80 ft² (8/0)	SP7-690 SP8-690	DF7-690 DF8-690	DO7-690 DO8-690	TW7-690 TW8-690	

3/4 VIEW SIDELITE - 6/8 & 8/0



DIMENSION TABLE										
Sidelite Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
1/2	13 3/4"	2 1/8"	1 15/16"	2 3/8"	2.33 ft ² (6/8)	SP-422	DF-422	DO-422	TW-422	DM-422
1/0	12"	1 1/4"	1 1/16"	1 1/2"	3.12 ft ² (8/0)	SP8-422	DF8-422	DO8-422	TW8-422	


1/2 VIEW SIDELITE - ADA 6/8, 6/8, 7/0 & 8/0



Section A-A


DIMENSION TABLE										
Sidelite Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Oak	Design-Pro White Oak	Design-Pro Mahogany
1/2	13 3/4"	2 5/16"	1 15/16"	2 3/8"	1.74 ft²	ADA SP-692 SP-692	ADA DF-692 DF-692	DO-692	TW-692	ADA DM-692
1/0	12"	1 7/16"	1 1/16"	1 1/2"	2.33 ft² (8/0)	SP7-692 SP8-692	DF7-692 DF8-692	DO8-692	TW8-692	DM-692 DM7-692

CRAFTSMAN FULL VIEW SIDELITE - ADA 6/8, 6/8 & 7/0



DIMENSION TABLE								
Sidelite Width	A	B	C	D	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
1/2	13 3/4"	2 11/16"	1 15/16"	2 11/16"	3.09 ft²	ADA SPC-819	ADA DFC-819	ADA DMC-819
1/0	12"	1 13/16"	1 1/16"	1 13/16"		SPC-819 SPC7-819	DFC-819 DFC7-819	DMC-819 DMC7-819

CRAFTSMAN SIDELITE - ADA 6/8, 6/8 & 7/0



DIMENSION TABLE									
Sidelite Width	A	B	C	D	E	Daylight Opening	Smooth-Pro	Design-Pro Fir	Design-Pro Mahogany
1/2	13 3/4"	2 3/4"	2 7/16"	2 3/4"	2 7/16"	0.60 ft²	ADA SPC-820	ADA DFC-820	ADA DMC-820
1/0	12"	1 7/8"	1 9/16"	1 15/16"	1 5/8"		SPC-820 SPC7-820	DFC-820 DFC7-820	DMC-820 DMC7-820