



MOLDED COLLECTION INTERIOR WOOD COMPOSITE DOORS

Architectural Design Manual
February 2025










TABLE OF CONTENTS







PRODUCT INFORMATION

CONSTRUCTION DETAILS 3

STICKING PROFILE DETAILS 4


ELEVATION, SECTION & SIZING DETAILS

						
Page: 5	7	9	11	13	15	16
Model: Birkdale™	Caiman®	Camden®	Carrara®	Colonist® Smooth	Colonist® Commercial	Colonist® Textured


					
Page: 18	22	24	26	28	32
Model: Conmore®	Craftsman III™	Madison®	Monroe®	Rockport™	Santa Fe™

CONSTRUCTION DETAILS


ProCORE
THE QUIET DOOR®



Solid Particle Board Core
Wood/MDF or All-Wood Frame




Solid Mineral Core
All-Wood Frame



Corrugated Core
Wood/MDF or All-Wood Frame


Hollow Core Corrugated Core Construction
May Vary By Production Facility

Optional Hardware Bore Details




Bore available by request. Standard routing shown. Custom routing available.

Wood Composite
Interior Door Width Options




STICKING PROFILE DETAILS

1 3/8" Panel Thickness





1 3/4" Panel Thickness




All Molded Collection Wood Composite Doors are available in 1 3/8" and 1 3/4" panel thickness options.

BIRKDALE™ 3 PANEL SMOOTH - 6/8, 7/0 & 8/0



Lock Block
Detail





Section A-A
Craftsman Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6"	3"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.


BIRKDALE™ 6 PANEL SMOOTH BIFOLD - 6/8, 7/0 & 8/0



Section A-A
Craftsman Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	5 1/4"	7 1/2"	4 5/16"
2/4	27 13/16"	4 1/4"	7 1/2"	4 5/16"
2/2	25 13/16"	3 1/4"	7 1/2"	4 5/16"
2/0	23 13/16"	4 1/4"	6"	3 5/16"
1/10	21 13/16"	3 1/4"	6"	3 5/16"

CAIMAN® SMOOTH - ADA 6/8, 6/8, 7/0 & 8/0



ADA option only available in 3/0 and 2/10 door widths. A minimum door clear width opening of 32" is required for ADA compliance.

Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	23 3/4"	6 1/8"	3"
3/0	36"	23 3/4"	6 1/8"	3"
ADA 2/10	34"	23 3/4"	5 1/8"	3"
2/10	34"	21 3/4"	6 1/8"	3"
2/8	32"	21 3/4"	5 1/8"	3"
2/6	30"	19 3/4"	5 1/8"	3"
2/4	28"	17 3/4"	5 1/8"	3"
2/2	26"	15 3/4"	5 1/8"	3"
2/0	24"	15 3/4"	4 1/8"	3"
1/10	22"	15 3/4"	3 1/8"	2 1/8"
1/8	20"	12"	4"	3"
1/6	18"	12"	3"	1 5/8"
1/4**	16"	9 1/8"	3 7/16"	2 1/8"
1/3**	15"	9 1/8"	2 15/16"	1 5/8"
1/2**	14"	9 1/8"	2 7/16"	1 3/8"
1/0**	12"	9 1/8"	1 7/16"	N/A



All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.

* Quantity, size, and location of lock blocks may vary by model and customer order.

Solid core doors do not have separate lock blocks.


** Size only available in 6/8 & 7/0 door heights.

CAIMAN® SMOOTH BIFOLD - 6/8 & 7/0




Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 7/16"	9 1/16"	4 13/16"
2/10	33 13/16"	5 7/16"	9 1/16"	4 13/16"
2/8	31 13/16"	4 7/16"	9 1/16"	4 13/16"
2/6	29 13/16"	3 7/16"	9 1/16"	4 13/16"
2/4	27 13/16"	2 7/16"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"

CAMDEN® TEXTURED - 6/8 & 7/0



*Lock Block





Lock Block
Detail

Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25"	5 1/2"	3"
2/10	34"	22 13/16"	5 9/16"	3"
2/8	32"	22 13/16"	4 9/16"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	18 1/8"	4 15/16"	3"
2/2	26"	14 15/16"	5 1/2"	3"
2/0	24"	14 15/16"	4 1/2"	3"
1/10	22"	14 15/16"	3 1/2"	2 1/8"
1/8	20"	9 1/2"	5 1/4"	3"
1/6	18"	9 1/2"	4 1/4"	3"
1/4	16"	7 1/2"	4 1/4"	3"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.



CAMDEN® TEXTURED BIFOLD - 6/8 & 7/0



Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 $\frac{13}{16}"$	6"	9 $\frac{1}{2}"$	4 $\frac{13}{16}"$
2/10	33 $\frac{13}{16}"$	5"	9 $\frac{1}{2}"$	4 $\frac{13}{16}"$
2/8	31 $\frac{13}{16}"$	4 $\frac{9}{16}"$	9 $\frac{1}{2}"$	3 $\frac{11}{16}"$
2/6	29 $\frac{13}{16}"$	5 $\frac{1}{8}"$	7 $\frac{1}{2}"$	4 $\frac{9}{16}"$
2/4	27 $\frac{13}{16}"$	4 $\frac{1}{8}"$	7 $\frac{1}{2}"$	4 $\frac{9}{16}"$
2/2	25 $\frac{13}{16}"$	3 $\frac{1}{8}"$	7 $\frac{1}{2}"$	4 $\frac{9}{16}"$
2/0	23 $\frac{13}{16}"$	3 $\frac{7}{16}"$	6 $\frac{11}{16}"$	3 $\frac{5}{8}"$
1/10	21 $\frac{13}{16}"$	2 $\frac{7}{16}"$	6 $\frac{11}{16}"$	3 $\frac{5}{8}"$

CARRARA® SMOOTH - ADA 6/8, 6/8, 7/0 & 8/0





All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	23 11/16"	6 1/8"	3"
2/10	34"	21 11/16"	6 1/8"	3"
2/8	32"	21 11/16"	5 1/8"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	17 11/16"	5 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	11 15/16"	4"	3"
1/6	18"	11 15/16"	3"	1 5/8"
1/4	16"	7 1/16"	4 7/16"	3"
1/3	15"	7 1/16"	3 15/16"	3"
1/2	14"	7 1/16"	3 7/16"	2 1/8"
1/0	12"	7 1/16"	2 7/16"	1 3/8"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	23 11/16"	6 1/8"	3"
3/0	36"	23 11/16"	6 1/8"	3"
ADA 2/10	34"	23 11/16"	5 1/8"	3"
2/10	34"	21 11/16"	6 1/8"	3"
2/8	32"	21 11/16"	5 1/8"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	17 11/16"	5 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	11 15/16"	4"	3"
1/6	18"	11 15/16"	3"	1 5/8"
1/4	16"	7"	4 1/2"	3"
1/3	15"	7"	4"	3"
1/2	14"	7"	3 1/2"	2 1/8"
1/0	12"	7"	2 1/2"	1 3/8"


CARRARA® SMOOTH BIFOLD - 6/8, 7/0 & 8/0




Section A-A
INP Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 1/8"	11 15/16"	3 9/16"
2/6	29 13/16"	4 1/8"	8 15/16"	3 9/16"
2/0	23 13/16"	4 1/8"	5 15/16"	3 9/16"
1/10	21 13/16"	3 1/8"	5 15/16"	3 9/16"


COLONIST® SMOOTH - 6/8, 7/0 & 8/0



** Door Design as Shown.
Dimensions Typical.



Section A-A
Cove & Bead Sticking



8/0 Lock Block
Detail




6/8 & 7/0 Lock Block
Detail

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.
**Door widths have a single row of panels as shown in detail.

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 3/16"	3"
2/10	34"	9 15/16"	5 3/16"	3"
2/8	32"	9 15/16"	4 3/16"	3"
2/6	30"	8 15/16"	4 3/16"	3"
2/4	28"	7 15/16"	4 3/16"	3"
2/2	26"	5 15/16"	5 3/16"	3"
2/0	24"	5 15/16"	4 3/16"	3"
1/10	22"	5 15/16"	3 3/16"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7 1/16"	4 1/2"	3"
1/3**	15"	7 1/16"	4"	3"
1/2**	14"	7 1/16"	3 1/2"	2 1/8"
1/0**	12"	7 1/16"	2 1/2"	1 3/8"


6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 3/16"	3"
2/10	34"	9 15/16"	5 3/16"	3"
2/8	32"	9 15/16"	4 3/16"	3"
2/6	30"	8 15/16"	4 3/16"	3"
2/4	28"	7 15/16"	4 3/16"	3"
2/2	26"	5 15/16"	5 3/16"	3"
2/0	24"	5 15/16"	4 3/16"	3"
1/10	22"	5 15/16"	3 3/16"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7"	4 1/2"	3"
1/3**	15"	7"	4"	3"
1/2**	14"	7"	3 1/2"	2 1/8"
1/0**	12"	7"	2 1/2"	1 3/8"

COLONIST® SMOOTH COMMERCIAL - 6/8 & 7/0




All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.


COLONIST® TEXTURED - 6/8, 7/0 & 8/0



** Door Design as Shown.
Dimensions Typical.



Section A-A
Cove & Bead Sticking





All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.
**Door widths have a single row of panels as shown in detail.

Not available
in 8/0 height.

Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 1/8"	3"
2/10	34"	9 15/16"	5 1/8"	3"
2/8	32"	9 15/16"	4 1/8"	3"
2/6	30"	8 15/16"	4 1/8"	3"
2/4	28"	7 15/16"	4 1/8"	3"
2/2	26"	5 15/16"	5 1/8"	3"
2/0	24"	5 15/16"	4 1/8"	3"
1/10	22"	5 15/16"	3 1/8"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7"	4 1/2"	3"
1/3**	15"	7"	4"	3"
1/2**	14"	7"	3 1/2"	2 1/8"
1/0**	12"	7"	2 1/2"	1 3/8"



COLONIST® TEXTURED BIFOLD - 6/8, 7/0 & 8/0



Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 1/8"	11 15/16"	3 5/8"
2/10	33 13/16"	5 1/8"	9 15/16"	3 5/8"
2/8	31 13/16"	4 1/8"	9 15/16"	3 5/8"
2/6	29 13/16"	4 1/8"	8 15/16"	3 5/8"
2/4	27 13/16"	4 1/8"	7 15/16"	3 5/8"
2/2	25 13/16"	5 1/8"	5 15/16"	3 5/8"
2/0	23 13/16"	4 1/8"	5 15/16"	3 5/8"
1/10	21 13/16"	3 1/8"	5 15/16"	3 5/8"



CONMORE® SMOOTH - 6/8 & 7/0



Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 11/16"	5 1/8"	3"
2/10	34"	23 11/16"	5 1/8"	3"
2/8	32"	23 11/16"	4 1/8"	3"
2/6	30"	21 11/16"	4 1/8"	3"
2/4	28"	19 11/16"	4 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	9 11/16"	5 1/8"	3"
1/6	18"	9 11/16"	4 1/8"	3"
1/4	16"	9 11/16"	3 1/8"	2 1/8"
1/3	15"	9 11/16"	2 5/8"	1 5/8"
1/2	14"	9 1/8"	2 7/16"	1 3/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.



CONMORE® SMOOTH BIFOLD - 6/8 & 7/0



Section A-A
Stepped Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 3/8"	9 1/16"	4 13/16"
2/10	33 13/16"	5 3/8"	9 1/16"	4 13/16"
2/8	31 13/16"	4 3/8"	9 1/16"	4 13/16"
2/6	29 13/16"	3 3/8"	9 1/16"	4 13/16"
2/4	27 13/16"	2 3/8"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"



CONMORE® SMOOTH - 8/0



Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 11/16"	5 1/8"	3"
2/10	34"	23 11/16"	5 1/8"	3"
2/8	32"	23 11/16"	4 1/8"	3"
2/6	30"	21 11/16"	4 1/8"	3"
2/4	28"	19 11/16"	4 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	9 11/16"	5 1/8"	3"
1/6	18"	9 11/16"	4 1/8"	3"
1/4	16"	9 11/16"	3 1/8"	2 1/8"
1/3	15"	9 11/16"	2 5/8"	1 5/8"
1/2	14"	9 1/8"	2 7/16"	1 3/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.


CONMORE® SMOOTH BIFOLD - 8/0



Section A-A
Stepped Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 3/8"	9 1/16"	4 13/16"
2/10	33 13/16"	5 3/8"	9 1/16"	4 13/16"
2/8	31 13/16"	4 3/8"	9 1/16"	4 13/16"
2/6	29 13/16"	3 3/8"	9 1/16"	4 13/16"
2/4	27 13/16"	2 3/8"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"



CRAFTSMAN III™ SMOOTH - ADA 6/8, 6/8 & 7/0



All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.
 **Door widths have a single row of panels as shown in detail.

Dimension Table					
Door Width	A	B	C	D	E
ADA 3/0	36"	10"	5 3/4"	3"	24 1/2"
3/0	36"	10 1/4"	5 1/2"	3"	25"
ADA 2/10	34"	10"	4 3/4"	3"	24 1/2"
2/10	34"	10 1/4"	4 1/2"	3"	25"
2/8	32"	8 1/4"	5 1/2"	3"	21"
2/6	30"	8 1/4"	4 1/2"	3"	21"
2/4	28"	6 1/4"	5 1/2"	3"	17"
2/2	26"	6 1/4"	4 1/2"	3"	17"
2/0	24"	5 1/4"	4 1/2"	3"	15"
1/10**	22"	10"	6"	3"	10"
1/8**	20"	10"	5"	3"	10"
1/6**	18"	10"	4"	3"	10"
1/4**	16"	8 1/4"	3 7/8"	2 11/16"	8 1/4"
1/3**	15"	8 1/4"	3 3/8"	2 1/8"	8 1/4"
1/2**	14"	6"	4"	3"	6"
1/0**	12"	4"	4"	3"	4"


CRAFTSMAN III™ SMOOTH BIFOLD - 6/8 & 7/0



Section A-A
Craftsman Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 3/4"	8 1/4"	9 13/16"
2/10	33 13/16"	3 3/4"	8 1/4"	9 13/16"
2/8	31 13/16"	2 3/4"	8 1/4"	9 13/16"
2/6	29 13/16"	4 3/8"	6"	9 1/16"
2/4	27 13/16"	3 3/8"	6"	9 1/16"
2/2	25 13/16"	2 3/8"	6"	9 1/16"
2/0	23 13/16"	3 7/8"	4"	8 1/16"
1/10	21 13/16"	2 7/8"	4"	8 1/16"

MADISON® SMOOTH - ADA 6/8, 6/8, 7/0 & 8/0





8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	7 13/16"	5 1/16"	3"
1/4	16"	7 13/16"	4 1/16"	3"
1/3	15"	7 13/16"	3 9/16"	2 1/8"
1/2	14"	7 13/16"	3 1/16"	2 1/8"
1/0	12"	7 13/16"	2 1/16"	1 1/8"

ADA 6/8-6/8-7/0 Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	24 1/2"	5 3/4"	3"
3/0	36"	26 1/2"	4 3/4"	3"
ADA 2/10	34"	24 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	7 13/16"	5 1/16"	3"
1/4	16"	7 13/16"	4 1/16"	3"
1/3	15"	7 13/16"	3 9/16"	2 1/8"
1/2	14"	5 3/8"	4 5/16"	3"
1/0	12"	5 3/8"	3 5/16"	2 1/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.

MADISON® SMOOTH BIFOLD - 6/8, 7/0 & 8/0




Section A-A
Craftsman Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 15/16"	7 13/16"	10 5/16"
2/10	33 13/16"	3 15/16"	7 13/16"	10 5/16"
2/8	31 13/16"	4"	7 13/16"	8 1/8"
2/6	29 13/16"	3 1/2"	7 13/16"	7 1/8"
2/4	27 13/16"	3"	7 13/16"	6 1/8"
2/2	25 13/16"	2 1/2"	7 13/16"	5 1/8"
2/0	23 13/16"	2"	7 13/16"	4 1/8"
1/10	21 13/16"	1 1/2"	7 13/16"	3 1/8"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 15/16"	7 13/16"	10 5/16"
2/10	33 13/16"	3 15/16"	7 13/16"	10 5/16"
2/8	31 13/16"	2 15/16"	7 13/16"	10 5/16"
2/6	29 13/16"	4 5/8"	5 3/8"	9 3/4"
2/4	27 13/16"	3 5/8"	5 3/8"	9 3/4"
2/2	25 13/16"	2 5/8"	5 3/8"	9 3/4"
2/0	23 13/16"	3 3/4"	4 1/4"	7 7/8"
1/10	21 13/16"	2 3/4"	4 1/4"	7 7/8"

MONROE® SMOOTH - 6/8, 7/0 & 8/0





8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	9 1/4"	2 7/8"	2 5/8"
1/2	14"	9 1/4"	2 3/8"	1 3/8"
1/0	12"	9 1/4"	1 3/8"	N/A

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6"	3"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.

MONROE® SMOOTH BIFOLD - 6/8, 7/0 & 8/0





Section A-A
Craftsman Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	3 1/4"	9 1/4"	4 13/16"
2/4	27 13/16"	2 1/4"	9 1/4"	4 13/16"
2/2	25 13/16"	1 13/16"	9 1/4"	3 11/16"
2/0	23 13/16"	1 5/16"	9 1/4"	2 11/16"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	5 1/4"	7 1/2"	4 5/16"
2/4	27 13/16"	4 1/4"	7 1/2"	4 5/16"
2/2	25 13/16"	3 1/4"	7 1/2"	4 5/16"
2/0	23 13/16"	4 1/4"	6"	3 5/16"
1/10	21 13/16"	3 1/4"	6"	3 5/16"



ROCKPORT™ SMOOTH - 6/8 & 7/0



Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 3/4"	5 1/8"	3"
2/10	34"	25 3/4"	4 1/8"	3"
2/8	32"	23 3/4"	4 1/8"	3"
2/6	30"	21 3/4"	4 1/8"	3"
2/4	28"	19 3/4"	4 1/8"	3"
2/2	26"	19 3/4"	3 1/8"	3"
2/0	24"	15 3/4"	4 1/8"	3"
1/10	22"	15 3/4"	3 1/8"	3"
1/8	20"	10 1/4"	4 7/8"	2 1/8"
1/6	18"	10 1/4"	3 7/8"	2 11/16"
1/4	16"	8 7/8"	3 9/16"	2 1/8"
1/3	15"	8 7/8"	3 1/16"	2 1/8"
1/2	14"	8 7/8"	2 9/16"	1 5/8"
1/0	12"	5 7/8"	3 1/16"	2 1/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.



ROCKPORT™ SMOOTH BIFOLD - 6/8 & 7/0



Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 3/16"	11 7/8"	3 11/16"
2/10	33 13/16"	3 3/16"	11 7/8"	3 11/16"
2/8	31 13/16"	2 3/16"	11 7/8"	3 11/16"
2/6	29 13/16"	4 3/16"	8 7/8"	3 11/16"
2/4	27 13/16"	3 3/16"	8 7/8"	3 11/16"
2/2	25 13/16"	2 3/16"	8 7/8"	3 11/16"
2/0	23 13/16"	4 3/16"	5 7/8"	3 11/16"
1/10	21 13/16"	3 3/16"	5 7/8"	3 11/16"



ROCKPORT™ SMOOTH - 8/0



Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 3/4"	5 1/8"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	14 1/2"	5 3/4"	3"
2/0	24"	14 1/2"	4 3/4"	3"
1/10	22"	14 1/2"	3 3/4"	2 11/16"
1/8	20"	8 1/2"	5 3/4"	3"
1/6	18"	8 1/2"	4 3/4"	3"
1/4	16"	8 1/2"	3 3/4"	2 11/16"
1/3	15"	8 1/2"	3 1/4"	2 1/8"
1/2	14"	8 1/2"	2 3/4"	1 5/8"
1/0	12"	8 1/2"	1 3/4"	N/A

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.



ROCKPORT™ SMOOTH BIFOLD - 8/0




Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 11/16"	8 1/2"	9 7/16"
2/10	33 13/16"	4 3/16"	8 1/2"	8 7/16"
2/8	31 13/16"	3 11/16"	8 1/2"	7 7/16"
2/6	29 13/16"	3 3/16"	8 1/2"	6 7/16"
2/4	27 13/16"	2 11/16"	8 1/2"	5 7/16"
2/2	25 13/16"	2 3/16"	8 1/2"	4 7/16"
2/0	23 13/16"	1 11/16"	8 1/2"	3 7/16"
1/10	21 13/16"	1 3/16"	8 1/2"	2 7/16"

SANTA FE™ SMOOTH - 6/8, 7/0 & 8/0





Section A-A
Ovolo Sticking



Dimension Table				
Door Width	A	B	C	D
3/0	36"	24"	6"	3"
2/10	34"	24"	5"	3"
2/8	32"	23"	4 1/2"	3"
2/6	30"	21"	4 1/2"	3"
2/4	28"	18"	5"	3"
2/2	26"	18"	4"	3"
2/0	24"	14"	5"	3"
1/10	22"	14"	4"	3"
1/8	20"	10"	5"	3"
1/6	18"	10"	4"	3"
1/4	16"	7"	4 1/2"	3"
1/3	15"	7"	4"	3"
1/2	14"	7"	3 1/2"	2 1/8"
1/0	12"	7"	2 1/2"	1 3/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
 *Number & size of lock blocks may vary by model and customer selection.
 Solid core doors do not have separate lock blocks.

SANTA FE™ SMOOTH BIFOLD - 6/8, 7/0 & 8/0



Section A-A
Ovolo Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	3 15/16"	10"	7 15/16"
2/10	33 13/16"	3 7/16"	10"	6 15/16"
2/8	31 13/16"	4 7/16"	7"	8 15/16"
2/6	29 13/16"	3 15/16"	7"	7 15/16"
2/4	27 13/16"	3 7/16"	7"	6 15/16"
2/2	25 13/16"	2 15/16"	7"	5 15/16"
2/0	23 13/16"	2 7/16"	7"	4 15/16"
1/10	21 13/16"	1 15/16"	7"	3 15/16"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	5 5/8"	10"	4 9/16"
2/10	33 13/16"	4 5/8"	10"	4 9/16"
2/8	31 13/16"	3 5/8"	10"	4 9/16"
2/6	29 13/16"	4 5/8"	8"	4 9/16"
2/4	27 13/16"	3 5/8"	8"	4 9/16"
2/2	25 13/16"	2 5/8"	8"	4 9/16"
2/0	23 13/16"	4 1/8"	6"	3 9/16"
1/10	21 13/16"	3 1/8"	6"	3 9/16"