## Decorative Entry Systems





Dyke Industries, Inc.

Serving the Building Industry Since 1866





Door ELN-BC 2248 Sidelite ELN-BC 0848 Transom ELN-BC Ellipse



Door ELN-BC 2264
Sidelite ELN-BC 0764
Transom ELN-BC Rectangle



ELN-BC ELN-BC 2248 (8/0) 2264 (8/0)



Door ELN-BC 2210 AT Sidelite ELN-BC 0848

#### Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.

## Elan



Elan exemplifies distinctive style and sophisticated flair. Deeply beveled panels are accented by artful medallions and beautiful textured glass.

Extra wide black chrome caming adds brilliance.

### **Privacy Rating**




### **Caming Options**





Available in hurricane glass. See page 24.

## Hutton





Door HUT-ORB 2264 Sidelite HUT-ORB 0764 Transom HUT-ORB Ellipse



Door HUT-ORB 949 Sidelite HUT-ORB 0848



Door HUT-ORB 2248 Sidelite HUT-ORB 0848



HUT-ORB 2248 (8/0)



HUT-ORB 2264 (8/0)

Privacy Rating

Clear Opaqui

**Caming Options** 



Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.

## Laurel



LRL-PL 2264 Sidelite LRL-PL 0764 Transom LRL-PL Half Round



Door LRL-PL 949 Sidelite LRL-PL 0764 Transom LRL-PL Ellipse



Door LRL-PL 2236 Sidelite LRL-PL 0836 Transom LRL-PL Rectangle



LRL-PL 2238 AT



LRL-PL 2264 (8/0)



Bevels and granite glass sparkle invitingly while glue chip texture provides warmth and privacy.

### **Privacy Rating**



### **Caming Options**





Available in hurricane glass. See page 24.

## Regency





**Privacy Rating** 

Opaque

**Caming Options** 





REG-P 2264 REG-P 0764 Door Sidelite Transom REG-P Rectangle



Door **REG-P 2236** Sidelite REG-P 0836



**REG-P 2248** Door Sidelite REG-P 0848



REG-P 2248 (8/0)

REG-P 2264 (8/0)

# Wyngate



Door WYN 2248 Sidelite WYN 0848 Transom WYN Rectangle



Door WYN 2264 / 2064 Sidelite WYN 0764 Transom WYN Ellipse



Door WYN 2515 Sidelite WYN 0864



2236 WYN WYN 2236 2210-AT



Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.



**Privacy Rating** 



**Caming Options** 





Available in hurricane glass. See page 24.

Micro-granite glass on the interior side of the

door provides a high level of obscurity.

## Windsor



Shimmering polished bevels sparkle in a clear and gray softwave glass background accented with patina caming. A graceful style that will complement any home.

**Privacy Rating** 

Clear Opaque

**Caming Options** 



Available in hurricane glass. See page 24.



Door WSR-P 2264 / 2064 Sidelite WSR-P 0764 Transom WSR-P Rectangle



Door WSR-P 2248 Sidelite WSR-P 0848 Transom WSR-P Ellipse



Door WSR-P 2236 Sidelite WSR-P 0836



WSR-P 2210 AT



WSR-P 949



WSR-P 2248 (8/0)



WSR-P 2264 (8/0)

Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.

Door FON-SN 2248 Sidelite FON-SN 0848 Transom FON-SN Ellipse



Door FON-SN 2264 Sidelite FON-SN 0764 Transom FON-SN Rectangle



Door FON-SN 2236 Sidelite FON-SN 0836



FON-SN 2210 AT FON-SN 949



FON-SN FON-SN 2248 (8/0) 2264 (8/0)

Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.

### Fontana



crowns the clear bevel border and the center bevel cluster. Satin nickel caming highlights the gray and clear renaissance background.

#### **Privacy Rating**




#### **Caming Options**





Available in hurricane glass. See page 24.

## Royal Fountain



Royal Fountain is a prismatic fountain of bevels beautifully accented by gray and clear renaissance glass which creates a regal entrance.

**Privacy Rating** 

6 Clear Opaque

**Caming Options** 



Transoms fit 1/0 x 3/0 x 1/0 only.



Door FTN-SN 2264 Sidelite FTN-SN 0764 / 0864 Transom FTN-SN Half Round



Door FTN-SN 2236 Sidelite FTN-SN 0836 Transom FTN-SN Ellipse



Door FTN-SN 2248
Sidelite FTN-SN 0848
Transom FTN-SN Rectangle



FTN-SN 2248 (8/0)

FTN-SN 2264 (8/0)

Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.



FTN-SN 949

Door Sidelite

DYN-B/PL/P 2264 DYN-B/PL/P 0764 / 0864



DYN-B/PL/P DYN-B/PL/P DYN-B/PL/P 949 0848



Door Sidelite

DYN-B/PL/P 2236 DYN-B/PL/P 0836



DYN-B/PL/P 2210 AT

DYN-B/PL/P 0718



DYN-B/PL/P



DYN-B/PL/P



2248 (8/0) 2264 (8/0)

## Dynasty




surrounded by a glue chip background and clear bevel border, accented by brass, platinum or patina caming.

#### **Privacy Rating**



#### **Caming Options**



Shown with Universal Transom. See page 32 for options.

## Vintage Craftsman



The Vintage Craftsman design is reminiscent of the original Craftsman style with modern appeal. Featuring the obscure glass textures of eaton and double granite with a border of cotswald glass.

lear Opaque

Caming Options

**Privacy Rating** 

Patina

Transoms fit  $1/0 \times 3/0 \times 1/0$  only.



Door CFT-P 2264 Sidelite CFT-P 0764 / 0864 Transom CFT-P Rectangle



CFT-P Door CFT-P 2236 2210 AT Sidelite CFT-P 0836



Door CFT-P 2515 Sidelite CFT-P 0864



Door CFT-P 2248 Sidelite CFT-P 0848



Full view glass inserts are available for 8 foot doors (80" glass) on a Special Order basis.

## Aurora



Door AUR-PL 2264 Sidelite AUR-PL 0764 / 0864 Transom AUR-PL Ellipse



AUR-PL 919 AUR-PL 2210 AT



Door AUR-PL 2236 AUR-PL 949 Sidelite AUR-PL 0836



Door AUR-PL 2248
Sidelite AUR-PL 0848
Transom AUR-PL Rectangle



AUR-PL AUR-PL 2248 (8/0) 2264 (8/0)



Aurora is an elegant weave of granite glass and bevels accented by an inner border of gray soft wave glass.



Caming Options

Platinum

Transoms fit  $1/0 \times 3/0 \times 1/0$  only.

# Sylvan Park



Sylvan Park reflects classic arts & crafts style.

Beautiful bevels invite attention and amber glass accents offer a warm welcome. The textured glass background enhances the hand-crafted look while offering privacy.





**Caming Options** 





Door PRK-P 2264 Sidelite PRK-P 0764 / 0864 Transom PRK-P Rectangle



Door PRK-P 2248 Sidelite PRK-P 0848 Transom PRK-P Rectangle



PRK-P 2210 AT

PRK-P 2515



Door PRK-P 2238 AT Sidelite PRK-P 0836



PRK-P 2248 (8/0)

PRK-P 2264 (8/0)

2515 1L

BLC 2515 6L



Sidelite

BLC 0836



Door BLC 2248 BLC 0848 Sidelite



Door BLC 2264 BLC 0764 Sidelite



BLC 2280 (8/0) Door BLC 0880 Sidelite

# Opticks | Blanca



# Opticks | Micro-Granite



Just as its name implies, Micro-Granite blends texture and pattern to create a surface reminiscent of small textured polished pebbles. It provides a high level of privacy. Textured surface enclosed in glass.

Privacy Rating

Available in hurricane glass. See page 24.

Additional glass textures available by special order.















MG 2515 1L



 $\mathsf{MG}$ 2515 3L

MG 2236 Door Sidelite MG 0836



MG 2248 Sidelite MG 0848



MG 2264 Sidelite MG 0764



Door Sidelite

MG 2280 (8/0) MG 0880

# Opticks | Rain



RN 2515 1L

RN 2515 6L



RN 2515 3L

Door Sidelite

RN 2236 RN 0836




Door RN 2248 Sidelite RN 0848



Door RN 2264 Sidelite RN 0764



Door RN 2280 (8/0) Sidelite RN 0880



Vapor

Available in hurricane glass.

See page 24.

## Craftsman Series



Craftsman doorlites are available in decorative, SDL and 1-lite options. SDL styles feature 7/8" muntin bar. The doorlite and sidelite frame profiles are specific to the Craftsman Series. Frames available in white, oak and mahogany. Oak frames can be painted or stained. Each doorlite includes two distinctive styles of screw plugs. Choose either flat plugs or domed plugs.

Frame Material Options

FiberMate® Mahogany FiberMate® Oak SS® White

**Privacy Rating** 

Also available in Low-E.

#### Craftsman frame profile



Door 2515 1L Sidelite 0864 1L

Craftsman frame profile



Door 2515 3L Sidelite 0864 1L

#### Craftsman frame profile



Door 2515 6L Sidelite 0864 1L



Domed plugs

Flat plugs



Door Sidelite

SDL 2248 4L SDL 0848 2L



Door Sidelite

SDL 2248 6L SDL 0848 3L



Door Sidelite

SDL 2064 / 2264 8L SDL 0764 4L



Door Sidelite

SDL 2248 6L SDL 0848 4L



5 Lite SDL Transom



3 Lite SDL Transom

## Simulated Divided Lite





### **Privacy Rating**







- · The look of a true divided lite
- · The energy efficiency of a one lite
- Internal Spacer
- Backing strips for true wood muntin appearance
- · Available in white and stainable tan frames
- 1-1/8" bar width
- Simulated Divided Lites are standard in the Evolve® frame



## **EVOLVE**®

### Frame Features

- Uses Compression Foam Tape Seal
- Unique frame rib and Galaxy screw-boss design
- Auto-aligning screw hole covers
- Traditional colonial frame profile
- UV resistant



Compression Foam Tape Seal and Galaxy Screw Bosses

Auto Aligning Screw Hole Plugs

RLB 2036 1L RLB 0836 1L RLB 2236 1L




RLB 2064 1L RLB 0864 1L RLB 2264 1L



RLB 2248 1L

## Raise & Lower Internal Blinds



Opaque Closed





### **EVOLVE**®

### Frame Features

- Uses Compression Foam Tape Seal
- Unique frame rib and Galaxy screw-boss design
- Auto-aligning screw hole covers
- Traditional colonial frame profile
- UV resistant



Compression Foam Tape Seal and Galaxy Screw Bosses

Auto Aligning Screw Hole Plugs



- No more dusting or damaged blinds
- · For privacy, security and light control
- · Lets you control solar heat gain
- · Energy efficient low-e glass available
- Easy tilt, raise and lower operation
- Available in White and Tan options
- Raise & Lower Blinds are standard in the Evolve® frame

Glass inserts for 8 foot doors (80" glass) are available by special order.

2264 15L BLD



2236 9L BLD

### **CONTOURED GRILLES ONLY & BLINDS BETWEEN THE GLASS**

- No more dusting ever!
- Triple-pane insulation
- Superior energy efficiency – exceeds Energy Star requirements\*
- Reduces outside noise intrusion\*
- Blinds are hidden when fully raised
- Reduced travel operator
- Easy operation single operator to raise, lower, and tilt blinds
- Available in energy efficient Low-E glass

# Harmony Blinds









White

Glass Textures

Clear

Standard Harmony White Contoured Bar

22







### Frame Features

- UV resistant
- · Uses wet caulk sealant
- Traditional colonial profile design
- Matching colonial frame profile screw hole plugs







The U-Factor indicates the rate of heat loss of a door assembly.

The lower the U-factor, the better the insulating value and the lower the heating bill.



STC ratings indicate a building material's ability to reduce sound penetration; the higher the STC, the more effective the barrier against sound penetration.

\* Based on independent lab testing of U-factor and STC ratings.

### **Decorative Glass**



### Low-E and GBG Glass




### Severe Weather/Impact Doorglass



Western Reflections' hurricane impact doorglass meets DP+60 to ±80† wind and missile impact code requirements. It can be used to meet Energy Star® criteria in the Southern, South/ Central and North Central regions of the US as part of a certified door system. STC (sound transmission class) testing shows that the laminated glass provides extra protection from outside noise infiltration when used in a properly fitted and installed door system. The STC for decorative glass is 37 and the STC for Clear and GBG glass is 35, independent of glass size.






Hurricane Frame with Clear Glass

- Sturdy Frame Construction
- Maintenance-Free Powder Coated Aluminum

U.S. Patent #5636484







### Turtle Glass Also Available

Thousands of marine turtles nest in the U.S. coastal areas, and state and local ordinances protect hatchling turtles by limiting the brightness of inside-to outside visible light transmittance. Western Reflections' Severe Weather/Impact product line includes tinted gray glass that meet these code requirements.

Meet Code Requirements. Improve Energy Efficiency. Keep Outside Noise Outside.

Additional decorative doorglass patterns, Raise Lower Blinds, GBG and glass inserts for 8 foot doors (80" glass) are available by special order.

### Clear Glass

In addition to our lines of doorlites and sidelites with grilles between glass, we also provide a full selection of clear glass products. All Standard doorlites stocked in Solar Shield white paintable frames.

- \* Also stocked in Low-E glass.
- # Also stocked in Stainable frames.
- \_ Also stocked in beige GBG



















\*2036 9L GBG 2236 9L # \*2236 9L GBG



2248 1L



2248 12L 2248 12L GBG



1464 10L 1464 10L GBG



1464 1L # \* 2064 1L # \* 2264 1L



# \* 2064 15L GBG 2264 15L

# \* 2264 15L GBG



# 919 1L



# 1480 1L # 2080 1L # 2280 1L



2080 18L 2080 18L GBG 2280 18L 2280 18L GBG



0836 1L



# 0836

3L GBG

0848 1L 0836 3L



# 0848 4L 0764 1L **GBG** 0864 1L



0764 5L # 0764 5L **GBG GBG** 



## Prairie GBG










**Privacy Rating** 

## Arcadia & Flat GBG






2264 4L\*

0764 3L\*

### Configuration Options

# **Spattights**DOORGLASS



11" x 5" Clear



22" x 3.5" Clear



7" x 64" Chain Link



10" x 22" Circuit



### **Glass Textures**



Clear Privacy Level 1



Chain Link Privacy Level 9



Clear - Low E Privacy Level 1



Rain Privacy Level 9



Frosted Privacy Level 9



Cubed Privacy Level 9



Circuit Silkscreen Privacy Level 8






### Spotlights\*

### Modern Frame Features

- FiberMate® molded and textured frame works equally well for painting or staining. Can be used with dark finishes.
- Uses Compression
   Foam Tape Seal
- Resists warping and deformation from heat buildup.
- Flat profile



Compression Foam Tape Seal



Sizes

22" x 3.5"

11" x 5"

7" x 64"



12" x 12"

**Custom Color** 



Custom Size and Caming



Custom Glass



## Custom Decorative Doorglass




We can customize just about any aspect of our doorglass. Create your own unique design or modify one of our existing designs. Change the caming finish to coordinate with your door hardware. Swap out the glass texture to alter the privacy level. Or select a size that doesn't come standard. We're happy to look at your ideas and find ways to bring them to life in doorglass.

All custom doorglass is available by special order.

## Custom Grilles Between Glass





All custom doorglass is available by special order.







BVL-P Ellipse 63 1/2", 64 1/2"



BVL-PL Ellipse 63 1/2", 64 1/2"




BVL-PL Rectangle 63 1/2", 64 1/2"



BVL-P Rectangle 63 1/2", 64 1/2"

# Universal Transoms





### Choose Your Frame

We offer the widest array of doorglass frame styles, colors, and materials in the industry to meet specific needs.

### SolarShield®

White or Oak
Standard on: Decorative and Commodity glass

### Evolve® White or Oak

White standard on: Blinds Oak & White standard on: SDL

#### TriSYS®

White, Oak or Mahogany
Special order on Decorative
only

### Craftsman

White, Oak or Mahogany

### **Severe Weather**

White











Feature / Benefit	SolarShield White	SolarShield Oak	EVOLVE White	EVOLVE Oak	TriSYS White	TriSYS Oak, Mahogany	Craftsman White	Craftsman Oak	Severe Weather Hurricane
Frame Material	SolarShield®	FiberPRO®	SolarShield®	FiberPRO®	FiberMate®	FiberMate®	SolarShield®	FiberMate®	Aluminum
Compression seal/no squeeze out									
Designed to reduce scalloping									
Best defense against air/water infiltration									
No screw plugs									
Easy-install screw plugs									
UV Resistant									
High heat tolerant									
Paints without adhesion promoter									
Stainable									
No finishing required									
Meets FL and TX hurricane codes									
Optional on	Clear Glass Ext. Grilles GBG Opticks	Clear Glass Ext. Grilles GBG Opticks	Decorative GBG Clear Glass Opticks	Decorative GBG Clear Glass Opticks	Decorative	Decorative	Craftsman Decorative SDL Clear Glass	Craftsman Decorative SDL Clear Glass	Decorative Blinds GBG Clear Glass
Standard on	Decorative	Decorative	SDL Blinds	SDL Blinds					

### **Frame Materials**



White SolarShield®



Oak FiberPRO®



White FiberMate®



Oak FiberMate®



Mahogany FiberMate®



White Aluminum







# Plastpro Textured Fiberglass Doors

#### 6/8 WOODGRAIN





















6/8 FLUSH GLAZED

1 LITE

DRG10L (LoE2)









#### 8/0 WOODGRAIN



















Know The Beauty of Innovation

SYLVAN PARK DOORGLASS: PAGE 13

Plastpro fiberglass doors, with exclusive HydroShield™ Technology, feature fiberglass reinforced door skins, full-length composite stiles, and composite top & bottom rails to prevent water infiltration on all six sides. Plastpro fiberglass doors are unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity. Our fiberglass reinforced doors will not rot, splinter or warp like wood, and won't dent, rust or delaminate like steel.



## Plastpro Smooth Fiberglass Doors

#### 6/8 SMOOTH SKIN







DRS29







DRS61T (TRIMMABLE)



DRS49



DRS3E



DRS6C



DRS2B





DRS50



DRS3F



DRS2G





Know The Beauty of Innovation

### **6/8 FLUSH GLAZED**

1 LITE



SLS10L (LoE<sup>2</sup>) DRS10L (LoE2)



DRS13L

15 LITE GBG



DRS10 G15 (GBG)

HALF LITE



SLS10L G05 DRS12L (LoE<sup>2</sup>) (GBG)

#### 9 LITE GBG



DRS12 G09 (GBG)

### 8/0 SMOOTH SKIN



DRS0080 SLS0080



DRS4180



SLS4180 DRS6080





DRS3080



DRS3F80

### **8/0 FLUSH GLAZED**

1 LITE



DRS2G80



DRS2980



DRS1080L (LoE2)



DRS1080 G18 (GBG)

## Plastpro Fire Rated Fiberglass Doors



Made with a fire-retardant foam and guarantee to withstand fire for a minimum of 20 minutes, Plastpro fire-rated and waterproof fiberglass doors qualify homeowners for tax credit and energy savings that result in reduction on overall energy bill. Our fire-rated doors are extremely durable and fire-resistant and most importantly, provide you a safer home while still being more affordable and energy efficient.





#### **FIRE RATED 6/8 TEXTURED**



FIRE RATED 6/8 SMOOTH





## Plastpro PF™ Frames



Plastpro PF Frames are 100% full-length composite frames offer a rigid poly-fiber formulation that provides durability, support and reliable strength. Our frames offer twice the screw-holding power of wood and are stronger and more durable. The closed cell structure ensures that the PF Frames will not absorb moisture, thus feature a limited lifetime warranty against rotting, splitting and insect damage. Our frames are easily machined, painted or stained to give the look of wood, without all the long-term concerns or rot and decay.









### Upgrade Your Door Sill Performance—Z-AC Sill.



Beyond making a statement and offering a welcome, your entry system must perform.


**Entry system**—your door panel paired with surrounding components designed to work together to keep out air and water.


Endura components—sills, weather sealing, astragals, frames and multipoint hardware—deliver the best possible protection from the weather. For you, entry system performance means protection from costly water damage, energy savings and security. But unless you choose Endura components, performance is not standard.















# Z-Articulating Cap Sill No adjustment needed.


Adjustable sills are great. As long as they are adjusted. No adjustment equals gaps, leaks, torn door bottoms or worse. Introducing the Z-Articulating Cap Sill. Z-AC solves problems before they start. The cap can move up, or down, to maintain contact with the door bottom and preserve the seal. With the Z-AC at work, you are constantly protected from the weather and potentially costly damage. Even on problematic French doors, where an astragal bolt receiver breaks one long cap into two for even better results. Problem with an existing Z-Series sill? Retrofit a Z-AC cap by simply replacing the door bottom and cap with a Z-AC door bottom and cap. Problem Solved.

U.S. Patents: 6,789,368; 7,350,336; 8,522,483 and U.S. Patents Pending

### Upgrade Your French Door









(STANDARD)

French door performance taken to the next level.

Patented three-point sealing system eliminates water and air infiltration common with other systems.


Floating boot. When the lever is flipped, the spring-loaded boot is secured in place. When the lever is released, the boot lifts clear of the threshold, to maintain a lasting seal that won't fail after continuous use.

4-Way adjustable strike retainer.
Provides improved alignment for better compression of the weatherstrip.











### Multi-Point Astragal (UPGRADE)

Affordable multipoint locking.

Typical French door installations only hold the active door at one point: the deadbolt. This permits door panel deflection and air and water infiltration.

Engaging the Multi-Point deadbolt activates **three** secure locking points. An easy-to-use patented **flip lever** engages both flush bolts along with the floating boot in one motion. Weather is sealed out, deflection is eliminated.

The Multi-Point Astragal works with most standard deadbolt packages, requiring no additional hardware or extensive machining for easy installation and retrofitting to existing door units—savings for you.

One-two secure performance

One: Turning the deadbolt activates patent-pending lock paws.

Two: Lock paws engage keepers in the active door, providing three locking points.

U.S. Patents 5.857.291; 6.491,326; 8,258,298; 8,157299

### Upgrade Your Door Frame Performance—FrameSaver®.



Rot-proof. Worry-free. Install it and forget it. FrameSaver protects you for life.

No rot, mold or water damage of any kind. No insect damage. Ever. Guaranteed.



### FrameSaver Door Frames

#### Lifetime Warranty.

FrameSaver Door Frames from Endura are simply the best door frames on the market. Rot proof, they are so dependable they come with a fully transferable lifetime warranty.


- Patented composite bottom won't absorb water, won't rot, won't mold, resists insects—even finishes and paints like wood.
- Our brand is stamped right into the product, so you know you are backed by the original FrameSaver.

Your entry system must perform.

Door components from Endura have been precisely engineered and strenuously tested to protect you and your home from air and water infiltration.



### Upgrade Your Security—Trillennium®.














**W&F™Grip Set** Shown in Victorian Bronze





### Trilennium Multi-Point Locking Systems and Entry Hardware

**Peace of mind.** One solid unit with three latches based on the strength of patented I-Beam construction for reliable, proven performance.

Security. Operating as one, all three latches engage when the door is closed. One movement of the thumbturn or key activates all three deadbolts. Activated, each latch is a deadbolt and cannot be compromised.

Patented **strike rollers** and **latches** draw the door panel into perfect alignment with the jamb for a tight seal with no deflection.

**Panic release.** A single downward turn of the interior handle releases all three deadbolts.



#### **Trilennium Hardware Collection**

For optimum performance with our locking system, Trilennium hardware combines elegant design with precision engineering for beautiful, reliable performance. Hardware, active and inactive, is available for entry, patio and passage doors in a variety of styles and finishes.





Trilennium compatible hardware is also available from EMTEK® and Rocky Mountain Hardware®.

### **Exterior Door Size Chart**

	FRAME SIZE	<b>ROUGH OPENING</b>	MASONARY OPENING
SINGLES			
2-0 X 6-8	25 1/2 X 82	26 X 82 1/2	28 X 83 1/4
2-6 X 6-8	31 1/2 X 82	32 X 82 1/2	34 X 83 1/4
2-8 X 6-8	33 1/2 X 82	34 X 82 1/2	36 X 83 1/4
3-0 X 6-8	37 1/2 X 82	38 X 82 1/2	40 X 83 1/4
DOUBLES			
4-0 X 6-8	50 X 82	50 1/2 X 82 1/2	52 1/2 X 83 1/4
5-0 X 6-8	62 X 82	62 1/2 X 82 1/2	64 1/2 X 83 1/4
5-4 X 6-8	66 X 82	66 1/2 X 82 1/2	68 1/2 X 83 1/4
6-0 X 6-8	74 X 82	74 1/2 X 82 1/2	76 1/2 X 83 1/4
SINGLES W/ 1-SIDE	LIGHT		
3-0 X 0-10	48 1/2 X 82	49 X 82 1/2	51 X 83 1/4
3-0 X 1-0	50 1/2 X 82	51 X 82 1/2	53 X 83 1/4
3-0 X 1-2	52 1/2 X 82	53 X 82 1/2	55 X 83 1/4
SINGLES W/ 2-SIDE	LICUTE		
0-10 X 3-0 X 0-10	59 1/2 X 82	60 X 82 1/2	62 X 83 1/4
1-0 X 3-0 X 1-0	63 1/2 X 82	64 X 82 1/2	66 X 83 1/4
1-2 X 3-0 X 1-0	67 1/2 X 82	68 X 82 1/2	70 X 83 1/4
1-2 A 3-0 A 1-2	01 1/2 A 02	00 A 02 1/2	70 A 05 1/4
2-DOOR PATIO			
5-0 X 6-8	62 1/2 X 82	63 X 82 1/2	65 X 83 1/4
5-4 X 6-8	66 1/2 X 82	67 X 82 1/2	69 X 83 1/4
6-0 X 6-8	74 1/2 X 82	75 X 82 1/2	77 X 83 1/4
3-DOOR PATIO			
7-6 X 6-8	93 1/2 X 82	94 X 82 1/2	96 X 83 1/4
8-0 X 6-8	99 1/2 X 82	100 X 82 1/2	102 X 83 1/4
9-0 X 6-8	111 1/2 X 82	112 X 82 1/2	114 X 83 1/4
SLAB SIZE	HINGE	& BORE LOCATIONS (F	ROM TOP OF DOOR)
2-0 X 6-8 23 3/4 X 79 1/4			(TO TOP OF HINGE)
2-6 X 6-8 29 3/4 X 79 1/4			(TO TOP OF HINGE)
2-8 X 6-8 31 3/4 X 79 1/4			(TO TOP OF HINGE)
3-0 X 6-8 35 3/4 X 79 1/4	LOCK BOI		(TO CENTER OF BORE)
= = :: 0 0 00 0, : :: 10 1/1			(

FOR MULLED UNITS ADD 1/2" PER MULL TO WIDTH FOR OUTSWING & ADA SILLS DEDUCT 1" FROM HEIGHT FOR 8-0 DOORS ADD 16" TO HEIGHT 10" TRANSOMS ADD 11 1/2" TO HEIGHT 12" TRANSOMS ADD 13 1/2" TO HEIGHT

DEADLOCK



38 3/16

(TO CENTER OF BORE)

Dyke Industries, Inc.

Serving the Building Industry Since 1866

653 Instrument Drive, Rocky Mount, NC 27804 Toll Free: 877-561-7062 Toll Free Fax: 877-561-7061