

GET TO KNOW GOOD'S MILLWORK

HOMESTEAD DOOR SERIES







Need something better than hollow-core, molded or particle board doors? The Homestead Series by Good's Millwork is a collection of best-seller, eclectic stock design doors that provides a high quality solid hardwood door for a competitive price.

GOOD'S CUSTOM DOOR SERIES


BUDGET






Good's Millwork builds completely custom hardwood doors. Good's Millwork can match existing doors or create one from scratch. There are hundreds of past projects to stimiluate your imagination.

WHO IS GOOD'S MILLWORK?




HOW TO ORDER






















Available with glass
*See page 32 for
glass choices



INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"











Available with glass

*See page 32 for glass choices

1100

INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"














INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"













Available with wood panel

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"













wood panel

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"













*See page 32 for glass choices

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterio
THICKNESS	1-3/8", 1-3/4", 2-1/4
HEIGHT	80", 84", 96'
WIDTH	12" - 36'













Available with wood panel

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











 INSTALLATION
 interior, exterior

 THICKNESS
 1-3/8", 1-3/4", 2-1/4"

 HEIGHT
 80", 84", 96"

 WIDTH
 12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"













*See page 32 for glass choices

3640

INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"













*See page 32 for glass choices

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"













Available with glass
*See page 32 for
glass choices

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4
HEIGHT	80", 84", 96'
WIDTH	12" - 36'













Available with glass *See page 32 for glass choices

INSTALLATION interior, exterior 1-3/8", 1-3/4", 2-1/4" **THICKNESS HEIGHT** 80", 84", 96" **WIDTH** 12" - 36"













*See page 32 for glass choices

6010

INSTALLATION interior, exterior 1-3/8", 1-3/4", 2-1/4" **THICKNESS** HEIGHT 80", 84", 96" **WIDTH** 12" - 36"














*See page 32 for glass choices

INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"









INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"













Available with glass
*See page 32 for
glass choices

8010

INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"













Available with wood panel


INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"










INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"












INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4"
HEIGHT	80", 84", 96"
WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"

WIDTH 12" - 36"











	INSTALLATION	interior, exterior
	THICKNESS	1-3/8", 1-3/4", 2-1/4"
	HEIGHT	80", 84", 96"
	WIDTH	12" - 36"











INSTALLATION interior, exterior

THICKNESS 1-3/8", 1-3/4", 2-1/4"

HEIGHT 80", 84", 96"


WIDTH 12" - 36"











INSTALLATION	interior, exterior
THICKNESS	1-3/8", 1-3/4", 2-1/4
HEIGHT	80", 84", 96'
WIDTH	12" - 36'










STEP 2: CHOOSE A WOOD TYPE




STEP 3: STICKING & PANEL PROFILES

panel profiles flat scoop cove taper large convex cove double hip

cove double hip 2


chamfer plank



STEP 4: CHOOSE GLASS TYPE



STEP 5: CHOOSE THE DOOR SWING



STEP 6: CHOOSE A SILL TYPE & COLOR







Outswing Bumper Sill

STEP 7: HINGES: CHOOSE A COLOR, SIZE & SHAPE



flat black (US1B)



oil rubbed bronze (US10B)



antique nickel (US15A)



brushed chrome (US26D)



polished chrome (US26)



satin nickel



antique brass



satin brass



polished brass





standard duty
4 inches



SHAPES



square corner round corner

All hinges are ball-bearing hinges.

STEP 8: TRILENNIUM LOCKING SYSTEM



No tricky hooks or catches. The strength of three full deadbolts.

Makes everything stronger.

Solid one-piece I-Beam construction delivers proven reliable performance. Even strengthens the door edge to prevent warping.

When other multi-points fail, Trilennium

Corrects misalignment up to 3/16 so Trilennium keeps operating smoothly.

Intuitive operation. Panic release lets one single downward turn of the interior handle

A wide selection of stylish premium hardware







ADDITIONAL DOOR TYPES AVAILABLE







dutch doors



fire rated doors



flush doors



pocket doors



barn doors



bi-pass & bi-fold doors



interior security doors



additional door widths & heights available

ADDITIONAL OPTIONS AVAILABLE



all types of radius & straight mouldings



clad door jambs



metal inserts



jamb brace



pivot & hidden hinges



WWW.GOODSMILLWORK.COM