ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:



Overview

Slim is an ultra-slim 48V track system, developed with precision to deliver both performance and elegance. The system accommodates a wide range of fixtures, including spotlights, floodlights, grille lights, and decorative pendants.

Design & Features

The key feature of Slim is its exceptionally narrow track profile, providing a refined and minimalist aesthetic suitable for residential, retail, and specialized applications requiring a compact track footprint.

Mounting Options

Slim supports surface, recessed, and ceiling mounting. The system is fully customizable in length, with fixed width, and offers a choice of colors and finishes to suit diverse application requirements.

Key Features


- Ultra-slim minimalist track design
- Compatible with spotlights, floodlights, grille lights, and decorative pendants
- Surface, recessed, and ceiling mounting options
- Customizable in length, color, and finish (width fixed)
- Ideal for compact and high-end interior applications

ORDER CODE


ORDER CODE EXAMPLE:S5-48V-80-30K-24D-D10-GD

MODEL	VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISH
S3 3W	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**10D** 10 Degree	**D10** 0-10V	**WH** White
S5 5W		**90** 90Ra	**30K** 3000K	**15D** 15 Degree	**DALI** DALI	**BK** Black
S-TR 5W			**35K** 3500K	**24D** 24 Degree	**WLS** Wireless / Bluetooth	**GD** Gold
S-TR 10W			**40K** 4000K	**36D** 36 Degree		**RAL** Custom RAL
S-TR 15W			**TW** Tunable White 2700K-6500K			
SUN5 5W			**WD** Warm Dim 3000K-1800K			
SUN10 10W						
SUN15 15W						
SUN20 20W						

SPOTLIGHT



S3 3W(210LM)



S5 5W(350LM)

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY


Intertek

ATTRAKT **SLIM**

BINA COMPANY


Project:	Type:	Qty:







S-TR 5W(350LM)






S-TR 10W(700LM)






S-TR 15W(1050LM)






SUN5 5W(350LM)






SUN10 10W(750LM)





SUN15 15W(1050LM)





SUN20 20W(1400LM)

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:

ORDER CODE


ORDER CODE EXAMPLE:LS5-48-90-35K-15D-DALI-WH

MODEL	VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISH
Z2 2W(350LM)	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**15D** 15 Degree	**D10** 0-10V	**WH** White
Z4 4W(700LM)		**90** 90Ra	**30K** 3000K	**24D** 24 Degree	**DALI** DALI	**BK** Black
LS3 3W(210LM)			**35K** 3500K	**36D** 36 Degree	**WLS** Wireless / Bluetooth	**GD** Gold
LS5 5W(350LM			**40K** 4000K			**RAL** Custom RAL
LS10 10W(700LM)			**TW** Tunable White 2700K-6500K			
LS15 15W(1050LM			**WD** Warm Dim 3000K-1800K			

SPOT LUMINAIRES


Spots






Z2






Z4 2*2W doubled heads zoomable spot






LS3 5 inch longer spot 3W






LS5





LS10





LS15

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:

ORDER CODE


ORDER CODE EXAMPLE:LG10-48-80-30K-30D-BK-CB

MODEL	VOLTAGE	CRI	CCT	BEAM	FINISH	ACCESSORY
LG10 10W(700LM)	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**30D** 30 Degree	**WH** White	**HC** Honeycomb Black
LG15 15W(1050LM)		**90** 90Ra	**30K** 3000K		**BK** Black	**LS** Linear Spread
LG20 20W(1400LM)			**35K** 3500K		**RAL** Custom RAL	**CB** Cross Baffle
			40K 4000K			
			TW Tunable White 2700K-6500K			
			WD Warm Dim 3000K-1800K			

LINEAR


Grille Lights






LG10





LG15





LG20

Power Supply-Orderseparatel

Power Supply Options
60W / 96W / 100W / 150W / 200W / 288W / 300W / 384W available
Order Code:
POWER-**V**W
Example:
POWER-48V100W



Integrated Driver & Dimmer
Available Power: 60W / 96W / 160W
Order Code: SDD-**V**W
Example: SDD-48V60W-DIM



In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:


ORDER CODE


ORDER CODE EXAMPLE:LF20-48V-90-27K-WLS-BK

MODEL	VOLTAGE	CRI	CCT	DIMMING	FINISH
LF10 10W(700LM)	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**D10** 0-10V	**WH** White
LF15 15W(1050LM)		**90** 90Ra	**30K** 3000K	**DALI** DALI	**BK** Black
LF20 20W(1400LM)			**35K** 3500K	**WLS** Wireless / Bluetooth	**RAL** Custom RAL
			40K 4000K		
			TW Tunable White 2700K-6500K		
			WD Warm Dim 3000K-1800K		


LINEAR


Flood lights







LF10





LF15





LF20

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:


ORDER CODE

ORDER CODE EXAMPLE:AG5-48V-80-40K-30D-ELV-WH

MODEL	VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISH
AG5 5W(350LM)	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**30D** 30 Degree	**D10** 0-10V	**WH** White
AG10 10W(700LM)		**90** 90Ra	**30K** 3000K		**DALI** DALI	**BK** Black
			35K 3500K		**ELV** ELV / Phase	**GD** Gold
			40K 4000K		**WLS** Wireless / Bluetooth	**RAL** Custom RAL
			TW Tunable White 2700K-6500K			
			WD Warm Dim 3000K-1800K			


ADJUSTABLE GRILLE





AG5





AG10

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:


ORDER CODE

ORDER CODE EXAMPLE:TUBE3-48V-90-27K-36D-D10-BK-XX


MODEL	VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISH	LENGTH CABLE
Tube3 3W	**48V** 48VDC	**80** 80Ra	**27K** 2700K	**15D** 15 Degree	**D10** 0-10V	**WH** White	**XX"** inches Specify in
Tube5 5W		**90** 90Ra	**30K** 3000K	**24D** 24 Degree	**DALI** DALI	**BK** Black	
TubeC## custom tube length			**35K** 3500K	**36D** 36 Degree	**ELV** ELV / Phase	**GD** Gold	
specify length & power			**40K** 4000K			**RAL** Custom RAL	
##= length + power			**TW** Tunable White 2700K-6500K				
			WD Warm Dim 3000K-1800K				

DECORATIVE LUMINAIRES









In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY

Project:	Type:	Qty:

ORDER CODE


ORDER CODE EXAMPLE:LGF-5-48V-90-30K-30D-D10-WH

MODEL	WATTAGE	VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISHAE
LGF	**5** 5W	**48V** 48VDC	**90** 90Ra	**27K** 2700K	**30D** 30 Degree Available only in LGF	**D10** 0-10V	**WH** White
LFF	**10** 10W			**30K** 3000K	**180D** 180 Degree Available only in LFF	**DALI** DALI	**BK** Black
	15 15W			**40K** 4000K		**WLS** Wireless / Bluetooth	**RAL** RAL#
				TW Tunable White 2700K-6500K			
				WD Warm Dim 3000K-1800K			

FLUSH WITH TRACK

Linear Grille Flush






LGF5 LGF10 LGF15

Linear flood flush with track 5W/10W/15W

LFF linear Flood Flush





LFF5 LFF10 LFF15

Linear flood flush with track 5W/10W/15W

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

BINA COMPANY


Project:	Type:	Qty:

Track and Accessories

Tracks


Level 1 Surface Mounted Direct






S1&P1





S2&P2







R1


Level 2 Suspended indirect/direct





R2






P3


Accessories






S-PB01





S-PB02





S-PB03

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek

ATTRAKT SLIM

Lighting System

BINA COMPANY

Project:	Type:	Qty:

Order Code

ORDER CODE EXAMPLE: SLIM-48V-P2-C-SR-AC-B-10'x6'x10'-D10

SERIES	VOLTAGE	MOUNTING	APPLICATION	SHAPE
SLIM	48V 48V	P1 / P2 / P3 Pendant R1 / R2 Recessed S1 / S2 Surface	C Ceiling W Wall WC Wall to Ceiling	SR Straight Run LS L-Shape SS Square / Rectangle CS Custom Shape can NOT be used for curved sections

CORNER	FINISH	RUN LENGTHS	DIMMING
Angled Corner AC Standard is 90 Degree corner	B Black W White # RAL #	Straight Run (in feet) ___' Shape (in feet) ___'x___'x___'x___' ___' Custom shapes- write "custom" Drawings will be required for all custom shapes	D10 0-10V DAL DALI WLS Wireless For individual control of luminaires, use DALI or Wireless control.


MOUNTING KEY: SEE PG3 FOR DETAILS

P1 - Round Pendant
P2 - Square Pendant
P3- Tall Top & Bottom Illuminated
R1-Milwork recessed
R2-Trimless recessed
S 1 - Round Surface
S2 - Square Surface

Electrical & Control

Drivers can be remote or ceiling mounted in decorative driver box.

120V and 277V
IP20 / Dry only



In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com

5 YEAR WARRANTY

Intertek