

Project:

Type:

Qty:

Luminaire Selection

Glass Shade Lamps



5.3"

4.7"

E-GL4C



6"

3.3"

E-GL3B



All lamps can be in up or down position



5.4"

3.9"


E-GL4G



5.4"

3.9"

E-GL4IG



All Glass Shade Lamps can be installed on the top, bottom or both sides of the track.



6.5"

2"

E-GL2T



6.5"

2"

E-GL2ST



10.4"

2"

E-GL2DB



ORDER CODE

ORDER CODE EXAMPLE: EGL2T-48V-90-30K-ELV-BK

MODEL		VOLTAGE	CRI		CCT		DIMMING	FINISH	
E-GL4C	5W (215lm)	48V 48VDC	80	80Ra	27K	2700K	ELV ELV DALI DALI CONSULT FACTORY FOR 0-10V	GD	Rose Gold
E-GL3B	5W (215lm)		90	90Ra	30K	3000K		PG	Pale Gold
E-GL4G	5W (215lm)				35K	3500K		AG	Antique Gold
E-GL4IG	5W (157lm)				40K	4000K		BK	Black
E-GL2T	5W (215lm)				TW	Tunable White 2700K-6500K		SV	Silver
E-GL2ST	5W (215lm)				WD	Warm Dim 3000K-1800K			
E-GL2DB	8W(400lm)								

Project:

Type:

Qty:


Luminaire Selection

Adjustable Luminaires



4"
6.2"
1.8"

0°-355°Horizontal Rotation
0°-90° Vertical Aiming Tilt



Rotating & Adjustable



4"



Rotating & Adjustable



6"



6"



4"



11"
6"

E-S10

E-SUN4

E-SUN6

E-Eclipse6

E-Eclipse4

E-SUN6A

ORDER CODE

ORDER CODE EXAMPLE: ES10-48V-90-30K-24D-ELV-SV-HC

MODEL		VOLTAGE	CRI		CCT		BEAM			
							Beam		Sun	
E-S10	10W (952lm)	48V 48VDC	80	80Ra	27K	2700K	20D	20 Degree	—	Leave Blank
E-SUN4	10W (509lm)		90	90Ra	30K	3000K	24D	24 Degree		
E-SUN6	15W (1100lm)				35K	3500K	36D	36 Degree		
E-SUN6A	15W (1100lm)				40K	4000K				
E-Eclipse6	6W (300lm)				TW	Tunable White 2700K-6500K				
E-Eclipse4	3W(150lm)				WD	Warm Dim 3000K-1800K				
DIMMING		FINISH		ACCESSORY E-S10 ONLY						
ELV	ELV	GD	Rose Gold	HC	Honeycomb					
DALI	DALI	PG	Pale Gold	LS	Linear Spread					
CONSULT FACTORY FOR 0-10V		AG	Antique Gold							
		BK	Black							
		SV	Silver							


Project:

Type:

Qty:

Luminaire Selection

Spotlight



ORDER CODE

ORDER CODE EXAMPLE: ELSP1-48V-90-30K-38D-ELV-BK

MODEL		VOLTAGE	CRI	CCT	BEAM	DIMMING	FINISH
E-SP2	10W (591lm)	48V 48VDC	80 80Ra	27K 2700K	13D 13 Degree	ELV ELV	GD Rose Gold
E-LSP1	5W (180lm)		90 90Ra	30K 3000K	25D 25 Degree	DALI DALI CONSULT FACTORY FOR 0-10V	PG Pale Gold
E-CSP2	6W (748lm)			35K 3500K	38D 38 Degree		AG Antique Gold
CE-CSP2	6W (316lm)			40K 4000K	E-CSP2S ONLY ALL OTHERS LEAVE BLANK		BK Black
FE-LNF12	10W (557lm)			TW Tunable White 2700K-6500K			SV Silver
				WD Warm Dim 3000K-1800K			

Project:

Type:

Qty:

Luminaire Selection

Stem Pendants



ORDER CODE ORDER CODE EXAMPLE: EPS25-48V-90-30K-ELV-GD

MODEL	VOLTAGE	CRI	CCT	DIMMING	FINISH
E-PS25 10W (600lm)	48V 48VDC	80 80Ra	27K 2700K	ELV ELV DALI DALI CONSULT FACTORY FOR 0-10V	GD Rose Gold PG Pale Gold
E-BR30 20W (1200lm)		90 90Ra	30K 3000K		
E-BT28 30W (1800lm)			35K 3500K		
E-BF10 40W (2400lm)			40K 4000K		
E-BFO4 12W (600lm)			TW Tunable White 2700K-6500K		
			WD Warm Dim 3000K-1800K		


Project:

Type:

Qty:

Luminaire Selection

Cable Pendants



ORDER CODE ORDER CODE EXAMPLE: ECPC2-48V-90-30K-ELV-GD

MODEL		VOLTAGE	CRI	CCT	DIMMING	FINISH
E-CPC2	5W (300lm)	48V 48VDC	80 80Ra	27K 2700K	ELV ELV DALI DALI CONSULT FACTORY FOR 0-10V	GD Rose Gold
E-CPC4	5W (300lm)		90 90Ra	30K 3000K		PG Pale Gold
E-CPC4D	5W (300lm)			35K 3500K		
E-CPT1	5W (300lm)			40K 4000K		
E-CPT1D	5W (300lm)			TW Tunable White 2700K-6500K		
				WD Warm Dim 3000K-1800K		

Project:

Type:

Qty:

Installation Instructions

