

BRUT

Wall Light

Project:

Type:

Qty:



Illuminate outdoor spaces with understated sophistication. Inspired by the principles of Béton Brut, the BRUT Collection celebrates the authentic texture of raw concrete through a refined, contemporary design language.

Crafted for modern architectural environments, the BRUT Wall Light features a minimalist cement body with an adjustable beam angle, allowing precise control of light distribution for both accent and ambient applications.

Available in ten signature finishes, with custom RAL colors available upon request to complement a wide range of architectural palettes.

Offered in multiple shapes and wattage configurations to suit diverse project requirements.

Rated IP65 for reliable outdoor performance in demanding environments.

SPECIFICATIONS

BW-120



BW-190



BW-130



BW-136



BW-137



BW-142



BW-200



BW-285



Input Voltage

120V-277V

Wattage

5.3W-10.2W

Delivered Lumens

580LM - 950LM

CCT

2700K, 3000K, 3500K, 4000K

Material

Cement /Die-cast aluminum lighting module

IK Rating

IK06

Dimming

Phase & 0-10V (100%-5%)

Lamp Life

50,000Hr

Environment

IP65 / cable gland IP67

Operating Temp


-4° F to 104° F

ORDER CODE


ORDER CODE EXAMPLE: BRUT-BW120-27K-D10-TC

SERIES	SIZE WATTAGE		CCT		DIMMING		FINISH			
BRUT	BW120	4.72"10.2W (828LM)	27K	2700K	D10	0-10V	CG	Concrete Grey	LS	Limestone
	BW190	3.74"10.2W (679LM)	30K	3000K	DTR	Triac/Phase	TC	Terracotta	NB	Nero Black
	BW130	4.72" 10.2W (742LM)	35K	3500K			SS	Sandstone	CR	Carrara
	BW136	3.74"10.2W (740LM)	40K	4000K			EB	Emperador Brown		
	BW137	6.30"10.2W (696LM)					BS	Basalt		
	BW142	7.48"9.6W (858LM)					ST	Silver Travertine		
	BW200	7.87"5.3W (800LM)					TB	Travertine Beige		
	BW285	11.2"10.2W (1400LM)								

CONCRETE & STONE FINISHES




CONCRETE GREY




TERRACOTTA



SANDSTONE



EMPERADOR BROWN



BASALT




SILVER TRAVERTINE



TRAVERTINE BEIGE



LIMESTONE



NERO BLACK



CARRARA

In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

✉ info@binacompany.com

☎ 305.735.3114

🌐 www.binacompany.com





Project:

Type:



Qty:

SPECIFICATIONS



BW-120 & 140 (10.2W 828LM)





BW-190 (10.2W 679LM)





BW-130 (10.2W 742LM)





BW-136 (10.2W 740LM)



BW-137 (10.2W 696LM)



BW-142 (9.6W 858LM)




Project:



Type:

Qty:

BW-200 (5.3W 800LM)




• 2.75" •





7.87"

BW-285 (10.2W 1400LM)



• 3.74" •



11.2"