


EDGE

Knife-Edge Cove

Project:

Type:

Qty:



System Features



Multiple profile dimensions and edge depths



Straight sections, corners, and custom configurations



Uniform, continuous illumination along ceiling perimeters



Multiple lumen outputs and power options



Compatible with leading dimming and control systems



Designed for recessed ceiling integration

Order Code

ORDER CODE EXAMPLE: EDGE-48V-G5SP-MD-COF-10FT-490DIN-35K-WH-D10


SERIES	VOLTAGE	TYPE	LED TAPE VOLTAGE	SHAPE	LENGTH
EDGE	48V 48VDC	G4-LL	LW 5W/Ft	STR Straight Run (no corners)	_____in feet
	24V 24VDC	G-5SP	ST 4W/Ft	COF Coffer - 4 sides with 90D inside corners	__X__X__X__
		G3-LL	MD 6W/Ft	RAF Rafter - 4 side with 90D outside corners	__X__X__X__
		G7-LL	HO 8.8W/Ft	WALL Continuous wall run with inside and/or outside corners	__X__X__X__X__
			CO Custom	CSI Custom shape with outside corners	__X__X__X__X__
				CSO Custom shape with inside corners	__X__X__X__X__

CORNER DETAIL	CCT	FINISH	DIMMING
Leave Blank	27K 2700K	AN Anodized	ELV ELV/TRIAC Phase Cutting 3%
490DIN	30K 3000K	WH White	D10 0/1-10V (100%-1%)
490DOT	35K 3500K	BK Black	PO1 Premium Driver 0.1% LOG
#90DIN #90DOT	40K 4000K	CS Custom	
#XXDIN or #XXDOT	50K 5000K		
*Specify the number of and degree of the corners (example if you have a shape with 5 corners, 3 corners at 90D and 2 corners at 135D. You would specify 390DIN and 2135DIN)	57K 5700K		
	65K 6500K		
	TW Tunable White 2700K-6500K		
	WD Warm Dim 3000K-1800K		


¹DRAWINGS ARE REQUIRED FOR CUSTOM SHAPES

²SIZE OFCHANNEL CAN BE CUSTOMIZED. CONSULT FACTORY

INSIDE CORNER





OUTSIDE CORNER



Project:	Type:	Qty:
----------	-------	------

INSTALLATION



EDGE

Knife-Edge Cove

Project:

Type:

Qty:

INSTALLATION INSTRUCTIONS



CORNER AND JOINT EXAMPLES

Corner angles are designed and generated based on project drawings

