

EDGE SLOT SYSTEM

Knife-Edge PROFILE



Project:	Type:	Qty:
----------	-------	------



Edge Spot seamlessly attaches to the EDGE knife-edge extrusion system using a magnetic attachment solution. Lockable screw mounting option is also available.

This versatile spot head has a full range of mobility and is field changeable, allowing for placement adjustments throughout EDGE extrusion.

Offered in 2700K to 6000K and Warm Dim (3000K-1800K).

Spotlights available in 10W, 20W, 25W,30W, and 35W option and delivers up to 2973 lumens.

Linear LED tape wattage options from 1.5W, 4W, 6W, 8.8W per foot

More Edge profile options are available for use with LED tape. See EDGE COVE specification for details.

Order Code

ORDER CODE EXAMPLE:EDTP-PL-48V-ST-RAF-1OFT-490DIN-BL-D10

SERIES	TYPE		TAPE VOLTAGE	WATTAGE	SHAPE		LENGTH
EDGE	PR	Profile for screw base Spotlights Only ⁴	48V 48VDC	LW 1.5W/Ft	STR	Straight Run (no corners)	_____in feet
	PL	Profile for screw base Spotlights with Light Bar	24V 24VDC	ST 4W/Ft	COF	Coffer - 4sides with 90D inside corners	__X__X__X__
	PRSL	Profile for screw base Spotlights with Slot		MD 6W/Ft	RAF	Rafter - 4 side with 90D outside corners	__X__X__X__
	PLSL	Profile for screw base spots with Light Bar & Slot		HO 8.8W/Ft	WALL	Continuous wall run with inside and/or outside corners	__X__X__X__X__
	NP	Slot Only ⁶		CO Custom	CSI	Custom shape with outside corners	__X__X__X__X__
	FIS	Flat I shape metal plate with slot ⁷		*LED tape wattage (select only if additional LED tape is required)	CSO	Custom shape with inside corners	__X__X__X__X__
	FISL	Flat I shape metal plate with slot & light bar					
	FL	L shape flat metal plate Only					
	FLL	L shape flat metal with light bar					

CORNER DETAIL	FINISH	DIMMING	
Leave Blank 490DIN 490DOT #90DIN #90DOT #XXDIN or #XXDOT *Specify the number of and degree of the corners (example if you have a shape with 5 corners, 3 corners at 90D and 2 corners at 135D. You would specify 390DIN and 2135DIN)	AN Anodized WH White BL Black CS Custom	ELV ELV/TRIAC Phase Cutting3% D10 0/1-10V(100%-1%) DAL DALI	1.EDGE TRACK FOR MOUNTING SPOTLIGHTS ONLY.NO VOLTAGE,WATTAGE OR CCT SELECTION IS REQUIRED. 2.SLOT DIMENSIONS AND SHAPE CORRESPOND TO THE PROFILE. 3.DRAWINGS ARE REQUIRED FOR CUSTOM SHAPES 4.SIZE OF CHANNEL CAN BE CUSTOMIZED. CONSULT FACTORY 5.FOR MORE EDGE TRACK OPTIONS WITH LIGHT BAR, PLEASE REFER TO OUR KNIFE-EDGE COVE SPEC. 6.WITHOUT PROFILE FOR USING WITH MAGNETIC BASE, THE SPOT'S MAGNETIC BASE CAN BE SECURED TO BOTH INNER SIDES OF THE SLOT OR A CUSTOMER-SUPPLIED METAL PLATE. 7. CUSTOM METAL PLATE SIZED TO FIT THE FIELD SLOT/CEILING, WITH SCREWS TO SECURE THE SPOT'S MAGNETIC BASE.



In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

info@binacompany.com
305.735.3114
www.binacompany.com




EDGE SLOT SYSTEM


Knife-Edge PROFILE

Project:	Type:	Qty:
----------	-------	------





DIMENSIONS



Edge profile



Profile Fixing Bracket



EDGE SLOT SYSTEM


Knife-Edge PROFILE





Project:	Type:	Qty:
----------	-------	------

CORNER DETAIL

Corners will be determined by the factory based on the project drawings



SLOT DETAILS



In an effort to offer the best product possible, we reserve the right to change product specifications or materials without notice.

✉ info@binacompany.com
☎ 305.735.3114
🌐 www.binacompany.com



EDGE SLOT SYSTEM

Knife-Edge PROFILE

Project:	Type:	Qty:
----------	-------	------

SLOT SYSTEM DETAIL

