

Table 1 – Summary of USEPA Sampling Program

State	Number of systems with water samples with PFOA	Number of water samples with PFOA	Percent of samples with PFOA detected	Population served by drinking water systems with PFOA ^a	Range of average level of PFOA in samples (parts per billion) ^b	Average level of PFOA compared to safe level in new research
Alabama	12	26	25%	312,522	0.0081-0.0231	27-77X
Arizona	4	14	15%	217,218	0.006-0.0219	20-73X
California	14	39	14%	1,441,298	0.0041-0.035	14-117X
Colorado	3	52	78%	57,343	0.0361-0.0397	120-132X
Delaware	2	12	30%	320,494	0.0172-0.0269	57-90X
Florida	2	4	7%	371,913	0.0028-0.017	9-57X
Georgia	2	3	100%	94,674	0.0367	122X
Illinois	3	3	33%	135,753	0.0136-0.0209	45-70X
Kentucky	1	2	25%	730,611	0.005-0.0131	17-44X
Massachusetts	3	7	21%	103,762	0.0062-0.0168	21-56X
Maryland	1	1	10%	104,567	0.0021-0.012	7-40X
Minnesota	4	6	26%	143,637	0.0256-0.0346	85-115X
North Carolina	5	8	9%	225,262	0.002-0.0192	7-64X
New Hampshire	2	2	17%	53,000	0.0091-0.0184	30-61X

State	Number of systems with water samples with PFOA	Number of water samples with PFOA	Percent of samples with PFOA detected	Population served by drinking water systems with PFOA ^a	Range of average level of PFOA in samples (parts per billion) ^b	Average level of PFOA compared to safe level in new research
New Jersey	14	60	33%	1,334,413	0.0091-0.0272	30-91X
New York	3	4	8%	174,000	0.0028-0.0163	9-54X
Ohio	3	3	33%	79,337	0.008-0.0153	27-51X
Oklahoma	1	1	33%	20,307	0.0113-0.0182	38-61X
Pennsylvania	5	24	25%	221,121	0.0193-0.0337	64-112X
Rhode Island	1	1	25%	21,900	0.0203-0.0281	68-94X
South Carolina	1	1	25%	24,904	0.006-0.0138	20-46X
Tennessee	1	1	25%	139,110	0.005-0.0128	17-43X
Texas	1	1	25%	11,489	0.0066-0.0144	22-48X
Virginia	1	1	7%	47,574	0.0016-0.0122	5-41X
Washington	3	6	23%	109,527	0.0067-0.0163	22-54X
Wisconsin	1	3	21%	30,100	0.0063-0.0153	21-51X
West Virginia	1	2	100%	34,251	0.0522	174X
Total	94	287	23%	6,560,087		