




# SJE RHOMBUS®

## PRODUCT PRICE BOOK

January 1, 2021

Control Panels • Alarm Systems  
Float Switches • Accessories



Follow us on:



[www.sjerhombus.com](http://www.sjerhombus.com)



# ORDERING INFORMATION

To assist us in delivering the exact product you want, please order by the seven digit part number or panel model number. If you require special features, such as additional cable length or special packaging, please call your customer service representative at 1-888-DIAL-SJE (1-888-342-5753).

SJE Rhombus® also manufactures Engineered Custom control panels. Please contact SJE Rhombus customer service to request a custom panel quote at 1-888-DIAL-SJE (1-888-342-5753). For additional information on our Blanket Agreement Program, Freight Paid Program, Return Policy or Payment Terms, please refer to the back side of your multiplier sheet, contact your factory representative or contact SJE Rhombus customer service at 1-888-DIAL-SJE (1-888-342-5753).

## ORDERING PANELS

Our Build-A-Panel™ control panels utilize a user-friendly worksheet to assist in building your panel model. Simply select the appropriate feature and fill in the corresponding box at the top of the page. The total of these selections will result in your panel model. Enter the pricing for each section in the pricing worksheet to build your price. See example:

### EXAMPLE

<b>IFS</b>	<b>1</b>	<b>1</b>	<b>W</b>	<b>9</b>	<b>1</b>	<b>4</b>	<b>X</b>	<b>8AC10E</b>
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)

CONTROL PANEL	✓	IFS			
MODEL TYPE		1	Simplex Timed Dose (includes Options 8AC and 10E as standard)	\$1,002.00	
		2	Simplex Demand Dose (includes Options 8AC and 10E as standard)	\$1,030.00	
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base	
STARTING DEVICE		1	120/208/240V	Base	
		9	120V only	Base	
PUMP FULL LOAD AMPS		0	0 - 7 FLA	Base	
		1	7 - 15 FLA	Base	
		2	15 - 20 FLA	\$88.00	
PUMP DISCONNECTS		0	No Pump Disconnect	Base	
		4	Circuit Breaker 120V (select STARTING DEVICE Option 9 above)	\$38.00	
			Circuit Breaker 120/208/240V (select STARTING DEVICE Option 1 above)	\$76.00	
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose=stop, start, and alarm	Base	
		E	EZconnex® Float Switch System (select Option 33, 35 or 36 below)	Timed Dose - \$56.00 Demand Dose - \$84.00	
		X	No Floats	Timed Dose - \$56.00 Demand Dose - \$84.00	
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats	Timed Dose - \$56.00 Demand Dose - \$84.00	

### PRICING WORKSHEET

#### BASE PRICE

Simplex Timed Dose - \$1,002.00  
Simplex Demand Dose - \$1,030.00

IFS Simplex Base Price \$1,002.00

Alarm Package \$0.00

Enclosure Rating \$0.00

Starting Device \$0.00

Pump Full Load Amps \$0.00

Pump Disconnects \$38.00

Float Switch Application - \$56.00

Total Options \$0.00

**TOTAL LIST PRICE \$984.00**

## SHIPPING YOUR ORDER

Standard catalog items, depending on volume and options, are shipped within four (4) business days from receipt of order. SJE Rhombus ships in-stock items same day when requested. SJE Rhombus Build-A-Panel™ control panels ordered with multiple options and orders exceeding \$10,000 may require up to ten (10) business days to ship. Large stocking panel orders or custom panel orders may require additional lead time of more than ten (10) business days.

Next Day Air, Second Day Air and Three Day UPS Ground services are available. To receive these services you must place your order before 1:00 p.m. Central Time. SJE Rhombus reserves the right to increase prices if transportation rates increase.

SJE Rhombus offers a Panel Express Program for expedited delivery on most control panels found in this catalog. Contact Customer Service for more information.

## QUICK SHIP PROGRAM\*

Quick Ship products are denoted with an asterisk after the part number, i.e. 1030771\*. Orders for products in the Quick Ship Program must be received by 11:00 AM Central Time to ship within one business day. Limited quantities available. Orders will be fulfilled on first come, first served basis. Standard lead times may apply to orders combining Quick Ship Program products and catalog products not offered through the Quick Ship Program.

## PRODUCT RETURN

Returned Materials Authorization (RMA) numbers must be assigned to products being returned for warranty claim. Control panel models IFS7, IFS8, SGS, 113, 123, 114, 124, 314, and 324; panels including option "10A"; panels including any "non-catalog" options; Build-A-Panel™ PLUS control panels; obsolete panels; and panels more than one year from the date of manufacture cannot be returned to SJE Rhombus for restocking credit. Contact your customer service representative for instructions on returning a product for warranty.

PRICING SUBJECT TO CHANGE WITHOUT NOTICE.

## WARRANTY

SJE Rhombus offers an industry-leading five-year limited warranty on most standard products available in our catalog. For complete terms and conditions, please visit [www.sjrhombus.com](http://www.sjrhombus.com).

## PROP 65

For all products in this book: California Prop 65 requires the following:  WARNING Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# TABLE OF CONTENTS

	Page #		Page #
<b>CONTROL PANELS</b>		<b>CONSTANT PRESSURE CONTROLS</b>	
<b>EZ Series®</b>		VARIOspeed® N1.....	33
EZ Series® Single Phase Simplex (Demand/TD).....	2	VARIOspeed® 3R .....	33
EZ Series® Single Phase Duplex (Demand) .....	3	VARIOspeed® 3R Duplex.....	34
EZ Series® In-Site® CL Bluetooth® Single Phase Simplex .....	4	<b>LIQUID LEVEL ALARMS</b>	
EZ Series® In-Site® CL Bluetooth® Single Phase Duplex .....	5	Xpert Alert® .....	34
EZ Series® Plugger .....	6	Xpert Alert® WiFi .....	34
<b>Installer Friendly Series®</b>		Tank Alert® AB.....	34
IFS Single Phase Simplex (Demand/TD) .....	7	Tank Alert® AB DUO .....	35
IFS Single Phase Duplex (Demand/TD) .....	8	Tank Alert® I .....	35
IFS Three Phase Simplex (Demand/TD).....	9	Tank Alert® EZ .....	35
IFS Three Phase Duplex (Demand/TD).....	10	Tank Alert® XT .....	36
IFS Single Phase Simplex Capacitor Start/Run .....	11	Tank Alert® 4X .....	36
IFS Single Phase Duplex Capacitor Start/Run .....	12	Tank Alert® Solar .....	36
IFS In-Site® Single Phase Simplex (Demand/TD) .....	13	<b>LEVEL MONITORING</b>	
IFS In-Site® Single Phase Duplex (Demand/TD) .....	14	C-Con™ Converter Box .....	36
IFS Drip.....	15	SJE Level Monitor™ CL.....	37
<b>NEX Series®</b>		<b>PUMP SWITCHES</b>	
NEX Series® Simplex .....	15	SJE PumpMaster® WPS.....	37
NEX Series® Duplex .....	15	SJE PumpMaster® .....	37
<b>Single Phase Simplex</b>		SJE PumpMaster® Plus.....	38
Model 115.....	16	SJE PumpMaster® SPDT .....	38
Model 112.....	17	Double Float® Master .....	39
<b>Single Phase Duplex</b>		SJE AmpMaster® .....	39
Model 122.....	18	SJE VerticalMaster®.....	39
<b>Three Phase Simplex</b>		SJE MicroMaster® AC/DC .....	40
Model 312.....	19	SJE MicroMaster® Plus WS.....	40
<b>Three Phase Duplex</b>		Junior Super Single® .....	40
Model 322 .....	20	Super Single® .....	41
Model 32S.....	21	Double Float®.....	41
Model 32XR.....	21	SJE HiTempMaster™ .....	42
<b>Capacitor Start/Run</b>		<b>CONTROL SWITCHES</b>	
Model 113.....	22	EZconnex® 3-Port Float Switch Connection System.....	42
Model 123.....	23	EZconnex® 4-Port Float Switch Connection System.....	43
<b>Intrinsically Safe</b>		SJE MegaMaster® .....	43
Model 114 .....	24	SJE SignalMaster® .....	44
Model 124.....	25	SJE SignalMaster® SPDT .....	44
Model 314.....	26	SJE MilliAmpMaster™ WPS.....	44
Model 324 .....	27	SJE MilliAmpMaster™ .....	45
<b>Timed Dosing</b>		SJE VerticalMaster® II LC .....	45
Model TD.....	28	Sensor Float® .....	45
Model PS11/PS12 .....	29	Sensor Float® Mini .....	46
<b>Plugger Products</b>		<b>ACCESSORIES</b>	
JB Plugger 120V, 230V.....	29	Junction Box .....	46
Quick Post Plus™ System with Indoor Alarm .....	29	Control Panel Accessories .....	46
Quick Post Plus™ Outdoor System.....	29	Cord Seals, Hub Assembly, Simplex Installation Kit, Duplex Installation Kit, Cable Connectors, Panel Mounting Post, Riser Mounting Kit, C-Level™ Sensor Simulator, and 4-20mA Simulator	
Ultra Nator™ .....	29	Sub-X™ Transmitter .....	47
PS Patrol® .....	30	Float Accessories.....	47
<b>Water Well</b>		Cable Clamp Assembly, Float Brackets, Pipe Mounting Bracket, Cable Weights, ETM w/Piggy-Back Plug, Vertical Reed Switch, Anchor, & Chain	
Model 126.....	31	Home Protection Products.....	47
<b>Oil Detection Products</b>		Auto Dialer & Home Temperature Monitor	
SJE Oil Spotter™.....	32		
SJE Oil Spotter™ Auto .....	32		
<b>Starter Boxes</b>			
Select Start™ .....	32		



1-888-DIAL-SJE • 1-218-847-1317  
1-218-847-4617 Fax  
email: customer.service@sjeinc.com  
[www.sjerhombus.com](http://www.sjerhombus.com)

**EZ Series®** - Single phase, simplex demand dose or timed dose float controlled system for pump control and system monitoring.

EZS	MODEL TYPE	1	W	STARTING DEVICE	PUMP FULL LOAD AMPS	4	FLOAT SWITCH APPLICATION	3A6A8AC10E15A
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	EZS						<b>PRICING WORKSHEET</b>  <b>BASE PRICE</b> Simplex Timed Dose - \$799.00 Simplex Demand Dose - \$827.00  EZS Simplex Base Price _____  Alarm Package _____  Enclosure Rating _____  Starting Device _____  Pump Full Load Amps _____  Pump Disconnects _____  Float Switch Application _____  Total Options _____  <b>TOTAL LIST PRICE</b> _____
MODEL TYPE		1						
		2						
ALARM PACKAGE	✓	1						
ENCLOSURE RATING	✓	W						
STARTING DEVICE		1						
		9						
PUMP FULL LOAD AMPS		0						
		1						
		2						
PUMP DISCONNECTS	✓	4						
		H						
		E						
		X						

OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	\$22.00
✓ 3A	Alarm Flasher (Included as standard)	\$0.00
4A	Redundant Off (Timed Dose Float Panel Only) (must also select Option 4D if floats are required)	\$0.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00
✓ 6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00
10P	Mounting Post (Factory installed with 2.5" cord seal)	\$155.00
✓ 15A	Control/Alarm Circuit Breaker (Included as standard)	\$0.00
16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00

OPTIONS	DESCRIPTION	List Price
18A	Timer Override Float (Timed Dose Float Panel Only)	\$28.00
22G	2 1/2" Hub Installed with 6 Hole Cord Seal	\$79.00
33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp (Timed Dose Only)	\$390.00
35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp (Timed Dose Only)	\$437.00
35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp (Timed Dose Only)	\$417.00
35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp (Timed Dose Only)	\$464.00
36D ■	EZconnex® 3-Port, 25', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$239.00
36E ■	EZconnex® 3-Port, 50', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$276.00
36G ■	EZconnex® 3-Port, 25', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$252.00
36H ■	EZconnex® 3-Port, 50', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$289.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

Part #	Pre-configured Panels for Easy Ordering	List Price
1030771*	EZS21W114X3A6A8AC10E15A	\$819.00
1052607*	EZS11W114H3A6A8AC10E15A17G	\$875.00

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.



**EZ Series® - Single phase, duplex demand dose float controlled system for pump control and system monitoring.**

EZS	4	1	W			4		3A6A8AC10E15A
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)

CONTROL PANEL	✓	EZS					
MODEL TYPE	✓	4	Single Phase Duplex (includes Options 3A6A8AC10E15A as standard)			\$1,052.00	
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)			Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base	
STARTING DEVICE		1	120/208/240V			Base	
		9	120V only			Base	
PUMP FULL LOAD AMPS		0	0 - 7 FLA			Base	
		1	7 - 15 FLA			Base	
		2	15 - 20 FLA			Base	
PUMP DISCONNECTS	✓	4	Circuit Breaker(s) 120V (select STARTING DEVICE Option 9 above)			\$76.00	
			Circuit Breaker(s) 120/208/240V (select STARTING DEVICE Option 1 above)			\$152.00	
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)			Base	
		E	EZconnex® Float Switch System (select Option 34 or 35 below)			- \$84.00	
		X	No Floats			- \$84.00	

**PRICING WORKSHEET**

EZS Duplex Base Price	\$1,052.00
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	_____

	OPTIONS	DESCRIPTION	List Price
	1J	Duo Alarm Inputs	\$22.00
✓	3A	Alarm Flasher (Included as standard)	\$0.00
✓	6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00
✓	10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00
	10P	Mounting Post (Factory installed with 2.5" cord seal)	\$155.00
✓	15A	Control/Alarm Circuit Breaker (Included as standard)	\$0.00
	16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00
	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00

	OPTIONS	DESCRIPTION	List Price
	19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
	22G	2 1/2" Hub Installed with 6 Hole Cord Seal	\$79.00
	34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp	\$353.00
	34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp	\$399.00
	34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp	\$373.00
	34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp	\$419.00
	35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
	35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
	35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
	35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**EZ SERIES® IN-SITE® CL Bluetooth® Single Phase Simplex** - Demand or timed dose, C-Level™ sensor controlled system for pump control and system monitoring with Bluetooth® wireless module.

<b>EZI</b> CONTROL PANEL	<b>S</b> MODEL TYPE	<b>1</b> ALARM PACKAGE	<b>W</b> ENCLOSURE RATING	<b>1</b> STARTING DEVICE	<b>PUMP FULL LOAD AMPS</b>	<b>4</b> PUMP DISCONNECTS	<b>C</b> FLOAT SWITCH APPLICATION	<b>3A4A6A10E30A</b> OPTIONS (LISTED BELOW)
-----------------------------	------------------------	---------------------------	------------------------------	-----------------------------	----------------------------	------------------------------	--------------------------------------	---

<b>CONTROL PANEL</b>	✓	EZI		
<b>MODEL TYPE</b>	✓	S	Simplex (includes Options 3A4A6A10E30A as standard)	\$1,486.00
<b>ALARM PACKAGE</b>	✓	1	Alarm Package (includes test/normal/silence switch, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>	✓	1	120/208/240V	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
<b>PUMP DISCONNECTS</b>	✓	4	Circuit Breaker	Base
<b>FLOAT SWITCH APPLICATION</b>	✓	C	C-Level™ Sensor (select Option 24 or 29 below)	Base

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

PRICING WORKSHEET

EZI Simplex Base Price **\$1,486.00**

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Float Switch Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
✓	3A	Alarm Flasher (Included as standard)	\$0.00		24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$15.00
	3E	High Water Alarm Float (must also select Option 17)	\$28.00		24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$47.00
✓	4A	Redundant Off (Included as standard)	\$0.00		24P	C-Level™ CL40 Sensor with 4' Vent Tube and 100' Cord	\$137.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		24R	C-Level™ CL40 Sensor with 8' Vent Tube and 100' Cord	\$142.00
✓	6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00		24X	No C-Level™ CL40 Sensor	- \$307.00
✓	10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00		29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$20.00
	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00		29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$52.00
	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00		29C	C-Level™ CL100 Sensor with 10' Vent Tube and 100' Cord	\$147.00
	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$10.00		29X	No C-Level™ CL100 Sensor	- \$307.00
	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$42.00	✓	30A	Bluetooth® Wireless Module (included as standard)	\$0.00

Part #	Pre-configured Panel for Easy Ordering	List Price
1032222	EZ Series® In-Site® CL Data Connection Cable	Call for Pricing



**EZ SERIES® IN-SITE® CL Bluetooth® Single Phase Duplex** - Demand or timed dose, C-Level™ sensor controlled system for pump control and system monitoring with Bluetooth® wireless module.

EZI	D	1	W	1		4	C	3A4A6A10E30A
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)

CONTROL PANEL	✓	EZI						
MODEL TYPE	✓	D	Duplex (includes Options 3A4A6A10E30A as standard)					\$1,599.00
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, red light, & horn)					Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)					Base
STARTING DEVICE	✓	1	120/208/240V					Base
PUMP FULL LOAD AMPS		0	0 - 7 FLA					Base
		1	7 - 15 FLA					Base
		2	15 - 20 FLA					Base
PUMP DISCONNECTS	✓	4	Circuit Breaker					Base
FLOAT SWITCH APPLICATION	✓	C	C-Level™ Sensor (select Option 24 or 29 below)					Base

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

PRICING WORKSHEET

EZI Duplex Base Price	\$1,599.00
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	_____

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
✓	3A	Alarm Flasher (Included as standard)	\$0.00		24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$15.00
	3E	High Water Alarm Float (must also select Option 17)	\$28.00		24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$47.00
✓	4A	Redundant Off (Included as standard)	\$0.00		24P	C-Level™ CL40 Sensor with 4' Vent Tube and 100' Cord	\$137.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		24R	C-Level™ CL40 Sensor with 8' Vent Tube and 100' Cord	\$142.00
✓	6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00		24X	No C-Level™ CL40 Sensor	- \$307.00
✓	10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00		29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$20.00
	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00		29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$52.00
	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00		29C	C-Level™ CL100 Sensor with 10' Vent Tube and 100' Cord	\$147.00
	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$10.00		29X	No C-Level™ CL100 Sensor	- \$307.00
	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$42.00	✓	30A	Bluetooth® Wireless Module (included as standard)	\$0.00

Part #	Pre-configured Panel for Easy Ordering	List Price
1032222	EZ Series® In-Site® CL Data Connection Cable	Call for Pricing



**EZ SERIES® PLUGGER** - Provides convenient wiring connection for use with one single phase 120V or 230V pump in effluent and sewage installations.

EZP			W		C			10E
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	EZP						<b>PRICING WORKSHEET</b>  <b>BASE PRICE</b> EZ Plugger 120V - \$415.00 EZ Plugger 240V - \$516.00  EZ Plugger Base Price _____  Alarm Package _____  Enclosure Rating _____  Starting Device _____  Pump Full Load Amps _____  Pump Disconnects _____  Float Switch Application _____  Total Options _____  <b>TOTAL LIST PRICE</b> _____
MODEL TYPE		1	120V (includes Option 10E as standard)		\$415.00			
		2	240V (includes Option 10E as standard)		\$516.00			
ALARM PACKAGE		0	No Alarm Package		- \$36.00			
		1	Alarm Package		Base			
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base			
STARTING DEVICE		2	SJE PumpMaster® Plus Pump Switch (0-15 FLA)		\$66.00			
		6	No Pump Switch		Base			
		7	120V Double Float® Master Pump Switch (0-15 FLA)		\$98.00			
		8	240V Double Float® Master Pump Switch (0-15 FLA)		\$98.00			
		A	SJE MicroMaster® Plus WS Pump Switch (0-13 FLA)		\$49.00			
PUMP FULL LOAD AMPS	✓	C	0 - 15 FLA		Base			
PUMP DISCONNECTS		0	No Pump Disconnect		Base			
		4	Circuit Breaker	120V	\$38.00			
				240V	\$76.00			
FLOAT SWITCH APPLICATION		H	Floata - Pump Down (select Option 17 below)		Base			
		X	No Alarm Floata		- \$28.00			

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	with Alarm \$76.00 without Alarm \$28.00	16A	10' Cord in Lieu of 20' Cord (per Float) <b>Does not apply to Double Float® Master pump switch</b>	- \$3.00
1V	Vertical Reed Switch (must also select Option 1J)	\$71.00	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
6A	Auxiliary Alarm Contact, Form C	\$17.00	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
8G	ETM with Piggy-Back	\$93.00	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard)</b>	<b>\$0.00</b>	17A	SJE SignalMaster® / Pipe Clamp (Alarm Float Only) - Mechanical	- \$3.00
10P	Mounting Post (Factory installed, includes Cord Seal)	\$155.00	22C	2" Hub Installed with Cord Seal	\$60.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	22F	Riser Mounting Kit	\$60.00
11G	Additional NEMA 3R Alarm Panel (Tank Alert® EZ Duo) (must also select Option 1J)	\$144.00			

**INSTALLER FRIENDLY SERIES® SINGLE PHASE SIMPLEX - Demand or timed dose float controlled system for pump control and system monitoring.**

IFS	MODEL TYPE	1	W					8AC10E
CONTROL PANEL		ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)

CONTROL PANEL	✓	IFS							
MODEL TYPE		1	Simplex Timed Dose (includes Options 8AC and 10E as standard)					\$1,002.00	
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)					Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)					Base	
STARTING DEVICE		1	120/208/240V					Base	
		9	120V only					Base	
PUMP FULL LOAD AMPS		0	0 - 7 FLA					Base	
		1	7 - 15 FLA					Base	
		2	15 - 20 FLA					\$88.00	
PUMP DISCONNECTS		0	No Pump Disconnect					Base	
		4	Circuit Breaker 120V (select STARTING DEVICE Option 9 above)					\$38.00	
			Circuit Breaker 120/208/240V (select STARTING DEVICE Option 1 above)					\$76.00	
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose=stop, start, and alarm					Base	
		E	EZconnex® Float Switch System (select Option 33, 35 or 36 below)						
								Timed Dose	- \$56.00
								Demand Dose	- \$84.00
		X	No Floats					Timed Dose	- \$56.00
								Demand Dose	- \$84.00
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/ or 4A & 4D for high water alarm and/or redundant off floats					Timed Dose	- \$56.00
								Demand Dose	- \$84.00

BASE PRICE	
Simplex Timed Dose - \$1,002.00	
Simplex Demand Dose - \$1,030.00	
IFS Simplex Base Price	_____
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	_____

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	\$28.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
3A	Alarm Flasher	\$55.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
3B	Manual Alarm Reset	\$98.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
			17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
4A	Redundant Off (must also select Option 4D if floats are required)	Timed Dose \$0.00 Demand Dose \$60.00	18A	Timer Override Float (Timed Dose Float Panel Only)	\$28.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
6A	Auxiliary Alarm Contact, Form C	\$43.00	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00	24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00	24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
10F	Lightning Arrestor (select pump circuit breaker, control and alarm power combined)	\$251.00	24X	No C-Level™ CL40 Sensor	\$0.00
10K	Anti-condensation Heater	\$109.00	29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00	29X	No C-Level™ CL100 Sensor	\$0.00
15A	Control/Alarm Circuit Breaker	\$93.00	33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00	33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00	33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00	33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00	35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
			35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
			35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
			35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00
			36D ■	EZconnex® 3-Port, 25', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$239.00
			36E ■	EZconnex® 3-Port, 50', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$276.00
			36G ■	EZconnex® 3-Port, 25', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$252.00
			36H ■	EZconnex® 3-Port, 50', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$289.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® SINGLE PHASE DUPLEX - Demand or timed dose float controlled system for pump control and system monitoring.**

IFS CONTROL PANEL	MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFS						<b>PRICING WORKSHEET</b>  <b>BASE PRICE</b> Duplex Timed Dose - \$1,215.00 Duplex Demand Dose - \$1,243.00  IFS Duplex Base Price _____  Alarm Package _____  Enclosure Rating _____  Starting Device _____  Pump Full Load Amps _____  Pump Disconnects _____  Float Switch Application _____  Total Options _____  <b>TOTAL LIST PRICE</b> _____
MODEL TYPE		3	Duplex Timed Dose (includes Option 8AC and 10E as standard)		\$1,215.00			
		4	Duplex Demand Dose (includes Option 8AC and 10E as standard)		\$1,243.00			
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base			
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base			
STARTING DEVICE		1	120/208/240V		Base			
		9	120V only		Base			
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base			
		1	7 - 15 FLA		Base			
		2	15 - 20 FLA		\$114.00			
PUMP DISCONNECTS		0	No Pump Disconnect		Base			
		4	Circuit Breaker(s) 120V (select STARTING DEVICE Option 9 above)		\$76.00			
			Circuit Breaker(s) 120/208/240V (select STARTING DEVICE Option 1 above)		\$152.00			
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm		Base			
		E	EZconnex® Float Switch System (select Option 34 or 35 below)		Timed Dose	- \$56.00		
					Demand Dose	- \$84.00		
		X	No Floats		Timed Dose	- \$56.00		
					Demand Dose	- \$84.00		
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/ or 4A & 4D for high water alarm and/or redundant off floats		Timed Dose	- \$56.00		
					Demand Dose	- \$84.00		

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
	1J	Duo Alarm Inputs	\$28.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	3A	Alarm Flasher	\$55.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	3B	Manual Alarm Reset	\$98.00		17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
	3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00		17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
	4A	Redundant Off (must also select Option 4D if floats are required)	Timed Dose \$0.00 Demand Dose \$60.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		18A	Timer Override Float (Timed Dose Float Panel Only)	\$28.00
	6A	Auxiliary Alarm Contact, Form C	\$43.00		19F	Fourth Float to Separate Alarm Function from Lag (Demand Dose Float Panel Only)	\$28.00
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00		24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
✓	10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00		24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
	10F	Lightning Arrestor (select pump circuit breakers, control and alarm power combined)	\$251.00		24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
	10K	Anti-condensation Heater	\$109.00		24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
	11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00		24X	No C-Level™ CL40 Sensor	\$0.00
	11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00		29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
	15A	Control/Alarm Circuit Breaker	\$93.00		29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
	16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00		29X	No C-Level™ CL100 Sensor	\$0.00
	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00		34D	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00		34E	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00		34G	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
					34H	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
					35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
					35E	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
					35G	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
					35H	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® THREE PHASE SIMPLEX** - Demand or timed dose float controlled system for pump control and system monitoring.

IFS CONTROL PANEL	5 MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	PUMP FULL LOAD AMPS	FLOAT SWITCH APPLICATION	8AC OPTIONS (LISTED BELOW)
-------------------------	--------------------	-----------------------	--------------------------	------------------------	-----------------------------	-------------------------------

CONTROL PANEL	✓	IFS				
MODEL TYPE	✓	5	Three Phase Simplex (includes Option 8AC as standard)			\$1,936.00
ALARM PACKAGE		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)			Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base
PUMP FULL LOAD AMPS			208/240/480V		600V	
		001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base
		101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base
		201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base
		301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base
		401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base
		511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$49.00
		611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$49.00
		621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$60.00
		701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$60.00
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)			Base
		E	EZconnex® Float Switch System (select Option 33 or 34 below)			- \$84.00
		X	No Floats			- \$84.00
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats			- \$84.00

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

IFS Three Phase Simplex Base Price	\$1,936.00
Alarm Package	
Enclosure Rating	
Pump Full Load Amps	
Float Switch Application	
Total Options	
<b>TOTAL LIST PRICE</b>	

**PRICING WORKSHEET**

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
	3A	Alarm Flasher	\$55.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	3B	Manual Alarm Reset	\$98.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00		17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
	4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00		17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
	5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00		24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
	5E	Seal Failure Circuit and Red Indicator (2 Wire)	\$175.00		24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
	6A	Auxiliary Alarm Contact, Form C	\$43.00		24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00		24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
	10E	Lockable Latch - NEMA 4X	\$43.00		24X	No C-Level™ CL40 Sensor	\$0.00
	10G	Lightning Arrestor	\$218.00		29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
	10K	Anti-condensation Heater	\$109.00		29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
	11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00		29X	No C-Level™ CL100 Sensor	\$0.00
	11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00		33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
	16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00		33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00		33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00		33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00		34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
					34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
					34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
					34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® THREE PHASE DUPLEX** - Demand or timed dose float controlled system for pump control and system monitoring.

<b>IFS</b> CONTROL PANEL	<b>6</b> MODEL TYPE	<b>1</b> ALARM PACKAGE	<b>W</b> ENCLOSURE RATING	<b>PUMP FULL LOAD AMPS</b>	<b>FLOAT SWITCH APPLICATION</b>	<b>8AC</b> OPTIONS (LISTED BELOW)
-----------------------------	------------------------	---------------------------	------------------------------	----------------------------	---------------------------------	--------------------------------------

CONTROL PANEL	✓	IFS		
MODEL TYPE	✓	6	Three Phase Duplex (includes Option 8AC as standard)	\$2,518.00
ALARM PACKAGE		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
PUMP FULL LOAD AMPS		208/240/480V		
		001	1.0 - 1.6 FLA	005 1.0 - 1.6 FLA Base
		101	1.6 - 2.5 FLA	105 1.6 - 2.5 FLA Base
		201	2.5 - 4.0 FLA	205 2.5 - 4.0 FLA Base
		301	4.0 - 6.3 FLA	305 4.0 - 6.3 FLA Base
		401	6.0 - 10.0 FLA	405 6.0 - 10.0 FLA Base
		511	9.0 - 14.0 FLA	515 9.0 - 14.0 FLA \$66.00
		611	13.0 - 18.0 FLA	615 13.0 - 18.0 FLA \$66.00
		621	17.0 - 23.0 FLA	625 17.0 - 23.0 FLA \$88.00
		701	20.0 - 25.0 FLA	705 20.0 - 25.0 FLA \$88.00
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)	Base
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00
		X	No Floats	- \$84.00
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats	- \$84.00

IFS Three Phase Duplex Base Price	\$2,518.00
Alarm Package	
Enclosure Rating	
Pump Full Load Amps	
Float Switch Application	
Total Options	
Enclosure Upsize	
<b>TOTAL LIST PRICE</b>	

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

**ENCLOSURE UPSIZE:**

If you selected one or more of the ♦ options, add a one-time \$55.00 for enclosure upsize.

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
3A	Alarm Flasher	\$55.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
3B	Manual Alarm Reset	\$98.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
5A ♦	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00	19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
5E ♦	Seal Failure Circuit and Red Indicator (2 Wire)	\$344.00	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
6A	Auxiliary Alarm Contact, Form C	\$43.00	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter and Lead/Lag Selector (included as standard)	\$0.00	24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
10E	Lockable Latch - NEMA 4X	\$43.00	24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
10G	Lightning Arrestor	\$218.00	24X	No C-Level™ CL40 Sensor	\$0.00
10K	Anti-condensation Heater	\$109.00	29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00	29X	No C-Level™ CL100 Sensor	\$0.00
16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00	34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00	34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00	34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00	34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
			35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
			35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
			35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
			35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections



**INSTALLER FRIENDLY SERIES® SINGLE PHASE SIMPLEX CAPACITOR (START/RUN) - Demand dose float controlled system for pump control and system monitoring.**

IFS7	7	1	W	1				8AC	
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)	
CONTROL PANEL	✓	IFS						PRICING WORKSHEET	IFS Single Phase Simplex Capacitor Base Price <b>\$1,574.00</b>
MODEL TYPE	✓	7	Single Phase Simplex Capacitor (includes Option 8AC as standard)				\$1,574.00		Alarm Package _____
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)				Base		Enclosure Rating _____
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base		Starting Device _____
STARTING DEVICE	✓	1	120/208/240V IEC Motor Contactor				Base		Pump Full Load Amps _____
PUMP FULL LOAD AMPS		0	0 - 7 FLA				Base		Pump Disconnects _____
		1	7 - 15 FLA				Base		Float Switch Application _____
		2	15 - 20 FLA				\$88.00		Total Options _____
		3	20 - 30 FLA				\$98.00		<b>TOTAL LIST PRICE</b> _____
		4	30 - 40 FLA				\$126.00		
PUMP DISCONNECTS		0	No Pump Disconnect				Base		
		4	Circuit Breaker				\$76.00		
FLOAT SWITCH APPLICATION		H	Floats - Pump Down or Pump Up (select Option 17 below)				Base		
		E	EZconnex® Float Switch System (select Option 33 or 34 below)				- \$84.00		
		X	No Floats WITH Alarm Package				- \$84.00		
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats				- \$84.00		
<b>NOTE:</b> Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.									

**Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).**

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
3A	Alarm Flasher	\$55.00	16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00
3B	Manual Alarm Reset	\$98.00	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
5E	Seal Failure Circuit and Red Indicator (2 Wire)	\$175.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
6A	Auxiliary Alarm Contact, Form C	\$43.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
9_A	Pump Overload - Specify Amperage after Number 9 Followed by Letter "A" Example: 9I2A = 12 amp pump	0 - 30 FLA	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
		30 - 100 FLA	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
10E	Lockable Latch - NEMA 4X	\$43.00	24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
10F	Lightning Arrestor (must select pump circuit breakers, control and alarm power combined)	\$251.00	24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
10K	Anti-condensation Heater	\$109.00	24X	No C-Level™ CL40 Sensor	\$0.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00	29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$121.00	29X	No C-Level™ CL100 Sensor	\$0.00
12C	Motor Start Components Mounted and Supplied by SJE Rhombus	Call Factory	33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
			33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
			33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
			33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
			34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
			34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
			34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
			34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® SINGLE PHASE DUPLEX CAPACITOR (START/RUN)** - Demand dose float controlled system for pump control and system monitoring.

<b>IFS</b> CONTROL PANEL	<b>8</b> MODEL TYPE	<b>1</b> ALARM PACKAGE	<b>W</b> ENCLOSURE RATING	<b>1</b> STARTING DEVICE				<b>8AC</b> OPTIONS (LISTED BELOW)
-----------------------------	------------------------	---------------------------	------------------------------	-----------------------------	--	--	--	--------------------------------------

<b>CONTROL PANEL</b>	✓	IFS		
<b>MODEL TYPE</b>	✓	8	Single Phase Duplex Capacitor (includes Option 8AC as standard)	\$2,154.00
<b>ALARM PACKAGE</b>	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>	✓	1	120/208/240V IEC Motor Contactor	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	\$114.00
		3	20 - 30 FLA	\$137.00
		4	30 - 40 FLA	\$164.00
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect	Base
		4	Circuit Breaker	\$152.00
<b>FLOAT SWITCH APPLICATION</b>		H	Floats - Pump Down or Pump Up (select Option 17 below)	Base
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00
		X	No Floats	- \$84.00
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats. Pump down applications only.	- \$84.00

**NOTE:** Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

**ENCLOSURE UPSIZE:**  
If you selected one or more of the ♦ options, **add a one-time \$142.00** list enclosure upsize.

**IFS Single Phase Duplex Capacitor Base Price** **\$2,154.00**

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Float Switch Application \_\_\_\_\_

Total Options \_\_\_\_\_

Enclosure Upsize \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
	3A	Alarm Flasher	\$55.00		16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00
	3B	Manual Alarm Reset	\$98.00		16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
	3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00		16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
	4A ♦	Redundant Off (must also select Option 4D if floats are required)	\$60.00		16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	5A ♦	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	5E ♦	Seal Failure Circuit and Red Indicator (2 Wire)	\$344.00		17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
	6A	Auxiliary Alarm Contact, Form C	\$43.00		17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter and Lead/Lag Selector (included as standard)	\$0.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
	9.A	Pump Overload - Specify Amperage after Number 9 Followed by Letter "A" Example: 9I2A = 12 amp pump	0 - 30 FLA		19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
			30 - 100 FLA		24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
	10E	Lockable Latch - NEMA 4X	\$43.00		24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
	10F	Lightning Arrestor (must select pump circuit breakers, control and alarm power combined)	\$251.00		24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
	10K	Anti-condensation Heater	\$109.00		24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
	11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00		24X	No C-Level™ CL40 Sensor	\$0.00
	11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00		29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
	12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$121.00		29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
	12C	Motor Start Components, Mounted and Supplied by SJE Rhombus	Call Factory		29X	No C-Level™ CL100 Sensor	\$0.00
					34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
					34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
					34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
					34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
					35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
					35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
					35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
					35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® IN-SITE® SINGLE PHASE SIMPLEX** - Demand or timed dose float controlled system for pump control, system monitoring, event logging and reporting.

IFI	MODEL TYPE	1	W					8AC
CONTROL PANEL		ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFI						
MODEL TYPE		1	Simplex Timed Dose (includes Option 8AC as standard)		\$2,282.00			
		2	Simplex Demand Dose (includes Option 8AC as standard)		\$2,310.00			
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base			
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base			
STARTING DEVICE		1	120/208/240V		Base			
		9	120V only		Base			
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base			
		1	7 - 15 FLA		Base			
		2	15 - 20 FLA		\$88.00			
PUMP DISCONNECTS		0	No Pump Disconnect		Base			
		4	Circuit Breaker 120V (select STARTING DEVICE Option 9 above)		\$38.00			
			Circuit Breaker 120/208/240V (select STARTING DEVICE Option 1 above)		\$76.00			
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm		Base			
		E	EZconnex® Float Switch System (select Option 33, 35 or 36 below)	Timed Dose	- \$56.00			
				Demand Dose	- \$84.00			
		X	No Floats	Timed Dose	- \$56.00			
				Demand Dose	- \$84.00			
		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/ or 4A & 4D for high water alarm and/or redundant off floats	Timed Dose	- \$56.00			
				Demand Dose	- \$84.00			

**BASE PRICE**  
Simplex Timed Dose - \$2,282.00  
Simplex Demand Dose - \$2,310.00

IFI Simplex Base Price \_\_\_\_\_

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Float Switch Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	\$28.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
3A	Alarm Flasher	\$55.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
3B	Manual Alarm Reset	\$98.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
			17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
4A	Redundant Off (must also select Option 4D if floats are required)	Timed Dose \$0.00 Demand Dose \$60.00	18A	Timer Override Float (Timed Dose Float Panel Only)	\$28.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
6A	Auxiliary Alarm Contact, Form C	\$43.00	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00	24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
10E	Lockable Latch - NEMA 4X	\$43.00	24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
10F	Lightning Arrestor (select pump circuit breaker, control and alarm power combined)	\$251.00	24X	No C-Level™ CL40 Sensor	\$0.00
10K	Anti-condensation Heater (must select if operating temperature is colder than 0 degrees F or -18 degrees C)	\$109.00	29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00	29X	No C-Level™ CL100 Sensor	\$0.00
15A	Control/Alarm Circuit Breaker	\$93.00	33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00	33E	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00	33G	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00	33H	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00	35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
			35E	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
			35G	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
			35H	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00
			36D	EZconnex® 3-Port, 25', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$239.00
			36E	EZconnex® 3-Port, 50', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$276.00
			36G	EZconnex® 3-Port, 25', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$252.00
			36H	EZconnex® 3-Port, 50', with 20' Floats (2) / Pipe Clamp, Sealing Plug	\$289.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® IN-SITE® SINGLE PHASE DUPLEX** - Demand or timed dose float controlled system for pump control, system monitoring, event logging and reporting.

IFI	MODEL TYPE	1	W	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	8AC
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFI						
MODEL TYPE		3	Duplex Timed Dose (includes Option 8AC as standard)			\$2,375.00		
MODEL TYPE		4	Duplex Demand Dose (includes Option 8AC as standard)			\$2,403.00		
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)			Base		
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base		
STARTING DEVICE		1	120/208/240V			Base		
STARTING DEVICE		9	120V only			Base		
PUMP FULL LOAD AMPS		0	0 - 7 FLA			Base		
PUMP FULL LOAD AMPS		1	7 - 15 FLA			Base		
PUMP FULL LOAD AMPS		2	15 - 20 FLA			\$114.00		
PUMP DISCONNECTS		0	No Pump Disconnect			Base		
PUMP DISCONNECTS		4	Circuit Breaker(s) 120V (select STARTING DEVICE Option 9 above)			\$76.00		
PUMP DISCONNECTS		4	Circuit Breaker(s) 120/208/240V (select STARTING DEVICE Option 1 above)			\$152.00		
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm			Base		
FLOAT SWITCH APPLICATION		E	EZconnex® Float Switch System (select Option 34 or 35 below)	Timed Dose		- \$56.00		
FLOAT SWITCH APPLICATION		E	EZconnex® Float Switch System (select Option 34 or 35 below)	Demand Dose		- \$84.00		
FLOAT SWITCH APPLICATION		X	No Floats	Timed Dose		- \$56.00		
FLOAT SWITCH APPLICATION		X	No Floats	Demand Dose		- \$84.00		
FLOAT SWITCH APPLICATION		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/ or 4A & 4D for high water alarm and/or redundant off floats	Timed Dose		- \$56.00		
FLOAT SWITCH APPLICATION		C	C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/ or 4A & 4D for high water alarm and/or redundant off floats	Demand Dose		- \$84.00		

**PRICING WORKSHEET**

<b>BASE PRICE</b>	
Duplex Timed Dose - \$2,375.00	
Duplex Demand Dose - \$2,403.00	
IFI Duplex Base Price	_____
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	_____

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	\$28.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
3A	Alarm Flasher	\$55.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
3B	Manual Alarm Reset	\$98.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
3E	High Water Alarm Float (must also select Option 17) Only Available with Float Switch Application = C	\$28.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
4A	Redundant Off (must also select Option 4D if floats are required)	Timed Dose \$0.00 Demand Dose \$60.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	18A	Timer Override Float (Timed Dose Float Panel Only)	\$28.00
6A	Auxiliary Alarm Contact, Form C	\$43.00	19F	Fourth Float to Separate Alarm Function from Lag (Demand Dose Float Panel Only)	\$28.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00	24E	C-Level™ CL40 Sensor with 4' Vent Tube and 20' Cord	\$307.00
10E	Lockable Latch - NEMA 4X	\$43.00	24F	C-Level™ CL40 Sensor with 4' Vent Tube and 40' Cord	\$339.00
10F	Lightning Arrestor (select pump circuit breakers, control and alarm power combined)	\$251.00	24G	C-Level™ CL40 Sensor with 8' Vent Tube and 20' Cord	\$312.00
10K	Anti-condensation Heater (must select if operating temperature is colder than 0 degrees F or -18 degrees C)	\$109.00	24H	C-Level™ CL40 Sensor with 8' Vent Tube and 40' Cord	\$344.00
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00	24X	No C-Level™ CL40 Sensor	\$0.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00	29A	C-Level™ CL100 Sensor with 10' Vent Tube and 20' Cord	\$317.00
15A	Control/Alarm Circuit Breaker	\$93.00	29B	C-Level™ CL100 Sensor with 10' Vent Tube and 40' Cord	\$349.00
16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00	29X	No C-Level™ CL100 Sensor	\$0.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00	34D	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00	34E	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00	34G	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
			34H	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
			35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
			35E	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
			35G	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
			35H	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**INSTALLER FRIENDLY SERIES® DRIP** - Single phase, simplex subsurface touch pad drip irrigation for pump control and system monitoring.

Part #	Description	VAC	FLA	List Price
1018134	IFS Drip Panel	120/208/240V	7-15	\$1,830.00
1021573	IFS Drip Panel with Pressure Switch	120V	7-15	\$1,924.00
1021563	IFS Drip Panel with Pressure Switch	120/208/240V	7-15	\$1,973.00

**NEX SERIES® SINGLE PHASE SIMPLEX** - Single phase, simplex motor control.

Part #	Description (without Elapsed Time Meter)	Amps	List Price	Shipping Weight
1046436	NEX Series® Simplex, 120/208/240V, (3) 20' SJE SignalMaster® Switches	0-12	\$567.00	9 lbs.
1047662	NEX Series® Simplex, 120/208/240V, No Floats	0-12	\$503.00	5 lbs.
1054597	NEX Series® Simplex, 120/208/240V, EZconnex® 3-Port, 50' with (3) 10' Floats ♣	0-12	\$825.00	13.6 lbs.
1046437*	NEX Series® Simplex, 120/208/240V, (3) 20' SJE SignalMaster® Switches	9-20	\$567.00	9 lbs.
1047663*	NEX Series® Simplex, 120/208/240V, No Floats	9-20	\$503.00	5 lbs.
1054598	NEX Series® Simplex, 120/208/240V, EZconnex® 3-Port, 50' with (3) 10' Floats ♣	9-20	\$825.00	13.6 lbs.
Part #	Description (with Elapsed Time Meter)	Amps	List Price	Shipping Weight
1053452	NEX Series® Simplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster® Switches	0-12	\$646.00	9 lbs.
1053454	NEX Series® Simplex, 120/208/240V, with ETM, No Floats	0-12	\$582.00	5 lbs.
1055708	NEX Series® Simplex, 120/208/240V, with ETM, EZconnex® 3-Port, 50' with (3) 10' Floats ♣	0-12	\$904.00	13.6 lbs.
1053453	NEX Series® Simplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster® Switches	9-20	\$646.00	9 lbs.
1053455	NEX Series® Simplex, 120/208/240V, with ETM, No Floats	9-20	\$582.00	5 lbs.
1055709	NEX Series® Simplex, 120/208/240V, with ETM, EZconnex® 3-Port, 50' with (3) 10' Floats ♣	9-20	\$904.00	13.6 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

♣ All EZconnex® float switches are normally open with pipe clamp.

**NEX SERIES® SINGLE PHASE DUPLEX** - Single phase, duplex motor control.

Part #	Description (without Elapsed Time Meter)	Amps	List Price	Shipping Weight
1051630	NEX Series® Duplex, 120/208/240V, (4) 20' SJE SignalMaster Switches	0-12	\$1,042.00	14 lbs.
1051631	NEX Series® Duplex, 120/208/240V, (3) 20' SJE SignalMaster Switches	0-12	\$1,006.00	12 lbs.
1051632	NEX Series® Duplex, 120/208/240V, No Floats	0-12	\$898.00	9 lbs.
1051633	NEX Series® Duplex, 120/208/240V, (4) 20' SJE SignalMaster Switches	9-20	\$1,042.00	14 lbs.
1051634*	NEX Series® Duplex, 120/208/240V, (3) 20' SJE SignalMaster Switches	9-20	\$1,006.00	12 lbs.
1051635	NEX Series® Duplex, 120/208/240V, No Floats	9-20	\$898.00	9 lbs.
Part #	Description (with Elapsed Time Meter)	Amps	List Price	Shipping Weight
1053263	NEX Series® Duplex, 120/208/240V, with ETM, (4) 20' SJE SignalMaster Switches	0-12	\$1,160.00	14 lbs.
1053264	NEX Series® Duplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster Switches	0-12	\$1,124.00	12 lbs.
1053265	NEX Series® Duplex, 120/208/240V, with ETM, No Floats	0-12	\$1,016.00	9 lbs.
1053266	NEX Series® Duplex, 120/208/240V, with ETM, (4) 20' SJE SignalMaster Switches	9-20	\$1,160.00	14 lbs.
1053267	NEX Series® Duplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster Switches	9-20	\$1,124.00	12 lbs.
1053268	NEX Series® Duplex, 120/208/240V, with ETM, No Floats	9-20	\$1,016.00	9 lbs.
Part #	Description (with EZconnex® 4-Port System)	Amps	List Price	Shipping Weight
1055737	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (3) 10' Floats with Plug ♣	0-12	\$1,263.00	19 lbs.
1055738	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (3) 10' Floats with Plug ♣	0-12	\$1,310.00	22 lbs.
1055739	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (4) 10' Floats ♣	0-12	\$1,301.00	20 lbs.
1055740	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (4) 10' Floats ♣	0-12	\$1,348.00	23 lbs.
1055741	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (3) 10' Floats with Plug ♣	9-20	\$1,263.00	19 lbs.
1055742	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (3) 10' Floats with Plug ♣	9-20	\$1,310.00	22 lbs.
1055743	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (4) 10' Floats ♣	9-20	\$1,301.00	20 lbs.
1055744	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (4) 10' Floats ♣	9-20	\$1,348.00	23 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

♣ All EZconnex® float switches are normally open with pipe clamp.



**MODEL 115 - Single phase, simplex pump switch control.**

115 CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
-------------------------	------------------	---------------------	--------------------	------------------------	---------------------	-----------------------------	------------------------

CONTROL PANEL	✓	115	Single Phase Simplex	\$608.00
ALARM PACKAGE		0	Select Options or No Alarm Package	- \$36.00
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, horn & float)	Base
ENCLOSURE RATING		I	Indoor, NEMA 1 (metal)	- \$50.00
		W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
STARTING DEVICE		2	SJE PumpMaster® Plus Pump Switch (0-15 FLA) - Mechanical	- \$11.00
		3	120V Double Float® Pump Switch (0-15 FLA) - Mercury	\$53.00
		4	240V Double Float® Pump Switch (0-12 FLA) - Mercury	\$53.00
		5	Super Single® Pump Switch (120V=0-15 FLA, 208/240V=0-12 FLA) - Mercury	\$4.00
		6	No Pump Switch	- \$43.00
		7	120V Double Float® Master Pump Switch (0-15 FLA) - Mechanical	\$38.00
		8	240V Double Float® Master Pump Switch (0-15 FLA) - Mechanical	\$38.00
PUMP FULL LOAD AMPS		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
PUMP DISCONNECTS		0	No Pump Disconnect	Base
		4	Circuit Breaker	\$76.00
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)	Base
		L	Floats - Pump Up (select Option 17 below)	Base
		X	No Floats	- \$28.00

PRICING WORKSHEET	Model 115 Base Price	\$608.00
	Alarm Package	
	Enclosure Rating	
	Starting Device	
	Pump Full Load Amps	
	Pump Disconnects	
	Float Switch Application	
	Total Options	
<b>TOTAL LIST PRICE</b>		

OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00
1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00
1E	Alarm Float	\$28.00
3A	Alarm Flasher	\$49.00
3B	Manual Alarm Reset	\$98.00
6A	Auxiliary Alarm Contact, Form C	\$17.00
8A	Elapsed Time Meter (120V)	\$93.00
8B	Elapsed Time Meter (240V)	\$152.00
10E	Lockable Latch - NEMA 4X	\$22.00
	Lockable Latch - NEMA 1	\$33.00
10P	Panel Mounting Post - Factory Installed, Includes Simplex Installation Kit (Enclosure Upsized to 10x8x6, Max 14x12x6)	\$155.00

OPTIONS	DESCRIPTION	List Price
11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00
11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00
16A	10' Cord in Lieu of 20' Cord (per Float) - Does not apply to Double Float® or Double Float® Master Pump Switches	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
17A	SJE SignalMaster® / Pipe Clamp (Alarm Float Only) - Mechanical	- \$3.00
17E	Sensor Float® Mini / Pipe Clamp (Alarm Float Only) - Mercury	\$2.00
17J	Sensor Float® / Pipe Clamp (Alarm Float Only) - Mercury	\$4.00
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light through Door Mounted	\$66.00
19X	Door Mounted Pump Run Indicator	\$33.00



**Model 112 - Single phase, simplex motor contactor control.**

112 CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
<b>CONTROL PANEL</b>	✓	112	Single Phase Simplex			\$713.00	<b>PRICING WORKSHEET</b>  Model 112 Base Price <u>\$713.00</u>  Alarm Package _____  Enclosure Rating _____  Starting Device _____  Pump Full Load Amps _____  Pump Disconnects _____  Float Switch Application _____  Total Options _____  Enclosure Upsize _____  <b>TOTAL LIST PRICE</b> _____
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package			- \$36.00	
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, horn & float)			Base	
<b>ENCLOSURE RATING</b>		I	Indoor, NEMA 1 (metal)			- \$50.00	
		W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base	
<b>STARTING DEVICE</b>		1	Magnetic Motor Contactor 120/208/240V			\$6.00	
		9	Magnetic Motor Contactor, 120V only			Base	
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA			Base	
		1	7 - 15 FLA			Base	
		2	15 - 20 FLA			Base	
		3	20 - 30 FLA (Enclosure Upsize Required)			\$126.00	
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect			Base	
		4	Circuit Breaker 120V (select STARTING DEVICE option 9 above)			\$38.00	
			Circuit Breaker 120/208/240V (select STARTING DEVICE option 1 above)			\$76.00	
<b>FLOAT SWITCH APPLICATION</b>		H	Floats - Pump Down (select Option 17 below)			Base	
		L	Floats - Pump Up (select Option 17 below)			Base	
		E	EZconnex® Float Switch System (select Option 33 or 34 below)		with Alarm Package	- \$84.00	
					without Alarm Package	- \$56.00	
					with Alarm Package	- \$84.00	
					without Alarm Package	- \$56.00	
		X	No Floats				

**ENCLOSURE UPSIZE:** If you selected 3 or more of the ♦ options or one ♦♦ option, add a one-time \$55.00 list enclosure upsize.

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00	15A ♦♦	Control / Alarm Circuit Breaker	\$93.00
1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00	16A	10' Cord in Lieu of 20' Cord (per Float)	- \$3.00
1E	Alarm Float	\$28.00	16B	15' Cord in Lieu of 20' Cord (per Float)	- \$2.00
3A	Alarm Flasher	\$49.00	16C	30' Cord in Lieu of 20' Cord (per Float)	\$5.00
3B ♦	Manual Alarm Reset	\$98.00	16D	40' Cord in Lieu of 20' Cord (per Float)	\$15.00
4A ♦♦	Redundant Off (must also select Option 4D if floats are required)	\$60.00	17A	SJE SignalMaster® / Pipe Clamp (per Float) - Mechanical	- \$3.00
4B ♦♦	Red Redundant Off Indicator and Alarm (must also select Option 4A and Option 17)	\$66.00	17B	SJE SignalMaster® / Externally Weighted (per Float) - Mechanical	\$5.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
			17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
5A ♦	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00	17E	Sensor Float® Mini / Pipe Clamp (per Float) - Mercury	\$2.00
5E ♦♦	Seal Failure Circuit & Red Indicator (2 wire)	\$306.00	17F	Sensor Float® Mini / Externally Weighted (per Float) - Mercury	\$9.00
6A	Auxiliary Alarm Contact, Form C	\$17.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
8A ♦	Elapsed Time Meter	\$82.00	19T	TOA (Test/Off/Automatic) Switch and Pump Run Light through Door Mounted	\$82.00
8C ♦	Event (Cycle) Counter	\$71.00	19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light through Door Mounted	\$66.00
9_A ♦♦	Pump Overload - Specify Amperage after Number 9 Followed by Letter "A" Example: 912A = 12 amp pump	0 - 25 FLA \$268.00 25 - 30 FLA \$339.00	19X	Door Mounted Pump Run Indicator	\$33.00
10E	Lockable Latch - NEMA 4X	\$22.00	21A	SJE PumpMaster® in Lieu of ON/OFF Switches - Mechanical	- \$12.00
	Lockable Latch - NEMA 1	\$33.00	21B	SJE PumpMaster® Plus in Lieu of ON/OFF Switches - Mechanical	\$16.00
10F ♦	Lightning Arrestor (must select pump circuit breaker)	\$251.00	21C	Super Single® in Lieu of ON/OFF Switches - Mercury	\$20.00
10K ♦	Anti-condensation Heater	\$109.00	21D	Double Float® in Lieu of ON/OFF Switches - Mercury	\$40.00
10P ♦♦	Panel Mounting Post - Factory Installed, Includes Simplex Installation Kit (Enclosure Upsized to 10x8x6, Max 14x12x6)	\$155.00	21M	Double Float® Master in Lieu of ON/OFF Switches - Mechanical	\$26.00
11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)	\$101.00	33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)	\$324.00	33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
			33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
			33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
			34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
			34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
			34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
			34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
14B ♦♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON position (must select Circuit Breaker)	0 - 20 FLA \$437.00 20 - 30 FLA \$470.00			

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

Part #	Pre-configured Panels for Easy Ordering	List Price
1019840*	1121W114H17A	\$786.00
1020094*	1121W114H6A17A	\$803.00

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.



SJE RHOMBUS

California Prop 65 requires the following: ⚠ WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Prices Effective January 1, 2021

**MODEL 122 - Single phase, duplex alternating pump control with override.**

<b>122</b> CONTROL PANEL	<b>ALARM PACKAGE</b>	<b>ENCLOSURE RATING</b>	<b>STARTING DEVICE</b>	<b>PUMP FULL LOAD AMPS</b>	<b>PUMP DISCONNECTS</b>	<b>FLOAT SWITCH APPLICATION</b>	<b>6A19B</b> OPTIONS
-----------------------------	----------------------	-------------------------	------------------------	----------------------------	-------------------------	---------------------------------	-------------------------

<b>CONTROL PANEL</b>	✓	122	Simplex Phase Duplex (includes Options 6A and 19B as standard)	\$1,090.00
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package	- \$36.00
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
<b>ENCLOSURE RATING</b>		I	Indoor, NEMA 1 (metal)	- \$75.00
		W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>		1	Magnetic Motor Contactor 120/208/240V	Base
		9	Magnetic Motor Contactor 120V only	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
		3	20 - 30 FLA	\$12.00
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect	Base
		4	Circuit Breaker 120V (select STARTING DEVICE option 9 above)	\$76.00
		4	Circuit Breaker 120/208/240V (select STARTING DEVICE option 1 above)	\$152.00
<b>FLOAT SWITCH APPLICATION</b>		H	Pump Down (select Option 17 below)	Base
		L	Pump Up (select Option 17 below)	Base
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00
		X	No Floats	- \$84.00

**ENCLOSURE UPSIZE**

If you selected one or more of the ♦ options, add a one-time \$114.00 for NEMA 4X, \$109.00 for NEMA 1 list enclosure upsize.

OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select "0" for <b>ALARM PACKAGE</b> )	\$22.00
1C	Horn Only / No Visual (must select "0" for <b>ALARM PACKAGE</b> )	\$22.00
3A	Alarm Flasher (factory programmed)	\$36.00
3B	Manual Alarm Reset (factory programmed)	\$36.00
4A	Redundant Off (must also select Option 4D if floats are required)	\$43.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$185.00
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>
8A	Elapsed Time Meter	\$121.00
8C	Event (Cycle) Counter	\$98.00
9-A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A", Example: 9I2A = 12 Amp Pump	<div style="display: flex; justify-content: space-between;"> <div style="width: 20%;">0-25 FLA</div> <div style="width: 80%;">\$404.00</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 20%;">25-30 FLA</div> <div style="width: 80%;">\$546.00</div> </div>
10E	Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)	\$0.00
	Lockable Latch - NEMA 1	\$43.00
10F	Lightning Arrestor (select pump circuit breaker)	\$251.00
10K	Anti-condensation Heater	\$109.00
11C	Additional NEMA 1 Remote Alarm Panel	\$101.00
11D	Additional NEMA 4X Remote Alarm Panel	\$324.00
14B ♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	<div style="display: flex; justify-content: space-between;"> <div style="width: 20%;">0-20 FLA (total of both pumps)</div> <div style="width: 80%;">\$349.00</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 20%;">20-60 FLA (total of both pumps)</div> <div style="width: 80%;">\$393.00</div> </div>

OPTIONS	DESCRIPTION	List Price
16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
17C	Sensor Float® / Internally Weighted - Mercury	\$9.00
17D	Sensor Float® / Externally Weighted - Mercury	\$11.00
17E	Sensor Float® Mini / Pipe Clamp - Mercury	\$2.00
17F	Sensor Float® Mini / Externally Weighted - Mercury	\$9.00
17G	SJE MilliAmpMaster™ / Pipe Clamp - Mechanical	\$0.00
17H	SJE MilliAmpMaster™ / Externally Weighted - Mechanical	\$7.00
17J	Sensor Float® / Pipe Clamp - Mercury	\$4.00
✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
19F	Fourth Float to Separate Alarm Function From Lag	\$28.00
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$175.00
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$164.00
19X	Door Mounted Pump Run Indicator	\$43.00
34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp, Sealing Plug	\$390.00
35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp, Sealing Plug	\$437.00
35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp, Sealing Plug	\$417.00
35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp, Sealing Plug	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

Part #	Pre-configured Panels for Easy Ordering	List Price
1019842*	122IW114H6A10E17G19B	\$1,242.00
1019462*	122IW114X6A10E19B	\$1,158.00

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**MODEL 312 - Three phase, simplex, motor contactor control.**

312 CONTROL PANEL		ALARM PACKAGE		W ENCLOSURE RATING		PUMP FULL LOAD AMPS		FLOAT SWITCH APPLICATION		10E OPTIONS (LISTED BELOW)	
CONTROL PANEL	✓	312	Three Phase Simplex (includes Option 10E as standard)					\$1,617.00			
ALARM PACKAGE		0	Select Options or No Alarm Package					- \$36.00			
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)					Base			
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)					Base			
PUMP FULL LOAD AMPS		208/240/480V			600V						
		001	1.0 - 1.6 FLA			005	1.0 - 1.6 FLA		Base		
		101	1.6 - 2.5 FLA			105	1.6 - 2.5 FLA		Base		
		201	2.5 - 4.0 FLA			205	2.5 - 4.0 FLA		Base		
		301	4.0 - 6.3 FLA			305	4.0 - 6.3 FLA		Base		
		401	6.0 - 10.0 FLA			405	6.0 - 10.0 FLA		Base		
		511	9.0 - 14.0 FLA			515	9.0 - 14.0 FLA		\$49.00		
		611	13.0 - 18.0 FLA			615	13.0 - 18.0 FLA		\$49.00		
		621	17.0 - 23.0 FLA			625	17.0 - 23.0 FLA		\$60.00		
		701	20.0 - 25.0 FLA			705	20.0 - 25.0 FLA		\$60.00		
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)					Base			
		L	Floats - Pump Up (select Option 17 below)					Base			
		E	EZconnex® Float Switch System (select Option 33 or 34 below)			with Alarm Package			- \$84.00		
	without Alarm Package					- \$56.00					
		X	No Floats			with Alarm Package			- \$84.00		
	without Alarm Package					- \$56.00					

PRICING WORKSHEET

Model 312 Base Price

\$1,617.00

Alarm Package

Enclosure Rating

Pump Full Load Amps

Float Switch Application

Total Options

TOTAL LIST PRICE

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price
	1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00		16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
	1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00		16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
	1E	Alarm Float	\$28.00		16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
	3A	Alarm Flasher	\$49.00		16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
	3B	Manual Alarm Reset	\$98.00		17A	SJE SignalMaster® / Pipe Clamp (per Float) - Mechanical	- \$3.00
	4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00		17B	SJE SignalMaster® /Externally Weighted (per Float) - Mechanical	\$5.00
	4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00		17E	Sensor Float® Mini / Pipe Clamp (per Float) - Mercury	\$2.00
	5E	Seal Failure Circuit & Red Indicator (2 wire)	\$175.00		17F	Sensor Float® Mini / Externally Weighted (per Float) - Mercury	\$9.00
	6A	Auxiliary Alarm Contact, Form C	\$17.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
	8A	Elapsed Time Meter	\$82.00		19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$82.00
	8C	Event (Cycle) Counter	\$71.00		19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$66.00
	10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED	\$185.00		19X	Door Mounted Pump Run Indicator	\$33.00
✓	10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00		21A	SJE PumpMaster® in Lieu of ON/OFF Switches - Mechanical	- \$12.00
	10G	Lightning Arrestor	\$218.00		21B	SJE PumpMaster® Plus in Lieu of ON/OFF Switches - Mechanical	\$16.00
	10K	Anti-condensation Heater	\$137.00		21C	Super Single® in Lieu of ON/OFF Switches - Mercury	\$20.00
	11C	Additional NEMA 1 Remote Alarm Panel (must also select Option 6A)	\$101.00		21D	Double Float® in Lieu of ON/OFF Switches - Mercury	\$40.00
	11D	Additional NEMA 4X Remote Alarm Panel (must also select Option 6A)	\$324.00		33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
	14B	Main Disconnect - 14x12 Enclosure Upgrade (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	\$316.00		33E	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
				33G	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00	
				33H	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00	
				34D	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00	
				34E	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00	
				34G	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00	
				34H	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00	

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL 322 - Three phase, duplex alternating pump control with override.**

<b>322</b> CONTROL PANEL	<b>ALARM PACKAGE</b>	<b>W</b> ENCLOSURE RATING	<b>PUMP FULL LOAD AMPS</b>	<b>FLOAT SWITCH APPLICATION</b>	<b>6A19B</b> OPTIONS (LISTED BELOW)
-----------------------------	----------------------	------------------------------	----------------------------	---------------------------------	--

<b>CONTROL PANEL</b>	✓	322	Three Phase Duplex (includes Options 6A and 19B as standard)	\$2,297.00		
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package	- \$36.00		
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base		
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base		
<b>PUMP FULL LOAD AMPS</b>			208/240/480V	600V		
		001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base
		101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base
		201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base
		301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base
		401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base
		511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$66.00
		611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$66.00
		621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$88.00
		701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$88.00
<b>FLOAT SWITCH APPLICATION</b>		H	Floats - Pump Down (select Option 17 below)	Base		
		L	Floats - Pump Up (select Option 17 below)	Base		
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00		
		X	No Floats	- \$84.00		

**ENCLOSURE UPSIZE**

If you selected one or more of the ♦ options, add a one-time \$55.00 list enclosure upsize.

**PRICING WORKSHEET**

Model 322 Base Price	<u>\$2,297.00</u>
Alarm Package	_____
Enclosure Rating	_____
Pump Full Load Amps	_____
Float Switch Application	_____
Total Options	_____
Enclosure Upsize	_____
<b>TOTAL LIST PRICE</b>	<b>_____</b>

OPTIONS	DESCRIPTION		List Price	OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio		\$22.00	16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
1C	Horn Only / No Visual		\$22.00	16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
3A	Alarm Flasher (Factory Programmed)		\$36.00	16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
3B	Manual Alarm Reset (Factory Programmed)		\$36.00	16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
4A ♦	Redundant Off (must also select Option 4D if floats are required)		\$43.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)		\$66.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
4D	Redundant Off Float (must also select Option 4A and Option 17)		\$28.00	17E	Sensor Float® Mini / Pipe Clamp (per Float) - Mercury	\$2.00
5A ♦	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$86.00	17F	Sensor Float® Mini / Externally Weighted (per Float) - Mercury	\$9.00
5E ♦	Seal Failure Circuit & Red Indicator (2 wire)		\$185.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
✓ 6A	Auxiliary Alarm Contact, Form C (included as standard)		\$0.00	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
8A	Elapsed Time Meter		\$121.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
8C ♦	Event (Cycle) Counter		\$98.00	✓ 19B	Lead Lag Selector Switch (included as standard)	\$0.00
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED		\$207.00	19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
10E	Lockable Latch		\$43.00	19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$175.00
10G	Lightning Arrestor		\$218.00	19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$164.00
10K	Anti-condensation Heater		\$137.00	19X	Door Mounted Pump Run Indicator	\$43.00
11C	Additional NEMA 1 Remote Alarm Panel		\$101.00	34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
11D	Additional NEMA 4X Remote Alarm Panel		\$324.00	34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
14B ♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	0-10 FLA (total of both pumps)	\$311.00	34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
		10-20 FLA (total of both pumps)	\$355.00	34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
		20-50 FLA (total of both pumps)	\$743.00	35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
				35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
				35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
				35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL 32S - Three phase, duplex alternating pump control with override. Simply add the appropriate overload modules.**

Part #	Description	List Price
1037516	32SIS000X3A5AE6A8A10AE19B Stainless Steel Enclosure	\$4,452.00
1059958	32SIW000X3A5AE6A8A10AE19B Fiberglass Enclosure	\$3,514.00
1059959	32SIW000X3A5AE6A8A10AE19B27A Fiberglass Enclosure, Intrinsically Safe Relay	\$4,143.00
1059960	32SIS000X3A5AE6A8A10AE19B27A Stainless Steel Enclosure, Intrinsically Safe Relay	\$5,080.00
Options Part #	Description	List Price
1033805	Overload Module 1.25-5.0 FLA	\$110.00
1023500	Overload Module 4.5-18.0 FLA	\$110.00
1033806	Overload Module 8.0-32.0 FLA	\$110.00
1036351	Surge Arrestor with Bracket	\$195.00

**Note: Each panel requires two overload modules. Field installation required.**

**MODEL 32XR - Three phase, duplex alternating pump control with override. Simply add the appropriate overload modules.**

Part #	Description	List Price
1051507	32XR1W000X4A5ADEM6A8AC10AEG	\$4,326.00
Options Part #	Description	List Price
1036510	Overload Module, 3-12 FLA	\$110.00
1033806	Overload Module 8-32 FLA	\$110.00
1051382	Kit, Transmitter (SJE)/ 50 ft. MAP Float, with float bracket	\$908.00
1051588	Kit, Transmitter (SJE)/(2) 50 ft. MAP Floats, with float bracket	\$990.00
1051585	Kit, Transmitter (RAT)/(2) 50 ft. MAP Floats, with float bracket	\$1,828.00

**Note: Each panel requires two overload modules. Field installation required.**

**MODEL 113 - Single phase, simplex capacitor start/run pump control.**

113 CONTROL PANEL	ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
----------------------	---------------	-----------------------	----------------------	---------------------	------------------	--------------------------	------------------------

<b>CONTROL PANEL</b>	✓	113	Single Phase Simplex Capacitor Start/Run		\$1,011.00	
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package		- \$36.00	
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base	
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base	
<b>STARTING DEVICE</b>	✓	1	IEC Motor Contactor 120/208/240V		Base	
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA		Base	
		1	7 - 15 FLA		Base	
		2	15 - 20 FLA		Base	
		3	20 - 30 FLA		\$33.00	
		4	30 - 40 FLA		\$55.00	
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect		Base	
		4	Circuit Breaker		\$76.00	
<b>FLOAT SWITCH APPLICATION</b>		H	Pump Down (select Option 17 below)		Base	
		L	Pump Up (select Option 17 below)		Base	
		E	EZconnex® Float Switch System (select Option 33 or 34 below)	with Alarm Package	- \$84.00	
				without Alarm Package	- \$56.00	
			X	with Alarm Package	- \$84.00	
				without Alarm Package	- \$56.00	

<b>Model 113 Base Price</b>	<b>\$1,011.00</b>
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	_____

**PRICING WORKSHEET**
**Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).**

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00	16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00	16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
1E	Alarm Float	\$28.00	16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
3A	Alarm Flasher	\$49.00	16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
3B	Manual Alarm Reset	\$98.00	17A	SJE SignalMaster® / Pipe Clamp (per Float) - Mechanical	- \$2.00
4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00	17B	SJE SignalMaster® /Externally Weighted (per Float) - Mechanical	\$5.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00	17E	Sensor Float® Mini / Pipe Clamp (per Float) - Mercury	\$2.00
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$175.00	17F	Sensor Float® Mini / Externally Weighted (per Float) - Mercury	\$9.00
6A	Auxiliary Alarm Contact, Form C	\$17.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
8A	Elapsed Time Meter	\$82.00	19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$82.00
8C	Event (Cycle) Counter	\$71.00	19U	HDA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$66.00
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 912A = 12 Amp Pump	0-30 FLA \$66.00 30-40 FLA \$109.00	19X	Door Mounted Pump Run Indicator	\$33.00
10E	Lockable Latch - NEMA 4X	\$43.00	21A	SJE PumpMaster® in Lieu of ON/OFF Switches - Mechanical	- \$12.00
10F	Lightning Arrestor (select pump circuit breaker)	\$251.00	21B	SJE PumpMaster® Plus in Lieu of ON/OFF Switches - Mechanical	\$16.00
10K	Anti-condensation Heater	\$109.00	21C	Super Single® in Lieu of ON/OFF Switches - Mercury	\$20.00
11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)	\$101.00	21D	Double Float® in Lieu of ON/OFF Switches - Mercury	\$40.00
11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)	\$324.00	33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$121.00	33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	0-20 FLA \$491.00 20-40 FLA \$524.00	33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
			34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
			34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
			34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
			34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections



**MODEL 123 - Single phase, duplex capacitor start/run pump control.**

<b>123</b> CONTROL PANEL	<b>ALARM PACKAGE</b>	<b>W</b> ENCLOSURE RATING	<b>1</b> STARTING DEVICE	<b>PUMP FULL LOAD AMPS</b>	<b>PUMP DISCONNECTS</b>	<b>FLOAT SWITCH APPLICATION</b>	<b>6A19B</b> OPTIONS (LISTED BELOW)
-----------------------------	----------------------	------------------------------	-----------------------------	----------------------------	-------------------------	---------------------------------	--

<b>CONTROL PANEL</b>	✓	123	Single Phase Duplex Capacitor Start/Run (includes Options 6A and 19B as standard)	\$1,526.00
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package	- \$36.00
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>	✓	1	IEC Motor Contactor 120/208/240V	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
		3	20 - 30 FLA	\$88.00
		4	30 - 40 FLA	\$131.00
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect	Base
		4	Circuit Breaker	\$152.00
<b>FLOAT SWITCH APPLICATION</b>		H	Pump Down (select Option 17 below)	Base
		L	Pump Up (select Option 17 below)	Base
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00
		X	No Floats	- \$84.00

**ENCLOSURE UPSIZE:**

If you selected one or more of the ♦ options, add a one-time \$142.00 list enclosure upsize.

**Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).**

**PRICING WORKSHEET**

Model 123 Base Price	\$1,526.00
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Float Switch Application	_____
Total Options	_____
Enclosure Upsize	_____
<b>TOTAL LIST PRICE</b>	_____

OPTIONS	DESCRIPTION	List Price	OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio	\$22.00	16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
1C	Horn Only / No Visual	\$22.00	16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
3A	Alarm Flasher (Factory Programmed)	\$36.00	16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
3B	Manual Alarm Reset (Factory Programmed)	\$36.00	16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
4A ♦	Redundant Off (must also select Option 4D if floats are required)	\$43.00	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00	17E	Sensor Float® Mini / Pipe Clamp (per Float) - Mercury	\$2.00
5A ♦	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00	17F	Sensor Float® Mini / Externally Weighted (per Float) - Mercury	\$9.00
5E ♦	Seal Failure Circuit & Red Indicator (2 wire)	\$185.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
8A ♦	Elapsed Time Meter	\$121.00	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
8C ♦	Event (Cycle) Counter	\$98.00	✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 9I2A = 12 Amp Pump	\$131.00 \$218.00	19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
10E	Lockable Latch - NEMA 4X	\$43.00	19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$175.00
10F ♦	Lightning Arrestor (must select Pump Circuit Breakers)	\$251.00	19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$164.00
10K	Anti-condensation Heater	\$109.00	19X	Door Mounted Pump Run Indicator	\$43.00
11C	Additional NEMA 1 Remote Alarm Panel	\$101.00	34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
11D	Additional NEMA 4X Remote Alarm Panel	\$324.00	34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$121.00	34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
14B ♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	\$349.00 \$393.00	35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
			35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
			35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
			35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL 114 - Single phase, simplex pump control with intrinsically safe circuits.**

114	ALARM PACKAGE	W	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)
<b>CONTROL PANEL</b>	✓	114	Single Phase Simplex Intrinsically Safe			\$2,091.00	<b>PRICING WORKSHEET</b>  Model 113 Base Price <u>\$2,091.00</u>  Alarm Package _____  Enclosure Rating _____  Starting Device _____  Pump Full Load Amps _____  Pump Disconnects _____  Float Switch Application _____  Total Options _____  <b>TOTAL LIST PRICE</b> _____
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package			- \$36.00	
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)			Base	
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base	
<b>STARTING DEVICE</b>		1	Magnetic Motor Contactor 120/208/240V			Base	
		9	Magnetic Motor Contactor 120V only			Base	
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA			Base	
		1	7 - 15 FLA			Base	
		2	15 - 20 FLA			Base	
		3	20 - 30 FLA			\$33.00	
	4	30 - 40 FLA			\$55.00		
<b>PUMP DISCONNECTS</b>		0	No Pump Disconnect			Base	
		4	Circuit Breaker 120V (select STARTING DEVICE option 9 above)			\$38.00	
			Circuit Breaker 120/208/240V (select STARTING DEVICE option 1 above)			\$76.00	
<b>FLOAT SWITCH APPLICATION</b>		H	Pump Down (select Option 17 below)			Base	
		L	Pump Up (select Option 17 below)			Base	
		E	EZconnex® Float Switch System (select Option 33 or 34 below)	with Alarm Package	- \$84.00		
				without Alarm Package	- \$56.00		
		X	No Floats	with Alarm Package	- \$84.00		
				without Alarm Package	- \$56.00		

OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00
1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00
1E	Alarm Float	\$28.00
3A	Alarm Flasher	\$49.00
3B	Manual Alarm Reset	\$98.00
4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$262.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$175.00
5M	Seal Fail Alarm Activation (must select Option 5E)	\$55.00
6A	Auxiliary Alarm Contact, Form C	\$17.00
6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$82.00
8A	Elapsed Time Meter	\$82.00
8C	Event (Cycle) Counter	\$71.00
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 9I2A = 12 Amp Pump	<div style="display: flex; justify-content: space-between;"> <div>0-25 FLA</div> <div>\$86.00</div> </div> <div style="display: flex; justify-content: space-between;"> <div>25-40 FLA</div> <div>\$109.00</div> </div>
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>	\$185.00
10E	Lockable Latch - NEMA 4X	\$43.00
10F	Lightning Arrestor (select pump circuit breaker)	\$251.00
10K	Anti-condensation Heater	\$109.00
11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)	\$101.00
11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)	\$324.00

OPTIONS	DESCRIPTION	List Price
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$185.00
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory
14B ◆	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	<div style="display: flex; justify-content: space-between;"> <div>0-20 FLA</div> <div>\$311.00</div> </div> <div style="display: flex; justify-content: space-between;"> <div>20-40 FLA</div> <div>\$355.00</div> </div>
16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$82.00
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$66.00
19X	Door Mounted Pump Run Indicator	\$33.00
33D ■	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00
33E ■	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
33G ■	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00
33H ■	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00
34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL 124 - Single phase, duplex alternating pump control with intrinsically safe circuits.**

124 CONTROL PANEL	ALARM PACKAGE	W ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	FLOAT SWITCH APPLICATION	6A19B OPTIONS (LISTED BELOW)
-------------------------	------------------	--------------------------	--------------------	------------------------	---------------------	-----------------------------	---------------------------------

CONTROL PANEL	✓	124	Single Phase Duplex Intrinsically Safe (includes Options 6A and 19B as standard)		\$2,805.00	
ALARM PACKAGE		0	Select Options or No Alarm Package		- \$36.00	
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base	
STARTING DEVICE		1	Magnetic Motor Contactor 120/208/240V		Base	
		9	Magnetic Motor Contactor 120V only		Base	
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base	
		1	7 - 15 FLA		Base	
		2	15 - 20 FLA		Base	
		3	20 - 30 FLA		\$88.00	
		4	30 - 40 FLA		\$131.00	
PUMP DISCONNECTS		0	No Pump Disconnect		Base	
		4	Circuit Breaker 120V (select STARTING DEVICE option 9 above)		\$76.00	
			Circuit Breaker 120/208/240V (select STARTING DEVICE option 1 above)		\$152.00	
FLOAT SWITCH APPLICATION		H	Pump Down (select Option 17 below)		Base	
		L	Pump Up (select Option 17 below)		Base	
		E	EZconnex® Float Switch System (select Option 34 or 35 below)		- \$84.00	
		X	No Floats		- \$84.00	

**ENCLOSURE UPSIZE:**

If you selected one or more of the ♦ options, add a one-time \$164.00 list enclosure upsize.

**PRICING WORKSHEET**

Model 124 Base Price **\$2,805.00**

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Float Switch Application \_\_\_\_\_

Total Options \_\_\_\_\_

Enclosure Upsize \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	List Price
1A	Red Beacon Only / No Audio (must select "0" for <b>ALARM PACKAGE</b> )	\$22.00
1C	Horn Only / No Visual (must select "0" for <b>ALARM PACKAGE</b> )	\$22.00
3A	Alarm Flasher (Factory Programmed)	\$36.00
3B	Manual Alarm Reset (Factory Programmed)	\$36.00
4A ♦	Redundant Off (must also select Option 4D if floats are required)	\$224.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$185.00
5M	Seal Fail Alarm Activation (must select Option 5E)	\$36.00
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>
6G ♦	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$164.00
8A ♦	Elapsed Time Meter	\$121.00
8C ♦	Event (Cycle) Counter	\$98.00
9..A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 9I2A = 12 Amp Pump	0-25 FLA \$131.00 25-40 FLA \$218.00
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>	\$207.00
10E	Lockable Latch	\$43.00
10F	Lightning Arrestor (must select Pump Circuit Breaker)	\$251.00
10K	Anti-condensation Heater	\$109.00
11C	Additional NEMA 1 Remote Alarm Panel	\$101.00
11D	Additional NEMA 4X Remote Alarm Panel	\$324.00
12B ♦	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	\$496.00
12C ♦	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory

OPTIONS	DESCRIPTION	List Price
14B ♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	0-20 FLA (total of both pumps) \$333.00 20-80 FLA (total of both pumps) \$377.00
16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$175.00
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$164.00
19X	Door Mounted Pump Run Indicator	\$43.00
34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections



SJE RHOMBUS

California Prop 65 requires the following: ⚠ WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Prices Effective January 1, 2021

**MODEL 314 - Three phase, simplex pump control with intrinsically safe circuits.**

314 CONTROL PANEL		ALARM PACKAGE		W ENCLOSURE RATING		PUMP FULL LOAD AMPS		FLOAT SWITCH APPLICATION		OPTIONS (LISTED BELOW)	
CONTROL PANEL	✓	314	Three Phase Simplex Intrinsically Safe						\$2,991.00		
ALARM PACKAGE		0	Select Options or No Alarm Package						- \$36.00		
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)						Base		
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)						Base		
PUMP FULL LOAD AMPS	208/240/480V			600V							
		001	1.0 - 1.6 FLA			005	1.0 - 1.6 FLA		Base		
		101	1.6 - 2.5 FLA			105	1.6 - 2.5 FLA		Base		
		201	2.5 - 4.0 FLA			205	2.5 - 4.0 FLA		Base		
		301	4.0 - 6.3 FLA			305	4.0 - 6.3 FLA		Base		
		401	6.0 - 10.0 FLA			405	6.0 - 10.0 FLA		Base		
		511	9.0 - 14.0 FLA			515	9.0 - 14.0 FLA		\$49.00		
		611	13.0 - 18.0 FLA			615	13.0 - 18.0 FLA		\$49.00		
		621	17.0 - 23.0 FLA			625	17.0 - 23.0 FLA		\$60.00		
		701	20.0 - 25.0 FLA			705	20.0 - 25.0 FLA		\$60.00		
FLOAT SWITCH APPLICATION		H	Floats - Pump Down (select Option 17 below)						Base		
		L	Floats - Pump Up (select Option 17 below)						Base		
		E	EZconnex® Float Switch System (select Option 33 or 34 below)			with Alarm Package		- \$84.00			
		without Alarm Package				- \$56.00					
		X	No Floats			with Alarm Package		- \$84.00			
	without Alarm Package					- \$56.00					

PRICING WORKSHEET

Model 314 Base Price

\$2,991.00

Alarm Package

Enclosure Rating

Pump Full Load Amps

Float Switch Application

Total Options

TOTAL LIST PRICE

	OPTIONS	DESCRIPTION	List Price		OPTIONS	DESCRIPTION	List Price	
	1A	Red Beacon Only / No Audio (must select Option 1E if floats included)	\$17.00		14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	0-20 FLA	\$311.00
	1C	Horn Only / No Visual (must select Option 1E if floats included)	\$17.00				20-25 FLA	\$355.00
	1E	Alarm Float	\$28.00					
	3A	Alarm Flasher	\$49.00		16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00	
	3B	Manual Alarm Reset	\$98.00		16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00	
	4A	Redundant Off (must also select Option 4D if floats are required)	\$60.00		16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00	
	4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$240.00		16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00	
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00	
	5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$43.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00	
	5E	Seal Failure Circuit & Red Indicator (2 wire)	\$175.00		17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00	
	5M	Seal Failure Alarm Activation (must selection Option 5E)	\$66.00		17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00	
	6A	Auxiliary Alarm Contact, Form C	\$17.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00	
	6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$82.00		19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$82.00	
	8A	Elapsed Time Meter	\$82.00		19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$66.00	
	8C	Event (Cycle) Counter	\$71.00		19X	Door Mounted Pump Run Indicator	\$33.00	
	10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED	\$185.00		33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$276.00	
	10E	Lockable Latch	\$43.00		33E	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00	
	10G	Lightning Arrestor	\$218.00		33G	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp	\$297.00	
	10K	Anti-condensation Heater	\$109.00		33H	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp	\$334.00	
	11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)	\$101.00		34D	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00	
	11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)	\$324.00		34E	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00	
					34G	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00	
					34H	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00	

OPTIONS		DESCRIPTION		List Price	OPTIONS		DESCRIPTION		List Price
	1A	Red Beacon Only / No Audio (must select Option 1E if floats included)		\$17.00	14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	0-20 FLA		\$311.00
	1C	Horn Only / No Visual (must select Option 1E if floats included)		\$17.00			20-25 FLA		\$355.00
	1E	Alarm Float		\$28.00		16A	10' Cord in Lieu of 20' Cord (per float)		- \$3.00
	3A	Alarm Flasher		\$49.00		16B	15' Cord in Lieu of 20' Cord (per float)		- \$2.00
	3B	Manual Alarm Reset		\$98.00		16C	30' Cord in Lieu of 20' Cord (per float)		\$5.00
	4A	Redundant Off (must also select Option 4D if floats are required)		\$60.00		16D	40' Cord in Lieu of 20' Cord (per float)		\$15.00
	4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)		\$240.00		17C	Sensor Float® / Internally Weighted (per Float) - Mercury		\$9.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)		\$28.00		17D	Sensor Float® / Externally Weighted (per Float) - Mercury		\$11.00
	5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$43.00		17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical		\$0.00
	5E	Seal Failure Circuit & Red Indicator (2 wire)		\$175.00		17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical		\$7.00
	5M	Seal Failure Alarm Activation (must selection Option 5E)		\$66.00		17J	Sensor Float® / Pipe Clamp (per Float) - Mercury		\$4.00
	6A	Auxiliary Alarm Contact, Form C		\$17.00		19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted		\$82.00
	6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)		\$82.00		19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted		\$66.00
	8A	Elapsed Time Meter		\$82.00		19X	Door Mounted Pump Run Indicator		\$33.00
	8C	Event (Cycle) Counter		\$71.00		33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp		\$276.00
	10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>		\$185.00		33E	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp		\$313.00
	10E	Lockable Latch		\$43.00		33G	EZconnex® 3-Port, 25', with 20' Floats (3) / Pipe Clamp		\$297.00
	10G	Lightning Arrestor		\$218.00		33H	EZconnex® 3-Port, 50', with 20' Floats (3) / Pipe Clamp		\$334.00
	10K	Anti-condensation Heater		\$109.00		34D	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug		\$353.00
	11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)		\$101.00		34E	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug		\$399.00
	11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)		\$324.00		34G	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug		\$373.00
						34H	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug		\$419.00

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL 324 - Three phase, duplex pump control with intrinsically safe circuits.**

<b>324</b> CONTROL PANEL	<b>ALARM PACKAGE</b>	<b>W</b> ENCLOSURE RATING	<b>PUMP FULL LOAD AMPS</b>	<b>FLOAT SWITCH APPLICATION</b>	<b>6A19B</b> OPTIONS (LISTED BELOW)
-----------------------------	----------------------	------------------------------	----------------------------	---------------------------------	--

<b>CONTROL PANEL</b>	✓	324	Three Phase Duplex Intrinsically Safe	\$3,534.00
<b>ALARM PACKAGE</b>		0	Select Options or No Alarm Package	- \$36.00
		1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>PUMP FULL LOAD AMPS</b>	208/240/480V			
		001	1.0 - 1.6 FLA	Base
		101	1.6 - 2.5 FLA	Base
		201	2.5 - 4.0 FLA	Base
		301	4.0 - 6.3 FLA	Base
		401	6.0 - 10.0 FLA	Base
		511	9.0 - 14.0 FLA	\$66.00
		611	13.0 - 18.0 FLA	\$66.00
		621	17.0 - 23.0 FLA	\$88.00
		701	20.0 - 25.0 FLA	\$88.00
<b>FLOAT SWITCH APPLICATION</b>		H	Floats - Pump Down (select Option 17 below)	Base
		L	Floats - Pump Up (select Option 17 below)	Base
		E	EZconnex® Float Switch System (select Option 34 or 35 below)	- \$84.00
		X	No Floats	- \$84.00

**ENCLOSURE UPSIZE:**

If you selected one or more of the ♦ options, add a one-time \$175.00 list enclosure upsize.

	OPTIONS	DESCRIPTION	List Price
	1A	Red Beacon Only / No Audio	\$22.00
	1C	Horn Only / No Visual	\$22.00
	3A	Alarm Flasher (Factory Programmed)	\$36.00
	3B	Manual Alarm Reset (Factory Programmed)	\$36.00
	4A ♦	Redundant Off (must also select Option 4D if floats are required)	\$224.00
	4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$66.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$28.00
	5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$86.00
	5E	Seal Failure Circuit & Red Indicator (2 wire)	\$185.00
	5M	Seal Failure Alarm Activation (must select Option 5E)	\$36.00
	✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>
	6G ♦	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$164.00
	8A ♦	Elapsed Time Meter	\$121.00
	8C ♦	Event (Cycle) Counter	\$98.00
	10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>	\$207.00
	10E	Lockable Latch	\$43.00
	10G	Lightning Arrestor	\$218.00
	10K ♦	Anti-condensation Heater	\$109.00
	11C	Additional NEMA 1 Remote Alarm Panel (must select Option 6A)	\$101.00
	11D	Additional NEMA 4X Remote Alarm Panel (must select Option 6A)	\$324.00

	OPTIONS	DESCRIPTION	List Price
	14B ♦	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	0-20 FLA (total of both pumps) \$311.00 20-50 FLA (total of both pumps) \$355.00
	16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
	16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
	16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
	16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
	17C	Sensor Float® / Internally Weighted (per Float) - Mercury	\$9.00
	17D	Sensor Float® / Externally Weighted (per Float) - Mercury	\$11.00
	17G	SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
	17H	SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$7.00
	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$4.00
	✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
	19F	Fourth Float to Separate Alarm Function from Lag	\$28.00
	19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$175.00
	19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$164.00
	19X	Door Mounted Pump Run Indicator	\$43.00
	34D ■	EZconnex® 4-Port, 25', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$353.00
	34E ■	EZconnex® 4-Port, 50', with 10' Floats (3) / Pipe Clamp, Sealing Plug	\$399.00
	34G ■	EZconnex® 4-Port, 25', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$373.00
	34H ■	EZconnex® 4-Port, 50', with 20' Floats (3) / Pipe Clamp, Sealing Plug	\$419.00
	35D ■	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$390.00
	35E ■	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
	35G ■	EZconnex® 4-Port, 25', with 20' Floats (4) / Pipe Clamp	\$417.00
	35H ■	EZconnex® 4-Port, 50', with 20' Floats (4) / Pipe Clamp	\$464.00

**PRICING WORKSHEET**

Model 324 Base Price	<b>\$3,534.00</b>
Alarm Package	_____
Enclosure Rating	_____
Pump Full Load Amps	_____
Float Switch Application	_____
Total Options	_____
Enclosure Upsize	_____
<b>TOTAL LIST PRICE</b>	_____

■ EZconnex® mechanically-activated, narrow angle float switches with quick release connections

**MODEL TD - Single phase, simplex timed dosing pump control.**

<b>TD</b> CONTROL PANEL		<b>W</b> ENCLOSURE RATING			<b>4</b> PUMP DISCONNECTS			
OPTIONS (LISTED BELOW)								

<b>CONTROL PANEL</b>	✓	TD	Single Phase Simplex Timed Dosing	\$936.00
<b>ALARM PACKAGE</b>		0	Select Options (select Option 1F below)	- \$21.00
		1	Alarm Package (includes test/normal/silence switch, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>		1	Magnetic Motor Contactor 120/208/240V	\$66.00
		9	Magnetic Motor Contactor 120V only	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
<b>PUMP DISCONNECTS</b>	✓	4	Circuit Breaker	Base
<b>FLOAT SWITCH APPLICATION</b>		H	Pump Down - 20' Low Level Cutout (select Option 17 or 21 below)	Base
		E	EZconnex® Float Switch System (select Option 33, 35 or 36 below)	- \$64.00
		X	No Floats	- \$64.00

PRICING WORKSHEET

Model TD Base Price **\$936.00**

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Float Switch Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	List Price
1F	Door Mounted Alarm Indicator with Horn and Test/Normal/Silence Switch (must select "0" for <b>ALARM PACKAGE</b> )	\$33.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4D if floats are required)	\$60.00
4D	Redundant Off Float	\$28.00
4E	Redundant Off Float, Alarm Activation (20' SJE PumpMaster® SPDT)	\$43.00
6A	Auxiliary Alarm Contact, Form A	\$43.00
8A	Elapsed Time Meter	\$60.00
8C	Event (Cycle) Counter	\$60.00
10E	Lockable Latch	\$22.00
10K	Anti-condensation Heater	\$109.00
10P	Panel Mounting Post - Factory Installed, Includes Duplex Installation Kit (Enclosure Upsized to 10x8x6, Max 14x12x6)	\$155.00

OPTIONS	DESCRIPTION	List Price
16A	10' Cord in Lieu of 20' Cord (per float)	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per float)	\$15.00
17E	Sensor Float® Mini - Redundant Off, High Level Alarm (per Float) - Mercury	\$4.00
18A	Timer Override Float (20' SJE PumpMaster®) - Mechanical	\$43.00
19X	Door Mounted Pump Run Indicator	\$33.00
21E	SJE PumpMaster® - Redundant Off, High Level Alarm (per float) - Mechanical	\$4.00
33U	EZconnex® 3-Port, 50', with 10' Floats (3) / Pipe Clamp	\$313.00
35U	EZconnex® 4-Port, 50', with 10' Floats (4) / Pipe Clamp	\$437.00
36U	EZconnex® 3-Port, 50', with 10' Floats (2) / Pipe Clamp, Sealing Plug	\$276.00



**MODEL PS11/PS12 - Single phase, duplex motor contactor control/programmable timed dosing control.**

Part #	Description	List Price	Shipping Weight
1006586	PS11 - 120V	\$1,442.00	26 lbs.
1007395	PS12 - 240V	\$1,845.00	26 lbs.

**JB PLUGGER** - Easy-to-install junction box provides convenient connection for use with one single phase pump in effluent and sewage chambers.

Part #	Description (120V)	List Price	Shipping Weight
1007936*	JBP No Alarm or Floats	\$242.00	3.5 lbs.
10011917	JBP Tank Alert® AB & 15' SJE SignalMaster®	\$382.00	9.3 lbs.
1019753	JBP Tank Alert® AB & 15' SJE PumpMaster® & 15' SJE SignalMaster®	\$458.00	9.1 lbs.
1022723	JBP Tank Alert® AB & 15' Double Float® Master & 15' SJE SignalMaster®	\$539.00	11.1 lbs.
1024596	JBP 20A, Tank Alert® AB, 15' Junior Super Single® & 15' Sensor Float®	\$466.00	9.1 lbs.
1024597	JBP 20A, Tank Alert® AB, 15' Double Float® & 15' Sensor Float® Mini	\$552.00	11.1 lbs.
Part #	Description (230V)	List Price	Shipping Weight
1007937	JBP No Alarm or Floats	\$250.00	3.6 lbs.
1023120	JBP Tank Alert® AB & 15' SJE SignalMaster®	\$390.00	9.4 lbs.
1019754	JBP Tank Alert® AB & 15' SJE PumpMaster® & 15' SJE SignalMaster®	\$466.00	9.2 lbs.
1023121	JBP Tank Alert® AB & 15' Double Float® Master & 15' SJE SignalMaster®	\$547.00	11.2 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**QUICK POST PLUS™ SYSTEM WITH INDOOR ALARM** - Easy to install Quick Post Plus™ system with indoor alarm provides convenient wiring connection and system monitoring for pump station applications.

Part #	Description (120V)	List Price	Shipping Weight
1053759	120V QPP1, Tank Alert® AB, SJE SignalMaster®	\$494.00	5.9 lbs.
1053760	120V QPPIE, Elapsed Timer Meter, Tank Alert® AB, SJE SignalMaster®	\$603.00	6.0 lbs.
1053761	120V QPPIDE, Elapsed Timer Meter, Tank Alert® AB DUO, SJE SignalMaster®	\$671.00	6.0 lbs.
1059013	120V QPP1WiFi, Xpert Alert® WiFi, SJE SignalMaster®	\$706.00	5.91 lbs.
Part #	Description (230V)	List Price	Shipping Weight
1053762	230V QPP2, Tank Alert® AB, SJE SignalMaster®	\$506.00	5.9 lbs.
1053763	230V QPP2E, Elapsed Timer Meter, Tank Alert® AB, SJE SignalMaster®	\$615.00	6.0 lbs.
1053764	230V QPP2DE, Elapsed Timer Meter, Tank Alert® AB DUO, SJE SignalMaster®	\$683.00	6.0 lbs.

**QUICK POST PLUS™ OUTDOOR SYSTEM** - Easy to install Quick Post Plus™ outdoor system provides convenient wiring connection and system monitoring for pump station applications.

Part #	Description (120V)	List Price	Shipping Weight
1053765	120V QPP1W, Integral Alarm, SJE SignalMaster®	\$554.00	5.4 lbs.
1053766	120V QPP1WE, Elapsed Timer Meter, Integral Alarm, SJE SignalMaster®	\$663.00	5.5 lbs.
1053767	120V QPP1WDE, Elapsed Timer Meter, DUO Alarm, SJE SignalMaster®	\$822.00	5.5 lbs.
Part #	Description (230V)	List Price	Shipping Weight
1053768	230V QPP2W, Integral Alarm, SJE SignalMaster®	\$565.00	5.4 lbs.
1053769	230V QPP2WE, Elapsed Timer Meter, Integral Alarm, SJE SignalMaster®	\$674.00	5.5 lbs.
1053770	230V QPP2WDE, Elapsed Timer Meter, DUO Alarm, SJE SignalMaster®	\$853.00	5.5 lbs.

**ULTRA NATOR™** - Controls two 120V single phase pumps using two receptacles for pump connections in indoor duplex sump pump applications. No wiring needed.

Part #	Description (120V)	List Price	Shipping Weight
1029624*	Ultra Nator™ & two 10' SJE MicroMaster®	\$628.00	13 lbs.
1030108	Ultra Nator™ & two 10' SJE VerticalMaster® II	\$642.00	13 lbs.
1030109	Ultra Nator™ & one 10' SJE VerticalMaster® II & one 10' VRS	\$716.00	13 lbs.
1031346	Ultra Nator™ & two 20' SJE MicroMaster®	\$668.00	15 lbs.
1032893	Ultra Nator™ & two 20' SJE VerticalMaster® II	\$660.00	15 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.



**PS PATROL®** - Provides convenient wiring connection and system monitoring for pump station applications.

PSP2	120V			
CONTROL PANEL	MODEL TYPE	STARTING DEVICE	FLOAT SWITCH APPLICATION	OPTIONS (LISTED BELOW)

CONTROL PANEL	✓	PSP2		
MODEL TYPE	✓	120V	120V	\$338.00
STARTING DEVICE		1	SJE PumpMaster® Pump Switch (0-13 FLA) - Mechanical	\$49.00
		2	SJE PumpMaster® Plus Pump Switch (0-15 FLA) - Mechanical	\$65.00
		3	120V Double Float® Pump Switch (0-15 FLA) - Mercury	\$111.00
		5	Super Single® Pump Switch (120V = 0-15 FLA) - Mercury	\$87.00
		6	No Pump Switch	Base
		7	120V Double Float® Master Pump Switch (0-15 FLA) - Mechanical	\$97.00
FLOAT SWITCH APPLICATION		H	Pump Down (select Option 17 below)	Base
		X	No Floats	- \$28.00

<b>PRICING WORKSHEET</b>	PS Patrol® Base Price	\$338.00
	Starting Device	
	Float Switch Application	
	Total Options	
	<b>TOTAL LIST PRICE</b>	

OPTIONS	DESCRIPTION	List Price
1J	Duo Alarm Inputs	\$74.00
1V	Vertical Reed Switch (must select Option 1J)	\$69.00
8A	Elapsed Time Meter	\$80.00
10X	No Mounting Post	- \$32.00
15_P	Pump Breaker - Specify 0 or 1 after Number 15 Followed by Letter "P" 0 = 15 Amp Breaker (0-7 FLA), 1 = 20 Amp Breaker (7-15 FLA) Example: 151P = 20 Amp Breaker, 7-15 FLA	\$64.00

OPTIONS	DESCRIPTION	List Price
16A	10' Cord in Lieu of 20' Cord (per float) Does Not Apply to Double Float® or Double Float® Master Pump Switch	- \$3.00
16B	15' Cord in Lieu of 20' Cord (per float)	- \$2.00
16C	30' Cord in Lieu of 20' Cord (per float)	\$5.00
16D	40' Cord in Lieu of 20' Cord (per float)	\$7.00
17A	SJE SignalMaster® / Pipe Clamp (Alarm Float) - Mechanical	- \$3.00
17J	Sensor Float® / Pipe Clamp (Alarm Float) - Mercury	\$4.00
22F	PSP Assembly Kit	\$58.00

Part #	Pre-configured Panels for Easy Ordering	FLA	List Price	Shipping Weight
1022728*	PSP2 120V, 120V Alarm, No Pump Switch; 20' SJE SignalMaster®, with Mounting Post	0-15	\$335.00	13 lbs.
1019021	PSP2 120V, 120V Alarm, No Pump Switch, 20A Circuit Breaker, with Mounting Post	7-15	\$406.00	13 lbs.
1022575	PSP2 120V, 120V Alarm, ETM, 20' SJE SignalMaster®, with Mounting Post	0-15	\$415.00	14 lbs.
1022577	PSP2 120V, 120V DUO Alarm, ETM, 20' SJE SignalMaster® & VRS, with Mounting Post	0-15	\$558.00	15 lbs.
1018434	PSP2 120V, No Alarm, No Pump Switch; Remote TAAB, 15' SJE SignalMaster®, with Mounting Post	0-15	\$307.00	16 lbs.
1011551	Assembly Kit - Riser Extension Coupling and Washers	N/A	\$68.00	10 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**MODEL 126 - Single phase, duplex alternating pump control with override for water well applications.**

<b>126</b> CONTROL PANEL	<b>0</b> ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	<b>0</b> PUMP DISCONNECTS	<b>X</b> FLOAT SWITCH APPLICATION	OPTIONS
--------------------------------	------------------------------	---------------------	--------------------	------------------------	---------------------------------	---	---------

CONTROL PANEL	✓	126	Single Phase Duplex with Override	\$748.00
ALARM PACKAGE	✓	0	No Alarm Package	Base
ENCLOSURE RATING		I	Indoor, NEMA 1 (metal)	Base
		W	Weatherproof, NEMA 4X (engineered thermoplastic)	\$55.00
STARTING DEVICE		0	No Starting Device - Control Only (must select "0" for <b>Pump Full Load Amps</b> )	Base
		1	Magnetic Motor Contactor 120/208/240V	\$88.00
PUMP FULL LOAD AMPS		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
		3	20 - 30 FLA	\$20.00
PUMP DISCONNECTS	✓	0	No Pump Disconnect	Base
FLOAT SWITCH APPLICATION	✓	X	No Pressure Switches	Base

	OPTIONS	DESCRIPTION	List Price
	6T	Normally Open Non-Powered Chemical Free Pump Contacts	\$66.00
	10E	Lockable Latch - NEMA 4X	\$43.00
		Lockable Latch - NEMA 1	\$55.00

<b>PRICING WORKSHEET</b>	Model 126 Base Price	<b>\$748.00</b>
	Enclosure Rating	_____
	Starting Device	_____
	Pump Full Load Amps	_____
	Total Options	_____
	<b>TOTAL LIST PRICE</b>	_____



**SJE OIL SPOTTER™** - Provides pump control and alarm notification of potentially threatening water and oil levels in simplex pumping applications.

Part #	Description (120V)	List Price	Shipping Weight
1033606	SJE Oil Spotter™ System (10ft)	\$976.00	13 lbs.
1033578	SJE Oil Spotter™ System (10ft) w/ Tank Alert® AB	\$1,063.00	15 lbs.
1036286	SJE Oil Spotter™ System (50ft) w/ Tank Alert® AB	\$1,181.00	18 lbs.
Part #	Description (230V)	List Price	Shipping Weight
1037562	SJE Oil Spotter™ 230V System (10ft)	\$999.00	13 lbs.
1037723	SJE Oil Spotter™ 230V System (10ft) w/ Tank Alert® AB	\$1,086.00	15 lbs.

**SJE OIL SPOTTER™ AUTO** - Provides pump control, valve control, and alarm notification of potentially threatening water and oil levels in simplex pumping applications.

Part #	Description (120V)	List Price	Shipping Weight
1038943	SJE Oil Spotter™ Auto System	\$1,125.00	9 lbs.
1038946	SJE Oil Spotter™ Auto System w/ Tank Alert® AB	\$1,212.00	10 lbs.

**SELECT START™ STARTER BOXES** - Three phase starter boxes for motor control.

Part #	Description	Amps	Thru Door Pump Disconnect	Overload Module	List Price	Shipping Weight
1041336	Starter Box, Three Phase, 208/240/480 VAC	3-12	No	Yes	\$1,133.00	12 lbs.
1040968	Starter Box, Three Phase, 208/240/480 VAC	8-32	No	Yes	\$1,133.00	12 lbs.
1041467	Starter Box, Three Phase, 208/240/480 VAC	3-12	Yes	Yes	\$1,492.00	24 lbs.
1041468	Starter Box, Three Phase, 208/240/480 VAC	8-32	Yes	Yes	\$1,492.00	24 lbs.
1041469	Starter Box, Three Phase, 208/240/480 VAC	3-32	No	No	\$1,023.00	12 lbs.
1041470	Starter Box, Three Phase, 208/240/480 VAC	3-32	Yes	No	\$1,382.00	24 lbs.
1044585	Starter Box, Three Phase, 575 VAC	3-12	No	Yes	\$1,346.00	24 lbs.
1044586	Starter Box, Three Phase, 575 VAC	8-32	No	Yes	\$1,346.00	24 lbs.
1044587	Starter Box, Three Phase, 575 VAC	3-12	Yes	Yes	\$1,808.00	24 lbs.
1044588	Starter Box, Three Phase, 575 VAC	8-32	Yes	Yes	\$1,808.00	24 lbs.
1044589	Starter Box, Three Phase, 575 VAC	3-32	No	No	\$1,236.00	24 lbs.
1044590	Starter Box, Three Phase, 575 VAC	3-32	Yes	No	\$1,698.00	24 lbs.
1036510	Overload Module, 120 VAC, 3-12 FLA	3-12	—	—	\$110.00	0.30 lbs.
1033806	Overload Module, 120 VAC, 8-32 FLA	8-32	—	—	\$110.00	0.30 lbs.

**NOTE:** Starter Boxes ordered Without Overload Module will require Overload Module to be added in order to operate.

**VARIOSPEED® N1 CONTROL PANEL** - Variable Frequency Drive control panel in a NEMA 1 enclosure.

Part #	Description	Model	Output Amp	HP	Input Phase	Output Phase	List Price	Shipping Weight
1041350	VARIOspeed® N1, 240V	VS21-7.0-N1	7.0	1.5	1	3	\$1,659.00	21 lbs.
1041351	VARIOspeed® N1, 240V	VS21-10.0-N1	10.0	3	1	3	\$1,776.00	22 lbs.
1041352	VARIOspeed® N1, 240V	VS23-16.5-N1	16.5	5	3	3	\$1,959.00	21 lbs.
1041353	VARIOspeed® N1, 240V	VS23-31.8-N1	31.8	7.5 - 10	3	3	\$2,846.00	31 lbs.
1041354	VARIOspeed® N1, 240V	VS23-45.0-N1	45.0	15	3	3	\$3,718.00	38 lbs.
1041355	VARIOspeed® N1, 240V	VS23-58.0-N1	58.0	20	3	3	\$4,078.00	38 lbs.
1060916	VARIOspeed® N1, 480V	VS43-8.0-N1	8.0	3 - 5	3	3	\$2,266.00	31 lbs.
1041356	VARIOspeed® N1, 480V	VS43-16.0-N1	16.0	7.5 - 10	3	3	\$2,913.00	31 lbs.
1041357	VARIOspeed® N1, 480V	VS43-29.5-N1	29.5	15 - 20	3	3	\$3,741.00	38 lbs.

**NOTE:** HP rating is based on standard NEMA B 4-pole motor (used for indication only, use nameplate FLA for sizing). The output voltage of the VFD cannot exceed the incoming voltage. Example: 208V in, 208V out (max).

**SELECTING THE CORRECT VFD**

1. Determine the voltage available on site.
2. Select a pump with the same voltage (motor must be three phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor FLA.
5. Use motor Service Factor Amps (SFA) for submersible well pump applications for VFD sizing.

**PHASE CONVERSION\*\***

It is possible to supply single phase 240V input power to VS23 models. The VFD output amp must be derated by 50%.

Example: The VS23-45.0-N1 will be derated to 22.5A output (max).

\*\*Use three phase input power if available. VS23 VFD's are not UL listed with single phase supply. Always use a three phase motor.

**MAXIMUM MOTOR CABLE LENGTHS**

For 208V-240V pumps: 400 ft. For cable lengths greater than 400 ft., use a load reactor. Do not exceed 800 ft.

For 480V pumps: 50 ft. For cable lengths greater than 50 ft., use a load reactor. Do not exceed 300 ft.

**VARIOSPEED® 3R CONTROL PANEL** - Variable Frequency Drive control panel in a NEMA 3R enclosure.

Part #	Description	Model	Output Amp	HP	Input Phase	Output Phase	List Price	Shipping Weight
1030983	VARIOspeed® 3R, 240V	VS21-7.0-N3R	7.0	1.5	1	3	\$2,072.00	31 lbs.
1030984	VARIOspeed® 3R, 240V	VS21-10.0-N3R	10.0	3	1	3	\$2,188.00	32 lbs.
1039107	VARIOspeed® 3R, 240V	VS23-16.5-N3R	16.5	5	3	3	\$2,468.00	31 lbs.
1030985	VARIOspeed® 3R, 240V	VS23-31.8-N3R	31.8	7.5 - 10	3	3	\$3,540.00	35 lbs.
1039108	VARIOspeed® 3R, 240V	VS23-45.0-N3R	45.0	15	3	3	\$4,419.00	42 lbs.
1039109	VARIOspeed® 3R, 240V	VS23-58.0-N3R	58.0	20	3	3	\$4,852.00	42 lbs.
1060917	VARIOspeed® 3R, 480V	VS43-8.0-N3R	8.0	3 - 5	3	3	\$3,296.00	47 lbs.
1039110	VARIOspeed® 3R, 480V	VS43-16.0-N3R	16.0	7.5 - 10	3	3	\$4,015.00	47 lbs.
1039111	VARIOspeed® 3R, 480V	VS43-29.5-N3R	29.5	15 - 20	3	3	\$4,832.00	47 lbs.

**NOTE:** HP rating is based on standard NEMA B 4-pole motor (used for indication only, use nameplate FLA for sizing). The output voltage of the VFD cannot exceed the incoming voltage. Example: 208V in, 208V out (max).

**SELECTING THE CORRECT VFD**

1. Determine the voltage available on site.
2. Select a pump with the same voltage (motor must be three phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor FLA.
5. Use motor Service Factor Amps (SFA) for submersible well pump applications for VFD sizing.

**PHASE CONVERSION\*\***

It is possible to supply single phase 240V input power to VS23 models. The VFD output amp must be derated by 50%.

Example: The VS23-45.0-N3R will be derated to 22.5A output (max).

\*\*Use three phase input power if available. VS23 VFD's are not UL listed with single phase supply. Always use a three phase motor.

**MAXIMUM MOTOR CABLE LENGTHS**

For 208V-240V pumps: 400 ft. For cable lengths greater than 400 ft., use a load reactor. Do not exceed 800 ft.

For 480V pumps: 50 ft. For cable lengths greater than 50 ft., use a load reactor. Do not exceed 300 ft.



**VARIOSPEED® 3R DUPLEX CONTROL PANEL** - Variable Frequency Drive controller in a NEMA 3R enclosure for indoor or outdoor use.

Part #	Description	Model	Output Amp	HP	Input Phase	Output Phase	List Price	Shipping Weight
1051672	VARIOSpeed® 3RD, 240V	VS21-7.0-N3RD	7.0	1.5	1	3	\$5,185.00	115 lbs.
1051673	VARIOSpeed® 3RD, 240V	VS21-10.0-N3RD	10.0	3	1	3	\$5,402.00	115 lbs.
1051674	VARIOSpeed® 3RD, 240V	VS23-16.5-N3RD	16.5	5	3	3	\$5,935.00	115 lbs.
1051675	VARIOSpeed® 3RD, 240V	VS23-31.8-N3RD	31.8	7.5 - 10	3	3	\$7,995.00	146 lbs.
1051676	VARIOSpeed® 3RD, 240V	VS23-45.0-N3RD	45.0	15	3	3	\$9,690.00	154 lbs.
1051677	VARIOSpeed® 3RD, 240V	VS23-58.0-N3RD	58.0	20	3	3	\$10,538.00	154 lbs.
1060918	VARIOSpeed® 3RD, 480V	VS43-8.0-N3RD	8.0	3 - 5	3	3	\$6,592.00	150 lbs.
1051678	VARIOSpeed® 3RD, 480V	VS43-16.0-N3RD	16.0	7.5 - 10	3	3	\$8,891.00	150 lbs.
1051679	VARIOSpeed® 3RD, 480V	VS43-29.5-N3RD	29.5	15 - 20	3	3	\$10,466.00	161 lbs.

**NOTE:** HP rating is based on standard NEMA B 4-pole motor (used for indication only, use nameplate FLA for sizing). The output voltage of the VFD cannot exceed the incoming voltage. Example: 208V in, 208V out (max).

#### SELECTING THE CORRECT VFD

1. Determine the voltage available on site.
2. Select a pump with the same voltage (motor must be three phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor FLA.
5. Use motor Service Factor Amps (SFA) for submersible well pump applications for VFD sizing.

#### PHASE CONVERSION\*\*

It is possible to supply single phase 240V input power to VS23 models. The VFD output amp must be derated by 50%.

Example: The VS23-45.0-N3RD will be derated to 22.5A output (max).

\*\*Use three phase input power if available. VS23 VFD's are not UL listed with single phase supply. Always use a three phase motor.

#### MAXIMUM MOTOR CABLE LENGTHS

For 208V-240V pumps: 400 ft. For cable lengths greater than 400 ft., use a load reactor. Do not exceed 800 ft.

For 480V pumps: 50 ft. For cable lengths greater than 50 ft., use a load reactor. Do not exceed 300 ft.

**XPERT ALERT®** - Easy-to-install liquid level alarm system with low temperature alarm and battery backup features for indoor use.

Part #	Description	List Price	Shipping Weight
1056754*	Xpert Alert®, 120V, High w/ 10' SJE MilliAmpMaster™ Float	\$105.00	1.85 lbs.
1057333	Xpert Alert®, 120V, no float	\$84.00	0.85 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**MASTER CARTON holds 16 boxed units.**

**XPERT ALERT® WIFI** - Easy-to-install indoor alarm system with WiFi connectivity, remote notification, 2 alarm inputs, temperature alarm, auto reset and battery backup.

Part #	Description	List Price	Shipping Weight
1060316*	Xpert Alert® WiFi, 120V, High w/ 10' SJE MilliAmpMaster™ Float	\$308.00	1.85 lbs.
1061894	Xpert Alert® WiFi, 120V, no float	\$287.00	0.85 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**MASTER CARTON holds 16 boxed units.**

**TANK ALERT® AB** - Easy-to-install liquid level alarm system with auto reset and battery backup features for indoor use.

Part #	Description	List Price	Shipping Weight
1011421*	TA AB-01H (120 VAC w/15' SJE SignalMaster® High Level)	\$126.25	2.73 lbs.
1011424	TA AB-01L (120 VAC w/15' SJE SignalMaster® Low Level)	\$126.25	2.73 lbs.
1011422	TA AB-01H (120 VAC w/15' Sensor Float® High Level)	\$134.98	2.81 lbs.
1011423	TA AB-01X (120 VAC no float)	\$92.95	1.44 lbs.
1012668	TA AB-01HAUX (120 VAC w/15' SJE SignalMaster® High Level & Auxiliary Contacts)	\$147.28	2.75 lbs.
1021932	TA AB-01XAUX (120 VAC no float w/Auxiliary Contacts)	\$113.98	1.46 lbs.
OPTION AUX	Alarm Auxiliary Contacts (factory installed option only)	\$21.03	NA

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

H = High Level L = Low Level X = No Float AUX = Auxiliary Contacts **MASTER CARTON holds 16 boxed units.**

**CONTROL SWITCH OPTIONS:** The Tank Alert® AB alarm system comes standard with a 15ft **SJE SignalMaster®** control switch with mounting clamp. Other float switches are available. See control switch section of the catalog.



**TANK ALERT® AB DUO** - Easy-to-install indoor alarm featuring two alarm inputs to monitor two level conditions. Includes auto reset and battery backup features.

Part #	Description	List Price	Shipping Weight
1036378	TA AB DUO-01H (120 VAC w/15' SJE SignalMaster® High Level)	\$199.39	2.73 lbs.
1038473	TA AB DUO-01HAUX (120 VAC w/15' SJE SignalMaster® High Level w/Auxiliary Contacts)	\$219.86	1.50 lbs.
1052956	TA AB DUO-01X (120 VAC - no float switch)	\$154.51	2.75 lbs.

H = High Level X = No Float AUX = Auxiliary Contacts **MASTER CARTON holds 16 boxed units.**

**TANK ALERT® I** - Easy-to-install liquid level alarm system for indoor use.

Part #	Description (120V)	List Price	Shipping Weight
1007457	101-01H (120 VAC w/15' SJE SignalMaster® High Level)	\$164.07	3.58 lbs.
1009207	101-01HSPKT (120 VAC w/15' SJE SignalMaster® High Level) with splice kit	\$173.07	3.58 lbs.
1003104	101-01H (120 VAC w/15' Sensor Float® High Level)	\$174.42	3.58 lbs.
1003365	101-01L (120 VAC w/15' Sensor Float® Low Level)	\$174.42	3.58 lbs.
1002235	101-01X (120 VAC no float)	\$118.41	2.14 lbs.
Part #	Description (230V)	List Price	Shipping Weight
1008009	101-02H (230 VAC w/15' SJE SignalMaster® High Level)	\$229.69	3.58 lbs.
1003364	101-02H (230 VAC w/15' Sensor Float® High Level)	\$240.08	3.58 lbs.
1005420	101-02L (230 VAC w/15' Sensor Float® Low Level)	\$240.08	3.58 lbs.
1005419	101-02X (230 VAC no float)	\$184.05	2.14 lbs.

H = High Level L = Low Level X = No Float SPKT = Splice Kit **MASTER CARTON holds 16 boxed units.**

**CONTROL SWITCH OPTIONS:** The Tank Alert® I alarm system comes standard with a 15ft **SJE SignalMaster®** control switch with mounting clamp. Other float switches are available. See control switch section of the catalog.

**TANK ALERT® EZ** - Easy-to-install indoor/outdoor alarm system features a removable cover to provide greater access for easier field wiring. Two-color molded enclosure integrates red LED beacon.

Part #	Description (120V)	List Price	Shipping Weight
1036589*	TAEZ-01H (120 VAC w/15' SJE SignalMaster® High Level)	\$211.50	2.75 lbs.
1036590	TAEZ-01H (120 VAC w/15' SJE Sensor Float® High Level)	\$221.07	2.75 lbs.
1036591	TAEZ-01X (120 VAC no float)	\$170.24	1.50 lbs.
1038019	TAEZ-01L (120 VAC w/15' SJE SignalMaster® Low Level)	\$211.50	2.75 lbs.
1038020	TAEZ-01L (120 VAC w/15' SJE Sensor Float® Low Level)	\$221.07	2.75 lbs.
Part #	Description (120V with Terminal Block)	List Price	Shipping Weight
1036592*	TAEZ-01HTB (120 VAC w/15' SJE SignalMaster® High Level Terminal Block)	\$217.68	2.75 lbs.
1036593	TAEZ-01HTB (120 VAC w/15' Sensor Float® High Level Terminal Block)	\$227.28	2.75 lbs.
1036594	TAEZ-01XTB (120 VAC no float w/Terminal Block)	\$176.28	1.50 lbs.
1038035	TAEZ-01LTB (120 VAC w/15' SJE SignalMaster® Low Level Terminal Block)	\$217.68	2.75 lbs.
1038036	TAEZ-01LTB (120 VAC w/15' Sensor Float® Low Level Terminal Block)	\$227.28	2.75 lbs.
Part #	Description (240V)	List Price	Shipping Weight
1036595	TAEZ-02H (240 VAC w/15' SJE SignalMaster® High Level)	\$215.05	2.75 lbs.
1036596	TAEZ-02X (240 VAC no float)	\$173.80	1.50 lbs.
Part #	Description (240V with Terminal Block)	List Price	Shipping Weight
1036597	TAEZ-02HTB (240 VAC w/15' SJE SignalMaster® High Level w/Terminal Block)	\$221.24	2.75 lbs.
1036598	TAEZ-02XTB (240 VAC no float w/Terminal Block)	\$177.47	1.50 lbs.
<b>OPTION PC</b>	6' power cord with two RCC8 1/2" liquid-tight connectors (120V Model Only)	\$31.76	NA

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

H = High Level L = Low Level X = No Float TB = Includes Terminal Block DUO = Dual Alarm Inputs **MASTER CARTON holds 12 boxed units.**

**CONTROL SWITCH OPTIONS:** The Tank Alert® EZ alarm system comes standard with a 15ft **SJE SignalMaster®** control switch with mounting clamp. Other float switches are available. See control switch section of the catalog.

**TANK ALERT® EZ DUO** - Versatile, indoor or outdoor alarm system featuring two alarm inputs to monitor two level conditions.

Part #	Description (120V DUO ALARM)	List Price	Shipping Weight
1052096	TAEZ-01H DUO (120 VAC w/ (2) 15' SJE SignalMasters®)	\$343.00	3.50 lbs.
1052094	TAEZ-01H DUO (120 VAC w/ 15' SJE SignalMasters®)	\$299.00	2.75 lbs.
1052097	TAEZ-01X DUO (120 VAC - no float switch)	\$255.00	1.50 lbs.

H = High Level X = No Float DUO = Dual Alarm Inputs **MASTER CARTON holds 12 boxed units.**

**TANK ALERT® XT - Versatile, indoor or outdoor liquid level alarm system.**

Part #	Description (120V)	List Price	Shipping Weight
1009923*	TAXT-01H (120 VAC w/15' SJE SignalMaster® High Level)	\$231.12	3.00 lbs.
1010251	TAXT-01L (120 VAC w/15' SJE SignalMaster® Low Level)	\$231.12	3.00 lbs.
1004442	TAXT-01H (120 VAC w/15' Sensor Float® High Level)	\$241.14	3.00 lbs.
1005140	TAXT-01L (120 VAC w/15' Sensor Float® Low Level)	\$241.14	3.00 lbs.
1005141	TAXT-01X (120 VAC no float)	\$186.03	1.50 lbs.
Part #	Description (120V with Terminal Block)	List Price	Shipping Weight
1012416	TAXT-01HAUXTB (120 VAC w/15' SJE SignalMaster® High Level Aux Con TB)	\$296.55	3.50 lbs.
1022241	TAXT-01HTB (120 VAC w/15' SJE SignalMaster® High Level TB)	\$237.86	2.00 lbs.
1005481	TAXT-01HTB (120 VAC w/15' Sensor Float® High Level TB)	\$247.94	3.50 lbs.
1005835	TAXT-01LTB (120 VAC w/15' Sensor Float® Low Level TB)	\$247.94	3.50 lbs.
1005836	TAXT-01XTB (120 VAC no float TB)	\$192.63	2.00 lbs.
1009214	TAXT-01HAUXTB (120 VAC w/15' SJE Sensor Float® High Level Aux Con TB)	\$306.63	3.50 lbs.
Part #	Description (120V with Options)	List Price	Shipping Weight
1006850	TAXT-01HAUX (120 VAC w/15' Sensor Float® High Level Auxiliary Contacts)	\$299.83	3.50 lbs.
1006690	TAXT-01HPC (120 VAC w/15' Sensor Float® High Level Power Cord)	\$273.54	2.00 lbs.
1032257	TAXT-01HAUX (120VAC w/ 15' SJE SignalMaster® High Level Auxiliary Contacts)	\$289.91	3.1 lbs.
1057473	TAXT-01HPC (120 VAC w/15' SJE SignalMaster® High Level Power Cord)	\$263.52	3.3 lbs.
OPTION AUX	Auxiliary contacts (factory installed option only)	\$58.69	N/A
OPTION PC	6' power cord with two RCC8 1/2" liquid-tight connectors	\$32.40	N/A

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

H = High Level L = Low Level X = No Float TB = Includes Terminal Block PC = Power Cord AUX = Auxiliary Contacts

MASTER CARTON holds 12 boxed units.

**CONTROL SWITCH OPTIONS:** The Tank Alert® XT alarm system comes standard with a 15ft SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog.

**TANK ALERT® 4X - Easy-to-install liquid level alarm system which has a NEMA 4X enclosure for indoor or outdoor use.**

Part #	Description	List Price	Shipping Weight
1008024	4X-01HSGM (120 VAC w/15' SJE SignalMaster® High Level)	\$417.62	3.40 lbs.
1008026	4X-01LSGM (120 VAC w/15' SJE SignalMaster® Low Level)	\$417.62	3.40 lbs.
1008023	4X-01H (120 VAC w/15' Sensor Float® High Level)	\$425.94	3.65 lbs.
1008025	4X-01L (120 VAC w/15' Sensor Float® Low Level)	\$425.94	3.65 lbs.
1008027	4X-01X (120 VAC no float)	\$372.20	2.10 lbs.
OPTION AUX	Auxiliary contacts (factory installed option only)	\$23.65	NA

H = High Level L = Low Level X = No Float MASTER CARTON holds 12 boxed units.

**CONTROL SWITCH OPTIONS:** The Tank Alert® 4X alarm system comes standard with a 15ft SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog.

**TANK ALERT® SOLAR - Versatile, indoor or outdoor solar powered alarm system.**

Part #	Description	List Price	Shipping Weight
1052473	TA Solar Alarm, w/ 20ft SJE SignalMaster® High level, 10W Solar Panel	\$530.00	9.00 lbs.
1052474	TA Solar Alarm, w/ 20ft SJE SignalMaster® Low level, 10W Solar Panel	\$530.00	9.00 lbs.
1052475	TA Solar Alarm, No Float, 10W Solar Panel	\$482.00	7.50 lbs.

**C-CON™ CONVERTER BOX (120V) - Converts any float-operated control panel to utilize the C-Level™ CL40 floatless sensor.**

Part #	Description	List Price	Shipping Weight
1031031	C-Con™ Converter Box w/C-Level™ CL40 sensor (4 foot vent tube and 20 foot cable)	\$656.00	3.5 lbs.
1031032	C-Con™ Converter Box w/C-Level™ CL40 sensor (4 foot vent tube and 40 foot cable)	\$691.00	4.1 lbs.
1031033	C-Con™ Converter Box w/C-Level™ CL40 sensor (8 foot vent tube and 20 foot cable)	\$663.00	3.82 lbs.
1031034	C-Con™ Converter Box w/C-Level™ CL40 sensor (8 foot vent tube and 40 foot cable)	\$697.00	4.42 lbs.
1031067	C-Con™ Converter Box without C-Level™ CL40 sensor	\$324.00	1.08 lbs.

**SJE LEVEL MONITOR™ CL (120V) - Monitors tank levels by utilizing the C-Level™ floatless sensor.**

Part #	Description	List Price	Shipping Weight
1031680	SJE Level Monitor™ CL w/C-Level™ CL40 sensor (4 foot vent tube & 20 foot cable)	\$579.00	3.1 lbs.
1031423	SJE Level Monitor™ CL w/C-Level™ CL40 sensor (4 foot vent tube & 40 foot cable)	\$604.00	3.7 lbs.
1031424	SJE Level Monitor™ CL w/C-Level™ CL40 sensor (4 foot vent tube & 80 foot cable)	\$667.00	5.0 lbs.
1031425	SJE Level Monitor™ CL w/C-Level™ CL40 sensor (4 foot vent tube & 200 foot cable)	\$811.00	7.0 lbs.
1036842	SJE Level Monitor™ CL w/C-Level™ CL100 sensor (10 foot vent tube & 20 foot cable)	\$585.00	3.58 lbs.
1036844	SJE Level Monitor™ CL w/C-Level™ CL100 sensor (10 foot vent tube & 40 foot cable)	\$610.00	4.18 lbs.
1036845	SJE Level Monitor™ CL w/C-Level™ CL100 sensor (10 foot vent tube & 80 foot cable)	\$673.00	5.48 lbs.
1036846	SJE Level Monitor™ CL w/C-Level™ CL100 sensor (10 foot vent tube & 200 ft. cable)	\$817.00	7.48 lbs.
1031877	SJE Level Monitor™ CL (no C-Level™ sensor)	\$272.00	0.83 lbs.

**SJE PUMPMASTER® WPS PUMP SWITCH - Mechanically activated, wide angle float switch designed for use in potable water applications.**

Part #	Description	List Price	Shipping Weight
1047427	15PMWPSWE	\$107.03	3.3 lbs.
1053697	30PMWPSWE	\$137.14	5.1 lbs.

**WE = Weighted Externally**

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (Single Pole, Double Throw).

**SJE PUMPMASTER® PUMP SWITCH - Mechanically activated, wide angle switch designed to control pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC.**

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1002630	10PMD1WP	1002707	10PMU1WP	\$75.76	1.64 lbs.
1002714	10PMD2WP	1002709	10PMU2WP	\$78.43	1.68 lbs.
1002712	10PMDWOP	1002706	10PMUWOP	\$66.54	1.56 lbs.
1002715*	15PMD1WP	1002721	15PMU1WP	\$79.86	1.89 lbs.
1002717	15PMD2WP	1002723	15PMU2WP	\$82.50	1.93 lbs.
1002719	15PMDWOP	1002725*	15PMUWOP	\$70.62	1.82 lbs.
1036754	15PMD1WP-QF			\$84.60	1.95 lbs.
1002727*	20PMD1WP	1002733	20PMU1WP	\$84.12	2.28 lbs.
1002729	20PMD2WP	1002735	20PMU2WP	\$86.60	2.32 lbs.
1002731	20PMDWOP	1002737	20PMUWOP	\$74.71	2.20 lbs.
1002739	30PMD1WP	1002745	30PMU1WP	\$92.78	2.94 lbs.
1002741	30PMD2WP	1002747	30PMU2WP	\$95.44	2.99 lbs.
1002743	30PMDWOP	1002749	30PMUWOP	\$83.55	2.86 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug QF = Quick Fit**

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP is standard.** If mounting clamp is not required, specify and deduct 60¢ from list price.

**CABLE WEIGHT MOUNTING** is also available. **QUICK FIT** piggy-back plug and float are separate to allow for quick fit installation.

**PACKAGING: Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.



**SJE PUMPMASTER® PLUS PUMP SWITCH** - Mechanically activated, wide angle switch designed to control pumps up to 3/4 HP at 120 VAC and 2 HP at 230 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1003232	10PMPD1WP	1003237	10PMPU1WP	\$98.05	1.88 lbs.
1003233	10PMPD2WP	1003239	10PMPU2WP	\$101.66	1.92 lbs.
1003235	10PMPDWOP	1003241	10PMPUWOP	\$90.12	1.73 lbs.
1003243*	15PMPD1WP	1003249	15PMPU1WP	\$103.38	2.23 lbs.
1003245	15PMPD2WP	1003251	15PMPU2WP	\$105.99	2.23 lbs.
1003247	15PMPDWOP	1003253	15PMPUWOP	\$94.42	2.13 lbs.
1036797	15PMPD1WP-QF			\$106.44	2.50 lbs.
1003255	20PMPD1WP	1003261	20PMPU1WP	\$107.69	2.57 lbs.
1003257	20PMPD2WP	1003263	20PMPU2WP	\$110.27	2.61 lbs.
1003259	20PMPDWOP	1003265	20PMPUWOP	\$98.76	2.49 lbs.
1003267	30PMPD1WP	1003273	30PMPU1WP	\$117.17	3.38 lbs.
1003269	30PMPD2WP	1003275	30PMPU2WP	\$119.76	3.41 lbs.
1003271	30PMPDWOP	1003277	30PMPUWOP	\$108.19	3.30 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**D** = Pump Down **U** = Pump Up **1** = 120VAC **2** = 230VAC **WP** = With Plug **WOP** = With Out Plug **QF** = Quick Fit

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP is standard.** If mounting clamp is not required, specify and deduct 60¢ from list price.

**CABLE WEIGHT MOUNTING** is also available. **QUICK FIT** piggy-back plug and float are separate to allow for quick fit installation.

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE PUMPMASTER® SPDT PUMP SWITCH** - Mechanically activated, wide angle switch designed for direct control of pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC.

Part #	Description - Pump Down or Pump Up ⬇ ⬆	List Price	Shipping Weight
1004834	10PMSPDTPC	\$73.07	1.81 lbs.
1004835	10PMSPDTWE	\$82.74	3.05 lbs.
1004836	15PMSPDTPC	\$77.66	2.21 lbs.
1004837	15PMSPDTWE	\$88.75	3.45 lbs.
1004838*	20PMSPDTPC	\$81.87	2.61 lbs.
1004839	20PMSPDTWE	\$91.54	3.85 lbs.
1004840	30PMSPDTPC	\$86.24	3.41 lbs.
1004841	30PMSPDTWE	\$101.45	4.65 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**PC** = Pipe Clamp **WE** = Weighted Externally

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (**Single Pole, Double Throw**).

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP is standard.** If mounting clamp is not required, specify and deduct 60¢ from list price.

**CABLE WEIGHT MOUNTING** is also available.

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**DOUBLE FLOAT MASTER® PUMP SWITCH** - Mechanically activated, wide angle switch designed to control pumps up to 15 FLA, 90 LRA, 120 VAC or 230 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1016864*	15DFMMD1WP	1017668	15DFMMU1WP	\$166.20	3.63 lbs.
1017657	15DFMMD2WP	1017669	15DFMMU2WP	\$170.69	3.64 lbs.
1017658	15DFMMD1WOP	1017670	15DFMMU1WOP	\$156.36	3.55 lbs.
1017659	15DFMMD2WOP	1017671	15DFMMU2WOP	\$159.67	3.51 lbs.
1017660	20DFMMD1WP	1017672	20DFMMU1WP	\$172.42	4.04 lbs.
1017661	20DFMMD2WP	1017673	20DFMMU2WP	\$176.89	4.08 lbs.
1017662	20DFMMD1WOP	1017674	20DFMMU1WOP	\$162.61	3.97 lbs.
1017663	20DFMMD2WOP	1017675	20DFMMU2WOP	\$165.87	4.01 lbs.
1017664	30DFMMD1WP	1017676	30DFMMU1WP	\$185.68	4.95 lbs.
1017665	30DFMMD2WP	1017677	30DFMMU2WP	\$190.14	4.99 lbs.
1017666	30DFMMD1WOP	1017678	30DFMMU1WOP	\$176.01	4.86 lbs.
1017667	30DFMMD2WOP	1017679	30DFMMU2WOP	\$179.13	4.87 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**D** = Pump Down **U** = Pump Up **1** = 120VAC **2** = 230VAC **WP** = With Plug **WOP** = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (15, 20, 30).

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE AMPMASTER® PUMP SWITCH** - Mechanically activated, wide angle 20 amp rated switch designed to control pumps up to 1 1/2 HP at 125 VAC and 3 HP at 250 VAC.

Part #	Description (Pump Down - Without Plug Only) ⬇	List Price	Shipping Weight
1006310	10AMDWOP	\$133.07	1.79 lbs.
1006311	15AMDWOP	\$139.27	2.27 lbs.
1006312	20AMDWOP	\$145.44	2.72 lbs.
1006313	30AMDWOP	\$158.79	3.12 lbs.

**D** = Pump Down **WOP** = With Out Plug

**MOUNTING CLAMP** is standard. If mounting clamp is not required, specify and deduct 60¢ from list price.

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE VERTICALMASTER® PUMP SWITCH** - Mechanically activated pump switch designed for direct control of pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC.

Part #	Description (Pump Down Only) ⬇	List Price	Shipping Weight
1003590*	10VM1WP	\$81.45	1.73 lbs.
1003772	10VM2WP	\$84.13	1.77 lbs.
1003776	10VMWOP	\$71.77	1.65 lbs.
1003769	15VM1WP	\$85.59	2.08 lbs.
1003773	15VM2WP	\$88.40	2.12 lbs.
1003777	15VMWOP	\$76.01	2.00 lbs.
1003770	20VM1WP	\$89.84	2.43 lbs.
1003774	20VM2WP	\$92.61	2.47 lbs.
1003778	20VMWOP	\$80.25	2.35 lbs.
1003771	30VM1WP	\$99.08	3.13 lbs.
1003775	30VM2WP	\$102.08	3.17 lbs.
1003779	30VMWOP	\$89.50	3.05 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**1** = 120VAC **2** = 230VAC **WP** = With Plug **WOP** = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING BRACKET and HOSE CLAMP** are standard.

**PACKAGING:** **Boxed** - Standard

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.



**SJE MICROMASTER® AC/DC PUMP SWITCH** - Mechanically activated, wide angle switch designed for performance and dependability.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1009813	15MMDCDWOP	1012543	15MMDCUWOP	\$61.31	3.63 lbs.

WOP = With Out Plug

MOUNTING CLAMP is standard.

PACKAGING: Bagged - Standard

**SJE MICROMASTER® PLUS WS PUMP SWITCH** - Mechanically activated, wide angle switch designed to control pumps up to 1/2 HP at 125 VAC and 1 HP at 250 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1022021	10MMPDIWPWS	1022024	10MMPUIWPWS	\$74.63	1.48 lbs.
1022022	10MMPD2WPWS	1022025	10MMPU2WPWS	\$77.28	1.51 lbs.
1022020	10MMPDWOPWS	1022023	10MMPUWOPWS	\$65.35	1.04 lbs.
1022027	15MMPDIWPWS	1022030	15MMPUIWPWS	\$78.74	1.81 lbs.
1022028	15MMPD2WPWS	1022031	15MMPU2WPWS	\$81.40	1.85 lbs.
1022026	15MMPDWOPWS	1022029	15MMPUWOPWS	\$69.44	1.37 lbs.
1022033	20MMPDIWPWS	1022036	20MMPUIWPWS	\$83.03	2.14 lbs.
1022034	20MMPD2WPWS	1022037	20MMPU2WPWS	\$85.53	2.19 lbs.
1022032*	20MMPDWOPWS	1022035	20MMPUWOPWS	\$73.56	1.69 lbs.
1022039	30MMPDIWPWS	1022042	30MMPUIWPWS	\$90.85	2.86 lbs.
1022040	30MMPD2WPWS	1022043	30MMPU2WPWS	\$94.40	2.90 lbs.
1022038	30MMPDWOPWS	1022041	30MMPUWOPWS	\$82.48	2.34 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

D = Pump Down U = Pump Up 1 = 125VAC 2 = 250VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

MOUNTING CLAMP is standard. If mounting clamp is not required, specify and deduct 60¢ from list price.

CABLE WEIGHT MOUNTING is also available.

PACKAGING: Boxed - Standard Bagged - Specify and deduct 40¢ from list price. Bulk - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

ADDITIONAL CABLE: Longer cable lengths available. Please call for details.

**JUNIOR SUPER SINGLE® PUMP SWITCH** - Mercury activated, wide angle switch designed for direct control of pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1001896	10JSDIWP	1001918	10JSUIWP	\$96.19	1.45 lbs.
1001914	10JSD2WP	1001921	10JSU2WP	\$99.31	1.48 lbs.
1001916	10JSDWOP	1001923	10JSUWOP	\$85.00	1.37 lbs.
1001817	15JSDIWP	1001930	15JSUIWP	\$100.96	1.77 lbs.
1001926	15JSD2WP	1001932	15JSU2WP	\$104.31	1.81 lbs.
1001928	15JSDWOP	1001934	15JSUWOP	\$89.95	1.68 lbs.
1001898	20JSDIWP	1001941	20JSUIWP	\$105.97	2.11 lbs.
1001937	20JSD2WP	1001943	20JSU2WP	\$109.28	2.14 lbs.
1001939	20JSDWOP	1001945	20JSUWOP	\$94.97	2.03 lbs.
1001900	30JSDIWP	1001952	30JSUIWP	\$116.77	2.82 lbs.
1001948	30JSD2WP	1001954	30JSU2WP	\$119.90	2.86 lbs.
1001950	30JSDWOP	1001956	30JSUWOP	\$105.59	2.74 lbs.

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

MOUNTING CLAMP is standard. If mounting clamp is not required, specify and deduct 60¢ from list price.

PACKAGING: Boxed - Standard Bagged - Specify and deduct 40¢ from list price. Bulk - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

ADDITIONAL CABLE: Longer cable lengths available. Please call for details.



**SUPER SINGLE® PUMP SWITCH** - Mercury activated, wide angle switch designed to control pumps up to 1 HP at 120 VAC and 2 HP at 230 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1001958	10SSD1WP	1001965	10SSU1WP	\$166.85	1.75 lbs.
1001961	10SSD2WP	1001967	10SSU2WP	\$170.26	1.76 lbs.
1001963	10SSDWOP	1001969	10SSUWOP	\$155.66	1.65 lbs.
1001971	15SSD1WP	1001977	15SSU1WP	\$172.37	2.15 lbs.
1001973	15SSD2WP	1001979	15SSU2WP	\$175.51	2.18 lbs.
1001975	15SSDWOP	1001981	15SSUWOP	\$160.92	2.08 lbs.
1001983	20SSD1WP	1001989	20SSU1WP	\$177.49	2.67 lbs.
1001985	20SSD2WP	1001991	20SSU2WP	\$180.62	2.71 lbs.
1001987	20SSDWOP	1001993	20SSUWOP	\$166.02	2.56 lbs.
1001988	30SSD1WP	1002000	30SSU1WP	\$189.30	3.35 lbs.
1001996	30SSD2WP	1002002	30SSU2WP	\$192.68	3.39 lbs.
1001998	30SSDWOP	1002004	30SSUWOP	\$178.06	3.27 lbs.

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP** is standard. If mounting clamp is not required, specify and deduct 60¢ from list price.

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**DOUBLE FLOAT® PUMP SWITCH** - Mercury activated, wide angle switch designed to control pumps up to 1 HP at 120 VAC and 2 HP at 230 VAC.

PUMP DOWN ⬇		PUMP UP ⬆		List Price	Shipping Weight
Part #	Description	Part #	Description		
1002022	15DFD1WP	1002030	15DFU1WP	\$214.06	3.63 lbs.
1002024	15DFD2WP	1002032	15DFU2WP	\$219.55	3.64 lbs.
1002026	15DFD1WOP	1002034	15DFU1WOP	\$201.95	3.55 lbs.
1002028	15DFD2WOP	1002036	15DFU2WOP	\$205.98	3.51 lbs.
1002038	20DFD1WP	1002046	20DFU1WP	\$221.69	4.04 lbs.
1002040	20DFD2WP	1002048	20DFU2WP	\$227.16	4.08 lbs.
1002042	20DFD1WOP	1002050	20DFU1WOP	\$209.61	3.97 lbs.
1002044	20DFD2WOP	1002052	20DFU2WOP	\$213.60	4.01 lbs.
1002054	30DFD1WP	1002062	30DFU1WP	\$237.97	4.95 lbs.
1002056	30DFD2WP	1002064	30DFU2WP	\$243.47	4.99 lbs.
1002058	30DFD1WOP	1002066	30DFU1WOP	\$226.11	4.86 lbs.
1002060	30DFD2WOP	1002068	30DFU2WOP	\$229.91	4.87 lbs.


D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (15, 20, 30).

**PACKAGING:** **Boxed** - Standard **Bagged** - Specify and deduct 40¢ from list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE HITEMPMAS<sup>TM</sup> PUMP SWITCH** - Mechanically activated, wide angle switch specifically designed for performance and dependability in high temperature sump applications up to 200°F (93°C).

Part #	Description (Pump Down Only) 	List Price	Shipping Weight
1043545	10HTMD1WP	\$97.04	1.72 lbs.
1043548	10HTMD2WP	\$99.58	1.76 lbs.
1043551	10HTMDWOP	\$88.11	1.64 lbs.
1043546	20HTMD1WP	\$107.53	2.36 lbs.
1043549	20HTMD2WP	\$109.92	2.40 lbs.
1043554	20HTMDWOP	\$98.43	2.28 lbs.
1043547	30HTMD1WP	\$115.91	3.02 lbs.
1043550	30HTMD2WP	\$118.45	3.07 lbs.
1043555	30HTMDWOP	\$106.97	2.94 lbs.

D = Pump Down 1 = 125VAC 2 = 250VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 20, 30).

**EZCONNEX<sup>®</sup> 3-PORT FLOAT SWITCH CONNECTION SYSTEM** - Manifold/float connection system designed for easy installation of 1-3 float switches in a wet well for level control applications.

Part #		Description (3-Port Manifold)		List Price	Shipping Weight
1047612	EZconnex®, 3-Port, 25 ft., with Mounting Bracket			\$152.45	3.33 lbs.
1047613	EZconnex®, 3-Port, 50 ft., with Mounting Bracket			\$194.47	5.22 lbs.
1050843	EZconnex®, 3-Port, 100 ft., with Mounting Bracket			\$278.08	9.28 lbs.
EZ CONNEX® FLOAT SWITCH NARROW-ANGLED VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1046922	5MAPNPCNOEZ	1046923	5MAPNPCNCEZ	\$50.46	0.86 lbs.
1046924	10MAPNPCNOEZ	1046925	10MAPNPCNCEZ	\$54.16	1.14 lbs.
1050721	20MAPNPCNOEZ	1050840	20MAPNPCNCEZ	\$61.77	1.79 lbs.
1054141	5MAPNCWNOEZ	1054142	5MAPNCWNCEZ	\$60.71	2.16 lbs.
1054145	10MAPNCWNOEZ	1054146	10MAPNCWNCEZ	\$64.40	2.44 lbs.
1054150	20MAPNCWNOEZ	1054151	20MAPNCWNCEZ	\$72.01	3.09 lbs.
EZ CONNEX® FLOAT SWITCH WIDE-ANGLED VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1046918	5MAPWPCNOEZ	1046919	5MAPWPCNCEZ	\$50.46	0.86 lbs.
1046920	10MAPWPCNOEZ	1046921	10MAPWPCNCEZ	\$54.16	1.14 lbs.
1050841	20MAPWPCNOEZ	1050842	20MAPWPCNCEZ	\$61.77	1.79 lbs.
1054143	5MAPWCWNOEZ	1054144	5MAPWCWNCEZ	\$60.71	2.16 lbs.
1054147	10MAPWCWNOEZ	1054148	10MAPWCWNCEZ	\$64.40	2.44 lbs.
1054152	20MAPWCWNOEZ	1054153	20MAPWCWNCEZ	\$72.01	3.09 lbs.
EZ CONNEX® MEGAMASTER® FLOAT SWITCH					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1059056	10MEGANOEZ	1059057	10MEGANCEZ	\$81.55	2.6 lbs.
1059058	25MEGANOEZ	1059059	25MEGANCEZ	\$93.96	3.6 lbs.
1059060	50MEGANOEZ	1059061	50MEGANCEZ	\$114.02	5.1 lbs.
Options Part #	Description			List Price	Shipping Weight
1047611	Sealing Plug (includes Rubber Boot)			\$11.61	0.16 lbs.
1052814	6 Hook Bracket			\$71.99	2.0 lbs.

N = Narrow Angle W = Wide Angle PC = Pipe Clamp CW = Cable Weight NO = Normally Open NC = Normally Closed EZ = EZconnex<sup>®</sup>

**NOTE:** One sealing plug must be ordered for each unused port. Do not install manifold with open port(s).

**EZCONNEX® 4-PORT FLOAT SWITCH CONNECTION SYSTEM** - Manifold/float connection system designed for easy installation of 1-4 float switches in a wet well for level control applications.

Part #		Description (3-Port Manifold)		List Price	Shipping Weight
1053987		EZconnex®, 4-Port, 25 ft., with Mounting Bracket		\$228.04	4.57 lbs.
1053988		EZconnex®, 4-Port, 50 ft., with Mounting Bracket		\$280.83	7.04 lbs.
1053989		EZconnex®, 4-Port, 100 ft., with Mounting Bracket		\$386.40	11.98 lbs.
EZ CONNEX® FLOAT SWITCH NARROW-ANGLED VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1046922	5MAPNPCNOEZ	1046923	5MAPNPCNCEZ	\$50.46	0.86 lbs.
1046924	10MAPNPCNOEZ	1046925	10MAPNPCNCEZ	\$54.16	1.14 lbs.
1050721	20MAPNPCNOEZ	1050840	20MAPNPCNCEZ	\$61.77	1.79 lbs.
1054141	5MAPNCWNOEZ	1054142	5MAPNCWNCEZ	\$60.71	2.16 lbs.
1054145	10MAPNCWNOEZ	1054146	10MAPNCWNCEZ	\$64.40	2.44 lbs.
1054150	20MAPNCWNOEZ	1054151	20MAPNCWNCEZ	\$72.01	3.09 lbs.
EZ CONNEX® FLOAT SWITCH WIDE-ANGLED VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1046918	5MAPWPCNOEZ	1046919	5MAPWPCNCEZ	\$50.46	0.86 lbs.
1046920	10MAPWPCNOEZ	1046921	10MAPWPCNCEZ	\$54.16	1.14 lbs.
1050841	20MAPWPCNOEZ	1050842	20MAPWPCNCEZ	\$61.77	1.79 lbs.
1054143	5MAPWCWNOEZ	1054144	5MAPWCWNCEZ	\$60.71	2.16 lbs.
1054147	10MAPWCWNOEZ	1054148	10MAPWCWNCEZ	\$64.40	2.44 lbs.
1054152	20MAPWCWNOEZ	1054153	20MAPWCWNCEZ	\$72.01	3.09 lbs.
EZ CONNEX® MEGAMASTER® FLOAT SWITCH					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	List Price	Shipping Weight
1059056	10MEGANOEZ	1059057	10MEGANCEZ	\$81.55	2.6 lbs.
1059058	25MEGANOEZ	1059059	25MEGANCEZ	\$93.96	3.6 lbs.
1059060	50MEGANOEZ	1059061	50MEGANCEZ	\$114.02	5.1 lbs.
Options Part #	Description			List Price	Shipping Weight
1047611	Sealing Plug (includes Rubber Boot)			\$11.61	0.16 lbs.
1052814	6 Hook Bracket			\$71.99	2.0 lbs.

N = Narrow Angle W = Wide Angle PC = Pipe Clamp CW = Cable Weight NO = Normally Open NC = Normally Closed EZ = EZconnex®

**NOTE:** One sealing plug must be ordered for each unused port. Do not install manifold with open port(s).

**SJE MEGAMASTER® CONTROL SWITCH** - Mechanically-activated, narrow-angle float switch designed for level control of municipal wastewater pumping stations.

Part #	Description (Normally Open or Normally Closed)	List Price	Shipping Weight
1046500	25MGMSPT	\$73.12	3.53 lbs.
1046501	50MGMSPT	\$92.95	5.06 lbs.
1046502	75MGMSPT	\$119.61	6.65 lbs.
1046503	100MGMSPT	\$147.49	8.21 lbs.
Options Part #	Description	List Price	Shipping Weight
1009432	4 Float Bracket with Mounting Device	\$75.37	2.22 lbs.

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications.

**SJE SIGNALMASTER® CONTROL SWITCH** - Mechanically activated, narrow angle float switch designed to activate pump control panels and alarms.

NORMALLY OPEN		NORMALLY CLOSED		List Price	Shipping Weight
Part #	Description	Part #	Description		
1006042	10SGMPCNO	1006046	10SGMPCNC	\$42.45	1.04 lbs.
1006050	10SGMWENO	1006054	10SGMWENC	\$52.01	2.13 lbs.
1006043	15SGMPCNO	1006047	15SGMPCNC	\$46.45	1.37 lbs.
1006051	15SGMWENO	1006055	15SGMWENC	\$56.02	2.45 lbs.
1006044*	20SGMPCNO	1006048	20SGMPCNC	\$50.45	1.69 lbs.
1006052	20SGMWENO	1006056	20SGMWENC	\$60.05	2.70 lbs.
1006045	30SGMPCNO	1006049	30SGMPCNC	\$59.17	2.34 lbs.
1006053	30SGMWENO	1006057	30SGMWENC	\$68.71	3.43 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**PC** = Pipe Clamp **WE** = Weighted Externally **NO** = Normally Open **NC** = Normally Closed

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP is standard.** If mounting clamp is not required, specify and deduct 60¢ from list price.

**PACKAGING:** **Bagged** - Standard **Boxed** - Specify and add \$1.80 to list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE SIGNALMASTER® SPDT CONTROL SWITCH** - Mechanically activated, narrow angle float switch designed to activate pump control panels and alarms.

Part #	Description (Normally Open or Normally Closed)	List Price	Shipping Weight
1006094	10SGMSPDTPC	\$50.49	1.20 lbs.
1006098	10SGMSPDTWE	\$60.44	2.29 lbs.
1006095	15SGMSPDTPC	\$55.00	1.61 lbs.
1006099	15SGMSPDTWE	\$64.94	2.69 lbs.
1006096	20SGMSPDTPC	\$59.56	2.01 lbs.
1006100	20SGMSPDTWE	\$69.48	3.10 lbs.
1006097	30SGMSPDTPC	\$69.48	2.82 lbs.
1006101	30SGMSPDTWE	\$79.47	3.91 lbs.

**PC** = Pipe Clamp **WE** = Weighted Externally

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (**Single Pole, Double Throw**).

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**FOR NO MOUNTING** deduct 60¢ from the mounting clamp list price.

**CABLE WEIGHT MOUNTING** is also available.

**PACKAGING:** **Bagged** - Standard **Boxed** - Specify and add \$1.80 to list price. **Bulk** - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**SJE MILLIAMPMASER™ WPS CONTROL SWITCH** - Mechanically activated control switch designed to activate low current control panels and alarms in potable water applications.

Part #	Description (Normally Open or Normally Closed)	List Price	Shipping Weight
1062686	15MANWPSPC	\$60.48	1.7 lbs.
1062687	30MANWPSPC	\$73.80	2.5 lbs.
1067227	50MANWPSPC	\$92.25	3.93 lbs.

**PC** = Pipe Clamp

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (**Single Pole, Double Throw**).

**NOTE:** Descriptions are by cable length measured in feet.

**SJE MILLIAMPMAS<sup>TM</sup> CONTROL SWITCH** - Mechanically activated control switch designed to activate low current control panels and alarms.

NARROW ANGLE VERSIONS					
NORMALLY OPEN			NORMALLY CLOSED		
Part #	Description	Part #	Description	List Price	Shipping Weight
1018838	10MANPCNO	1018839	10MANPCNC	\$47.00	1.04 lbs.
1018840	10MANWENO	1018841	10MANWENC	\$55.77	2.16 lbs.
1018842	15MANPCNO	1018843	15MANPCNC	\$50.68	1.37 lbs.
1018844	15MANWENO	1018845	15MANWENC	\$59.44	2.45 lbs.
1018846*	20MANPCNO	1018847	20MANPCNC	\$54.33	1.69 lbs.
1018848*	20MANWENO	1018849	20MANWENC	\$63.09	2.70 lbs.
1018850	30MANPCNO	1018851	30MANPCNC	\$62.28	2.34 lbs.
1018852	30MANWENO	1018853	30MANWENC	\$71.04	3.43 lbs.
WIDE ANGLE VERSIONS					
NORMALLY OPEN			NORMALLY CLOSED		
Part #	Description	Part #	Description	List Price	Shipping Weight
1015725	10MAPCNO	1016180	10MAPCNC	\$47.00	1.04 lbs.
1016181	10MAWENO	1016182	10MAWENC	\$55.77	2.16 lbs.
1016184	15MAPCNO	1016185	15MAPCNC	\$50.68	1.37 lbs.
1016186	15MAWENO	1016187	15MAWENC	\$59.44	2.45 lbs.
1016211	20MAPCNO	1016212	20MAPCNC	\$54.33	1.69 lbs.
1016213	20MAWENO	1016214	20MAWENC	\$63.09	2.70 lbs.
1016215	30MAPCNO	1016216	30MAPCNC	\$62.28	2.34 lbs.
1016217	30MAWENO	1016218	30MAWENC	\$71.04	3.43 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**SJE VERTICALMASTER® II LC CONTROL SWITCH** - Mechanically-activated control switch designed to activate low current control panels and alarms.

Part #	Description (Normally Open)	List Price	Shipping Weight
1025024	10VMIILC BOX	\$57.67	1.65 lbs.
1039781	20VMIILC BOX	\$65.20	2.36 lbs.

MOUNTING BRACKET and HOSE CLAMP are standard.

PACKAGING: Boxed - Standard

**SENSOR FLOAT® CONTROL SWITCH** - Mercury activated, narrow angle float switch designed to activate pump control panels and alarms.

NORMALLY OPEN			NORMALLY CLOSED		
Part #	Description	Part #	Description	List Price	Shipping Weight
1002108	10PCNO	1002111	10PCNC	\$64.75	1.29 lbs.
1002072	10SWINO	1002075	10SWINC	\$69.52	1.85 lbs.
1002143	10SWENO	1002146	10SWENC	\$76.69	2.66 lbs.
1002117*	15PCNO	1002120	15PCNC	\$69.72	1.64 lbs.
1002080	15SWINO	1002083	15SWINC	\$74.52	2.22 lbs.
1002152	15SWENO	1002155	15SWENC	\$81.69	2.90 lbs.
1002125	20PCNO	1002128	20PCNC	\$74.71	1.99 lbs.
1002089	20SWINO	1002092	20SWINC	\$79.55	2.59 lbs.
1002161	20SWENO	1002164	20SWENC	\$86.70	3.27 lbs.
1002134	30PCNO	1002137	30PCNC	\$85.64	2.13 lbs.
1002098	30SWINO	1002101	30SWINC	\$90.41	3.28 lbs.
1002170	30SWENO	1002173	30SWENC	\$97.56	3.88 lbs.

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

PC = Pipe Clamp WI = Weighted Internally WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

FOR NO MOUNTING deduct 60¢ from the mounting clamp list price.

PACKAGING: Bagged - Standard Boxed - Specify and add \$1.80 to list price. Bulk - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

ADDITIONAL CABLE: Longer cable lengths available. Please call for details.

**SENSOR FLOAT® MINI CONTROL SWITCH** - Mercury activated, narrow angle float switch designed to activate pump control panels and alarms.

NORMALLY OPEN		NORMALLY CLOSED		List Price	Shipping Weight
Part #	Description	Part #	Description		
1002181	10MPCNO	1002184	10MPCNC	\$56.46	1.20 lbs.
1002206	10MWENO	1002209	10MWENC	\$69.61	2.58 lbs.
1002187	15MPCNO	1002190	15MPCNC	\$61.44	1.57 lbs.
1002212	15MWENO	1002215	15MWENC	\$73.11	2.81 lbs.
1002193	20MPCNO	1002196	20MPCNC	\$66.31	1.90 lbs.
1002218	20MWENO	1002221	20MWENC	\$77.84	3.14 lbs.
1002199	30MPCNO	1002202	30MPCNC	\$76.80	2.68 lbs.
1002224	30MWENO	1002227	30MWENC	\$88.55	3.96 lbs.

PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**FOR NO MOUNTING** deduct 60¢ from the mounting clamp list price.

**PACKAGING:** Bagged - Standard Boxed - Specify and add \$1.80 to list price. Bulk - Must be ordered in master carton quantities. Please contact customer service for details/pricing.

**ADDITIONAL CABLE:** Longer cable lengths available. Please call for details.

**JUNCTION BOXES** - Seals electrical connections from moisture and other elements.

Part #	Description	List Price	Shipping Weight
1008546	JB444 (no connectors or hub installed)	\$61.87	2 lbs.
1008872	JB444-1.5H-3R8 Simplex	\$109.25	3 lbs.
1008547	JB444-1.5H-4R8 Simplex	\$118.43	3 lbs.
1008548	JB664 (no connectors or hub installed)	\$72.95	3 lbs.
1008549	JB664-1.5H-4R8 Simplex (small HP pump)	\$129.51	4 lbs.
1008550	JB664-2H-5R8 Duplex (small HP pump)	\$141.09	4 lbs.
1008551	JB664-1.5H-3R8-1R12 Simplex (large HP pump)	\$135.40	4 lbs.
1008552	JB664-2H-3R8-2R12 Duplex (large HP pump)	\$152.87	5 lbs.
1008553	JB884 (no connectors or hub installed)	\$130.02	5 lbs.

**NOTE:** Descriptions grouped by enclosure size. 444 = 4 x 4 x 4, 664 = 6 x 6 x 4, 884 = 8 x 8 x 4. All enclosure dimensions are in inches. Number before R8 or R12 equals the number of connectors of that size installed.

1.5H = 1 1/2" HUB, 2H = 2" HUB. R8 = RCC8, R12 = RCC12.

Small HP pump = Pump cable 18/2 to 14/3 gauge. Large HP pump = Pump cable 14/4 to 10/3 gauge.

**CONTROL PANEL ACCESSORIES** - Cord Seals, Hub Assembly, Simplex Installation Kit, Duplex Installation Kit, Cable Connectors, Panel Mounting Post, Riser Mounting Kit, C-Level™ Sensor Simulator, and 4-20mA Simulator.

Part #	Description	List Price
1008517*	4 Cable Cord Seal	\$40.85
1037126*	6 Cable Cord Seal	\$55.84
1002574	1/2 inch Round Cable Connector (RCC-8)	\$9.18
1002575	3/4 inch Round Cable Connector (RCC-12)	\$15.07
1009868	1 inch Round Cable Connector (RCC-16)	\$19.02
1002576	1/2 inch Flat UF Cable Connector (UFCC-8)	\$22.22
1002577	3/4 inch Flat UF Cable Connector (UFCC-12)	\$25.37
1030564	3/4 inch Hub Assembly	\$6.78
1009305*	1 inch Hub Assembly	\$14.05
1008848*	1.5 inch Hub Assembly	\$19.84
1008849*	2 inch Hub Assembly	\$22.24
1037128*	2.5 inch Hub Assembly	\$25.06
1038027	Panel Mounting Post	\$129.33
1038262	Riser Mounting Kit (2 inch)	\$56.86
1053756	Riser Mounting Kit (2.5 inch)	\$73.10
1038029	Simplex Installation Kit	\$60.22
1038030	Duplex Installation Kit	\$84.32
1038326	C-Level™ Sensor Simulator	\$249.31
1039199	4-20mA Simulator	\$249.31

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.



**SUB-X™ TRANSMITTER** - Submersible level transmitter with 4-20mA output.

Part #	Description	List Price
1051995	Sub-X™ 16.7 ftWC with 25 ft. Cable	\$553.00
1051993	Sub-X™ 16.7 ftWC with 50 ft. Cable	\$652.00
1051992	Sub-X™ 16.7 ftWC with 75 ft. Cable	\$736.00
1051991	Sub-X™ 16.7 ftWC with 100 ft. Cable	\$822.00
1051996	Sub-X™ 33.4 ftWC with 25 ft. Cable	\$553.00
1051989	Sub-X™ 33.4 ftWC with 50 ft. Cable	\$652.00
1051990	Sub-X™ 33.4 ftWC with 75 ft. Cable	\$736.00
1051994	Sub-X™ 33.4 ftWC with 100 ft. Cable	\$822.00

**FLOAT ACCESSORIES** - Cable Clamp Assembly, Float Brackets, Pipe Mounting Bracket, Cable Weights, Elapsed Time Meter w/Piggy-Back Plug, Vertical Reed Switch, Anchor, and Chain.

Part #	Description	List Price
1008569	18 & 16 Gauge Cable Clamp Assembly	\$6.77
1008574	14 Gauge Cable Clamp Assembly	\$6.77
1008575	12 Gauge Cable Clamp Assembly	\$6.77
1027830	304 Stainless Steel Float Bracket with 3 Black Cord Snubbers	\$52.61
1009432*	4 Float Bracket with Mounting Device	\$75.37
1009433	4 Float Bracket without Mounting Device	\$65.93
1009434	6 Float Bracket with Mounting Device	\$101.66
1009435	6 Float Bracket without Mounting Device	\$85.41
1009436	Float Bracket Mounting Device	\$18.12
1027771	Pipe Mounting Bracket	\$60.98
1002230*	Cable Weight	\$12.13
1030356	Cable Weight Mini	\$9.39
1022846	Elapsed Time Meter w/120V Piggy-Back Plug	\$114.13
1032834	Elapsed Time Meter w/230V Piggy-Back Plug	\$245.07
1011027	10 foot Vertical Reed Switch 120V Box	\$96.17
1016561	15 foot Vertical Reed Switch 120V Box	\$102.85
1018687	10 lb. Mushroom Anchor	\$57.25
1018823	1/8 inch Chain	\$11.05 per ft.
1052814	6 Hook Bracket	\$71.99

\*This item is an SJE Rhombus Quick Ship product which normally ships within 1 business day from receipt of order at no additional charge.

**HOME PROTECTION PRODUCTS** - Easy-to-install home monitoring products that provide notification of conditions such as threatening liquid level and low temperature.

Part #	Description	List Price
1012019	Auto Dialer	\$606.00
1012052	Home Temperature Monitor	\$59.00
1012103	Auto Dialer w/Home Temperature Monitor	\$665.00
1024803	Auto Dialer 4X	\$1,278.00



**SJE Rhombus® is proud to be a member of these industry associations.**



# SJE RHOMBUS®

22650 County Highway 6  
Detroit Lakes, MN 56501 USA  
Toll Free: 888-DIAL-SJE (888-342-5753)  
Phone: 218-847-1317  
Fax: 218-847-4617  
Email: [customer.service@sjeinc.com](mailto:customer.service@sjeinc.com)  
[www.sjerrhombus.com](http://www.sjerrhombus.com)