



NOTE: 5 BOLLARDS REQUIRED FOR CERTIFICATION.

SECTION A-A

DOS K12 SHALLOW MOUNT BOLLARD ARRAY BASED ON DEPARTMENT OF STATE DS-24 K12 BOLLARD DESIGN.
 CONTACT ROSS TECHNOLOGY CORP. FOR MODEL TYPE DETAILS.
 CRASH TESTED IN 5-BOLLARD ARRAY BY DS/PSD/RD.
 SEE DS CERTIFIED ANTI-RAM VEHICLE BARRIERS LIST PUBLISHED SEPT. 15, 2008 FOR CERTIFICATION.

RESTRICTED CONFIDENTIAL DOCUMENT THIS DRAWING AND ALL INFORMATION SHOWN HEREON ARE THE EXCLUSIVE PROPERTY OF ROSS TECHNOLOGY CORPORATION, AND ARE SUBMITTED ONLY ON A CONFIDENTIAL BASIS. THE RECIPIENT AGREES: (1) NOT TO USE ANY OF THE INFORMATION DISCLOSED ONLY ON A CONFIDENTIAL BASIS. THE RECIPIENT AGREES: (1) NOT TO USE ANY OF THE INFORMATION DISCLOSED HEREIN TO PRODUCE ANY PRODUCT EXCEPT AS AUTHORIZED IN WRITING BY ROSS TECHNOLOGY CORPORATION; (2) NOT TO REPRODUCE THE DRAWING; (3) TO RETURN THE DRAWING UPON REQUEST; AND (4) THAT NO DISCLOSURE OF THE DRAWING OR THE INFORMATION SHOWN HEREON WILL BE MADE TO A THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF ROSS TECHNOLOGY CORPORATION.	DRAWN		SLK	2/18/2015	ROSS Technology Corp. LEOLA, PA USA			
	APPROVED							
	TOLERANCES	ANGULAR (DEG/MIN)	± 0'30'	DESCRIPTION		XL-24-FB 5-BOLLARD ARRAY		
		LINEAR (FRAC)	± 1/16					
LINEAR (DEC)	.x ± .13	CUSTOMER						
	.xx ± .06			SIZE	WO#	DWG/PART NO	REV	
	.xxx ± .031	B		XL-24-FB	0			
MARK #	-	SCALE	SHEET	1 OF 1				